Editors

JOHN I. BREWER, *Editor in Chief*

FREDERICK P. ZUSPAN, E. J. QUILLIGAN, *Editors*

ALBERT B. GERBIE, *Associate Editor*

HOWARD C. TAYLOR, JR., ALLAN C. BARNES, *Editors Emeritus*

Advisory committee on policy

David G. Anderson
C. D. Christian
Leo J. Dunn
David Figge
Fred T. Given
A. Brian Little
Lawrence D. Longo
Edgar L. Makowski
Roy T. Parker
J. C. G. Whetham

Board of corresponding editors

Oscar Aguero, *Caracas*
Frederick Kubli, *Heidelberg*
Pierre O. Hubinont, *Brussels*
Malcolm Symonds, *Nottingham*
Ichiro Taki, *Fukuoka*

Volume 134
May-August, 1979
The C. V. Mosby Company
St. Louis
1979

in addition to those listed on the front cover
the Journal is the official publication
of the following societies

NEW YORK OBSTETRICAL SOCIETY
OBSTETRICAL SOCIETY OF PHILADELPHIA
BROOKLYN GYNECOLOGICAL SOCIETY
ST. LOUIS GYNECOLOGICAL SOCIETY
NEW ORLEANS GYNECOLOGICAL AND OBSTETRICAL SOCIETY
THE OBSTETRICAL AND GYNECOLOGICAL SOCIETY OF MARYLAND
CHICAGO GYNECOLOGICAL SOCIETY
CINCINNATI OBSTETRICAL AND GYNECOLOGICAL SOCIETY
WASHINGTON GYNECOLOGICAL SOCIETY
PITTSBURGH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
BOSTON OBSTETRICAL SOCIETY
LOUISVILLE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SEATTLE GYNECOLOGICAL SOCIETY
ALABAMA ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
AKRON OBSTETRICAL AND GYNECOLOGICAL SOCIETY
KANSAS CITY GYNECOLOGICAL SOCIETY
CENTRAL NEW YORK ASSOCIATION OF GYNECOLOGISTS
AND OBSTETRICIANS
NEW JERSEY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
IOWA OBSTETRIC AND GYNECOLOGIC SOCIETY
THE TEXAS ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
OKLAHOMA CITY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
MEMPHIS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
UTAH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ROCHESTER OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ARKANSAS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
TENNESSEE STATE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
NEW YORK GYNECOLOGICAL SOCIETY
PACIFIC NORTHWEST OBSTETRICAL AND GYNECOLOGICAL ASSOCIATION
BUFFALO OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SAN FRANCISCO GYNECOLOGICAL SOCIETY
JACKSON GYNECIC SOCIETY
INDIANA OBSTETRICAL AND GYNECOLOGICAL SOCIETY
THE MINNESOTA OBSTETRICAL AND GYNECOLOGICAL SOCIETY

Volume 134
Copyright © 1979 by The C. V. Mosby Company
(All rights reserved)

Printed in the United States of America

Index to volume 133

Author index*

A

Adashi, Eli Y., Pinto, Humberto, and Tyson, John E. Impact of maternal euglycemia on fetal outcome in diabetic pregnancy, 268

Adcock, Leon L. (*see* Prem et al.), 803

Albrecht. R. C. (*see* Coddington, Albrecht, and Cefalo), 107

Allen, A. C. (*see* Martin, Allen, and Stinson), 275

Allen, L. C. (*see* Doran et al.), 302

Amaranath, L., Hur, D., Eastwood, D. W., and Anton, A. H. Atypical cholinesterase in a psychotic patient with eclampsia, 105 (Comm. in brief)

Ances, Isadore G. (*see* Barakat, Ances, and Fajer), 460

Andreassen, B. (*see* Leontic et al.), 435

Andrinopoulos, George (*see* Arias, Andrinopoulos, and Zamora), 624

Anton, A. H. (*see* Amaranath et al.), 105

Arias, Fernando, Andrinopoulos, George, and Zamora, Juan. Whole-blood fibrinolytic activity in normal and hypertensive pregnancies and its relation to the placental concentration of urokinase inhibitor, 624

—, Pineda, Jorge, and Johnson, Larry W. Changes in human amniotic fluid lecithin/sphingomyelin ratio and dipalmitoyl lecithin associated with maternal betamethasone therapy, 894

— (*see* Diaz-Zagoya, Wiest, and Arias), 673

Armstrong, D. T. (*see* Tsang, Henderson, and Armstrong), 256

Artal, Raul, Burgeson, Robert E., Hobel, Calvin J., and Hollister, David. An in vitro model for the study of enzymatically mediated biomechanical changes in the chorioamniotic membranes, 656

—, Hobel, C. J., Lam, R., Oddie, T. H., and Fisher, D. A. Free metanephrine in human amniotic fluid as an index of fetal sympathetic nervous system maturation, 452 (Current investigation)

Assali, N. S. (*see* Cabalum et al.), 630

Aviles-Miranda, Agustín (*see* Noriega-Guerra et al.), 439

Azizi, Freidoon, Bitran, Jacob, Javehari, Ghodratolla, and Herbst, Arthur L. Remission of uterine leiomyosarcomas treated with vincristine, Adriamycin, and dimethyl-triazenoimidazole carboximide, 379

B

Baker, Carol J. (*see* Beachler et al.), 171

Baker, David A., Mead, Philip B., Gallant, Janice M., Hayward, Robert G., and Hamel, Aubert J. Water-borne contamination of intrauterine pressure transducers, 923

Barakat, Bassam Y., Ances, Isadore G., and Fajer, Abram B. X short arm deletion in a female subject with spontaneous sexual development, 460 (Comm. in brief)

Barg, William F., Jr. (*see* Sullivan, Barg, and Stiles), 411

Barnes, Ann B. External pneumatic compression for prevention of deep venous thrombosis and pulmonary emboli, 228 (Comm. in brief)

Baskett, T. F. (*see* Johnston and Baskett), 299

Bates, G. William, Edman, Clare D., Porter, John C., and MacDonald, Paul C. Catechol-O-methyltransferase activity in erythrocytes of women taking oral contraceptive steroids, 691

Beachler, Craig W., Baker, Carol J., Kasper, Dennis L., Fleming, Darrel K., Webb, Bette J., and Yow, Martha D. Group B streptococcal colonization and antibody status in lower socioeconomic parturient women, 171

Beazley, John M. An approach to controlled parturition, 723

Beck, R. P. Experience in treating two hundred and eighty-eight patients with endometrial carcinoma from 1968 to 1972, 260

Beer, Alan E. (*see* Bush and Beer), 708

— (*see* Meggs and Beer), 703

Benzie, R. J. (*see* Doran et al.), 302

— (*see* Rizos et al.), 287

Berek, Jonathan S., Darney, Philip D., Lopkin, Carl, and Goldstein, Donald Peter. Avoiding ureteral damage in pelvic surgery for ovarian remnant syndrome, 223 (Comm. in brief)

Berkowitz, Richard L. (*see* Grannum, Berkowitz, and Hobbins), 915

Berstein, Jason (*see* Vohr et al.), 425

Bertrand, Gracia (*see* Ferenczy, Bertrand, and Gelfand), 859

Bitran, Jacob (*see* Azizi et al.), 379

Blair, M. (*see* Dutt, Blair, and Elder), 484

Blanke, Beverly G. (*see* Reilly et al.), 580

Blessing, John A. (*see* Sedlis et al.), 64

Bloomfield, Randall D., Suarez, Jorge R., and Malangit, Ansenio C. Giant theca-lutein cyst, 459 (Comm. in brief)

Bobitt, J. R. Abnormal antepartum fetal heart rate tracings, failure to intervene, and fetal death: Review of five cases reveals potential pitfalls of antepartum monitoring programs, 415

Boldur, I. (*see* Sompolinsky et al.), 931 (Comm. in brief)

Bolognese, Ronald J. (*see* Corson and Bolognese), 145

Bracken, Michael B. Oral contraception and twinning: An epidemiologic study, 432

Braselton, W. E., Jr., Lin, T. J., Ellegood, J. O., Mills, T. M., and Mahesh, V. B. Accumulation of norethindrone and individual metabolites in human plasma during short- and long-term administration of a contraceptive dosage, 154

Brinkley, J. F. (*see* McCallum and Brinkley), 195

Brinkman, C. R., III (*see* Cabalum et al.), 630

Broussard, Paula M. (*see* Keegan et al.), 579

Bryans, Fred E. Marlex gauze hammock sling operation with Cooper's ligament attachment in the management of recurrent urinary stress incontinence, 292

Buchanan, Glenn C. (*see* Drake, Tredway, and Buchanan), 382

Buchsbaum, Herbert J. Extrapelvic lymph node metastases in cervical carcinoma, 814

Burgeson, Robert E. (*see* Artal et al.), 656

Bush, James F., and Beer, Alan E. Analysis of complement receptors on B-lymphocytes in human milk, 708

Buster, John E. (*see* Jack et al.), 594

Bustos, Raul, Kulovich, Marie V., Gluck, Louis, Gabbe, Steven G., Evertson, Larry, Vargas, Carlos, and Lowenberg, Eduardo. Significance of phosphatidylglycerol in amniotic fluid in complicated pregnancies, 899

Bylsma-Howell, M. (*see* Lyons et al.), 242

C

Cabalum, T., Zugaib, M., Lieb, S., Nuwayhid, B., Brinkman, C. R., III., and Assali, N. S. Effect of dopamine on hypotension induced by spinal anesthesia, 630

de la Cadena, Octavio Alvarez (*see* Noriega-Guerra et al.), 439

Cahill, George F., Jr. (*see* Newmark et al.), 75

Caldwell, Craid (*see* Cromartie, Hall, and Caldwell), 582

Cannon, Wendy (*see* Yuen et al.), 316

Caprini, Joseph A. (*see* Hughey, McElin, and Caprini), 461

Cardinale, Frank (*see* Stone and Cardinale), 635

*January 1, 1-118; January 15, 119-234; February 1, 235-354; February 15, 355-468; March 1, 469-588; March 15, 589-722; April 1, 723-850; April 15, 851-964.

CARITIS, STEVE N., EDELSTONE, DANIEL I., AND MUELLER-HEUBACH, EBERHARD. Pharmacologic inhibition of preterm labor, 557 (Current developments)
CARO, JOSÉ F. (see CHECK ET AL.), 846
CARPENTER, C. W. (see HARDYMENT ET AL.), 235
CARSTEN, MARY E. Calcium accumulation by human uterine microsomal preparations: Effects of progesterone and oxytocin, 598
CASPI, E. (see SOMPOLINSKY ET AL.), 931 (Comm. in brief)
CATES, WILLARD, JR., AND JORDAAN, HAROLD V. F. Sudden collapse and death of women obtaining abortions induced with prostaglandin $F_{2\alpha}$, 398
CEFALO, R. C. (see LEWIS AND CEFALO), 110
— (see CODDINGTON, ALBRECHT, AND CEFALO), 107
CHALLIS, J. R. G. (see GARFIELD ET AL.), 308
CHANDRA, PRASANTA, NITOWSKY, HAROLD M., MARION, ROBERT, KOENIGSBERG, MORDECAI, TABEN, EVA, AND KAVA, H. WALLACE. Experience with sonography as an adjunct to amniocentesis for prenatal diagnosis of fetal genetic disorders, 519
CHARD, T. (see GORDON ET AL.), 422
CHATTERTON, R. T., JR., HARRIS, J. A., KING, W. J., AND WYNN, R. M. Ultrastructural alterations in mammary glands of pregnant rats after ovariectomy and hysterectomy: Effect of adrenal steroids and prolactin, 694
CHÁVEZ, FRANCISCO (see NORIEGA-GUERRA ET AL.), 439
CHECK, JEROME H., CARO, JOSÉ F., KENDALL, BENJAMIN, PERIS, LEON A., AND WELLENBACH, BURTON L. Cushing's syndrome in pregnancy: Effect of associated diabetes on fetal and neonatal complications, 846 (Comm. in brief)
—, NOWROOZI, KHOSROW, RAKOFF, ABRAHAM E., AND LOGUE, JAMES. Detection of an estrogen-suppressible lipoid cell ovarian neoplasm by bilateral ovarian venous sampling, 457 (Comm. in brief)
CHEN, GRACE T. (see MILEWICH ET AL.), 611
CHESLEY, LEON C. Parenteral magnesium sulfate and the distribution, plasma levels, and excretion of magnesium, 1
CHIRCHIRILLO, LINDA (see SMITH ET AL.), 489
CHOW, ANTHONY W., PATTEN, VALERIE, AND MARSHALL, JOHN R. Bacteriology of acute pelvic inflammatory disease, 362
CHRZANOWSKA, BARBARA L. (see NITZAN ET AL.), 40
CLAPP, JAMES F., III. Effect of epinephrine infusion on maternal and uterine oxygen uptake in the pregnant ewe, 208
CLARKE, P. C. (see GORDON ET AL.), 422
CODDINGTON, C. C., ALBRECHT, R. C., AND CEFALO, R. C. Gouty nephropathy and pregnancy, 107 (Comm. in brief)
COHEN, C. J. (see GLEICHER ET AL.), 386
CONRAD, JOHN T., AND UELAND, KENT. The stretch modulus of human cervical tissue in spontaneous, oxytocin-induced, and prostaglandin E_2–induced labor, 11
CORDERO, LEANDRO (see KNOBBE ET AL.), 877
COREY, L. (see VONTVER ET AL.), 548
CORLETT, ROBERT C., JR. (see SEGAL AND CORLETT), 366
CORSON, STEPHEN L., AND BOLOGNESE, RONALD J. Use of intramuscular 15(S)-15-methyl prostaglandin $F_{2\alpha}$ in failed abortions, 145
COULAM, CAROLYN B., AND RYAN, ROBERT J. Premature menopause. I. Etiology, 639
COWAN, W., AND MORGAN, H. R. A simplified retropubic urethropexy in the treatment of primary and recurrent urinary stress incontinence in the female, 295
COWETT, RICHARD M. (see VOHR ET AL.), 425
CREASMAN, WILLIAM T. (see DISAIA, CREASMAN, AND RICH), 825
— (see HAMMOND ET AL.), 525, 537
CREASY, ROBERT K. (see SIIMES AND CREASY), 20
CROMARTIE, A. DEAN, JR., HALL, DON J., AND CALDWELL, CRAID. Pregnancy in a patient with hemoglobin C_{Harlem}, 582
CSAPO, ARPAD I., RESCH, BELA, CSAPO, ELISE F., AND SALAU, GABRIELE. Effects of antiprogesterone on pregnancy. I. Midpregnancy, 176
CSAPO, ELISE F. (see CSAPO ET AL.), 176
CUNNINGHAM, F. GARY, GILSTRAP, LARRY C., III, AND KAPPUS, SHERYL S., with the technical assistance of NOBLES, BRENDA. Treatment of obstetric and gynecologic infections with cefamandole, 602

D

DANIEL, E. E. (see GARFIELD ET AL.), 308
DARNEY, PHILIP D. (see BEREK ET AL.), 223
DASE, DENNIS (see STRAUSS, DASE, AND DOERING), 891
DAVIS, RICHARD O. (see ORR ET AL.), 108
DELOUVOIS, J. (see HARRISON, HURLEY, AND DELOUVOIS), 201
DIAZ-ZAGOYA, JUAN C., WIEST, WALTER G., AND ARIAS, FERNANDO. 20α-Hydroxysteroid oxidoreductase activity and 20α-dihydroprogesterone concentration in human placenta before and after parturition, 673
DISAIA, PHILIP J., CREASMAN, WILLIAM T., AND RICH, WILLIAM M. An alternate approach to early cancer of the vulva, 825
DOERING, PAUL J. (see STRAUSS, DASE, AND DOERING), 891
DORAN, T. A., FORD, J. A., ALLEN, L. C., WONG, P. Y., AND BENZIE, R. J. Amniotic fluid lecithin/sphingomyelin ratio, palmitic acid, palmitic acid/stearic acid ratio, total cortisol, creatinine, and percentage of lipid-positive cells in assessment of fetal maturity and fetal pulmonary maturity: A comparison, 302
— (see RIZOS ET AL.), 287
DRAKE, TERRANCE S., TREDWAY, DONALD R., AND BUCHANAN, GLENN C. A reassessment of the fractional postcoital test, 382
DUBAY, MARK (see OSBORNE, WRIGHT, AND DUBAY), 374
DUNN, L. J. (see KREBS ET AL.), 762, 773
DUTT, T. P., BLAIR, M., AND ELDER, M. G. Ultrasonic assessment of uterine emptying in first-trimester abortions induced by intravaginal 15-methyl prostaglandin $F_{2\alpha}$ methyl ester, 484

E

EASTERLING, WILLIAM E., JR. In-training examinations for residents in obstetrics and gynecology, 1975 to 1978, 733
EASTWOOD, D. W. (see AMARANATH ET AL.), 105
EDELSTONE, DANIEL I. (see CARITIS, EDELSTONE, AND MUELLER-HEUBACH), 557
EDMAN, CLARE D. (see BATES ET AL.), 691
EDWARDS, CHARLES C. When in doubt, regulate, 469
EHRLICH, E. N. (see NOLTEN ET AL.), 644
ELDER, M. G. (see DUTT, BLAIR, AND ELDER), 484
ELIAS, SHERMAN, MARTIN, ALICE O., PATEL, V. A., GERBIE, ALBERT, AND SIMPSON, JOE LEIGH. Analysis for amniotic fluid crystallization in second-trimester amniocentesis, 401
ELLEGOOD, J. O. (see BRASELTON ET AL.), 154
EMBIL, J. A. (see MACDONALD, MANUEL, AND EMBIL), 57
ESPINOSA, LUZ MARÍA (see NORIEGA-GUERRA ET AL.), 439
EVERTSON, LARRY R., GAUTHIER, ROBERT J., SCHIFRIN, BARRY S., AND PAUL, RICHARD H. Antepartum fetal heart rate testing. I. Evolution of the nonstress test, 29
— (see GAUTHIER, EVERTSON, AND PAUL), 34
— (see BUSTOS ET AL.), 899

F

FAJER, ABRAM B. (see BARAKAT, ANCES, AND FAJER), 460
FERENCZY, ALEX, BERTRAND, GRACIA, AND GELFAND, MORRIE M. Proliferation kinetics of human endometrium during the normal menstrual cycle, 859
FISHBURNE, JOHN I., JR., GREISS, FRANK C., JR., HOPKINSON, ROWLAND, AND RHYNE, A. LEONARD. Responses of the gravid uterine vasculature to arterial levels of local anesthetic agents, 753
FISHER, D. A. (see ARTAL ET AL.), 452
FLEMING, DARREL K. (see BEACHLER ET AL.), 171
FLORO, CLARO N. (see LEVISON ET AL.), 139
FOLTZ, ROGER L. (see KUHNERT ET AL.), 904
FORD, J. A. (see DORAN ET AL.), 302
— (see RIZOS ET AL.), 287
FOX, GORDON S., SMITH, J. BRUCE, NAMBA, Y., AND JOHNSON, R. C. Anesthesia for cesarean section: Further studies, 15
FRIEDMAN, EMANUEL A., SACHTLEBEN, MARLENE R., AND WALLACE, ANN K. Infant outcome following labor induction, 718
— (see NAEYE AND FRIEDMAN), 8
FUKUOKA, HIDEOKI (see SATOH ET AL.), 886

G

GABBE, STEVEN G. (see BUSTOS ET AL.), 899
GAL, DAVID, NEUHOFF, SOL, LILLING, MAX I., AND TANCER, M. LEON. False negative oxytocin challenge test: Report of three cases, 111 (Comm. in brief)
GALBRAITH, R. S., KARCHMAR, E. J., PIERCY, W. N., AND LOW, J. A. The clinical prediction of intrauterine growth retardation, 281
GALLANT, JANICE M. (see BAKER ET AL.), 923
GANT, NORMAN F. (see MILEWICH ET AL.), 611
GARFIELD, R. E., RABIDEAU, S., CHALLIS, J. R. G., AND DANIEL, E. E. Ultrastructural basis for maintenance and termination of pregnancy, 308

Gauthier, Robert J., Evertson, Larry R., and Paul, Richard H. Antepartum fetal heart rate resting. II. Intrapartum fetal heart observation and newborn outcome following a positive contraction stress test, 34
— (see Evertson et al.), 29
Gelfand, Morrie M. (see Ferenczy, Bertrand, and Gelfand), 859
Gerbie, Albert (see Elias et al.), 401
Gillmer, M. D. G., and Mazibuko, D. Pyridoxine treatment of chemical diabetes in pregnancy, 499
Gilstrap, Larry C., III (see Cunningham, Gilstrap, and Kappus), 602
Gleicher, N., Cohen, C. J., Kerenyi, T. D., and Gusberg, S. B. A blocking factor in amniotic fluid causing leukocyte migration enhancement, 386
Gluck, Louis (see Bustos et al.), 899
Goldberg, Marshall F., and Oakley, Godfrey P., Jr. Interpreting elevated amniotic fluid alpha-fetoprotein levels in clinical practice: Use of the predictive value positive concept, 126 (Clinical opinion)
Goldenberg, Robert L. (see Orr et al.), 108
Goldstein, Donald Peter (see Berek et al.), 223
Goodenow, Thomas J., and Malarkey, William B. Ineffectiveness of pyridoxine in evaluation and treatment of the hyperprolactinemic amenorrhea-galactorrhea syndrome, 161
Goodlin, Robert C. History of fetal monitoring, 323 (Current developments)
Gordon, Y. B., Lewis, J. D., Leighton, M., Kitau, M. J., Clarke, P. C., and Chard, T. Maternal serum alpha-fetoprotein levels as an index of fetal risk, 422
Grannum, Peter A. T., Berkowitz, Richard L., and Hobbins, John C. The ultrasonic changes in the maturing placenta and their relation to fetal pulmonic maturity, 915
Granroth, Gustav. Defects of the central nervous system in Finland. IV. Associations with diagnostic x-ray examinations, 191
Greiss, Frank C., Jr. (see Fishburne et al.), 753
Gusberg, S. B. (see Gleicher et al.), 386

H

Haddow, James E. (see Macri, Haddow, and Weiss), 119
Hager, W. David, and Majmudar, B. Pelvic actinomycosis in women using intrauterine contraceptive devices, 60
Hajj, Samir N. A simplified surgical technique for the treatment of the vault in vaginal hysterectomy, 851
Hall, Don J. (see Cromartie, Hall, and Caldwell), 582
Halliday, Henry L, and Hirata, Toshiko. Perinatal listeriosis—A review of twelve patients, 405
Halperin, Y. (see Sompolinsky et al.), 931 (Comm. in brief)
Hamel, Aubert J. (see Baker et al.), 923
Hammond, Charles B., Jelovsek, Frederick R., Lee, Kerry L., Creasman, William T., and Parker, Roy T. Effects of long-term estrogen replacement therapy. I. Metabolic effects, 525
—, —, —, —, and—. Effects of long-term estrogen replacement therapy. II. Neoplasia, 537
Hardyment, A. F., Salvador, H. S., Towell, M. E., Carpenter, C. W., Jan, J. E., and Tingle. A. J. Follow-up of intrauterine transfused surviving children, 235
Hargis, Gary K. (see Pitkin et al.), 781
Harlow, Alice (see Shapiro et al.), 713
Harris, J. A. (see Chatterton et al.), 694
Harris, Robert E. Postpartum urinary retention: Role of antimicrobial therapy, 174.
Harrison, R. F., Hurley, Rosalinde, and deLouvois, J. Genital mycoplasmas and birth weight in offspring of primigravid women, 201
Hartong, John M. (see Livaudais, Hartong, and Otterson), 927 (Comm. in brief)
Hawkins, Kim (see Whitsett, Johnson, and Hawkins), 204
Hayward, Robert G. (see Baker et al.), 923
Hedberg, Kersti, Karlsson, Kirsten, and Lindstedt, Göran. Gigantomastia during pregnancy: Effect of a dopamine agonist, 928 (Comm. in brief)
Henderson, K. M. (see Tsang, Henderson, and Armstrong), 256
Herbst, Arthur L. (see Azizi et al.), 379
Herson, Jay (see Wharton et al.), 833
Hirata, Toshiko (see Halliday and Hirata), 405
Hobbins, John C. (see Grannum, Berkowitz, and Hobbins), 915
Hobel, C. J. (see Artal et al.), 452, 656
Hodge, M. Pat (see Wharton et al.), 833
Hodgman, Joan E. (see Hoppenbrouwers, Zanini, and Hodgman), 217
Hollister, David. (see Artal et al.), 656
Holmes, K. K. (see Vontver et al.), 548
Hopkinson, Rowland (see Fishburne et al.), 753
Hoppenbrouwers, Toke, Zanini, Bernardino, and Hodgman, Joan E. Intrapartum fetal heart rate and sudden infant death syndrome, 217
Huddleston, John F. (see Orr et al.), 108
Hughey, Michael, McElin, Thomas W., and Caprini, Joseph A. Nonsurgical diagnosis and management of puerperal ovarian vein thrombophlebitis, 461 (Comm. in brief)
Hur, D. (see Amaranath et al.), 105
Hurley, Rosalinde (see Harrison, Hurley, and deLouvois), 201

J

Jack, Patricia M., Magyar, David M., Buster, John E., Rees, Lesley H., Ratter, Sally, and Nathanielsz, Peter W. Adrenocorticotropin and glucocorticoid concentrations in fetal and maternal plasma of rabbit does continuously infused with cortisol from day 21 to day 24 of gestation, 594
Jan, J. E. (see Hardyment et al.), 235
Javehari, Ghodratolla (see Azizi et al.), 379
Jelovsek, Frederick R. (see Hammond et al.), 525, 537
Jiménez, Ramón (see Lisker et al.), 149
Johnson, Carl L. (see Whitsett and Johnson), 479
— (see Whitsett, Johnson, and Hawkins), 204
Johnson, John W. C., Mitzner, Wayne, London, William T., Palmer, Amos E., and Scott, Rachel. Betamethasone and the rhesus fetus: Multisystemic effects, 677
Johnson, Larry W. (see Arias, Pineda, and Johnson), 894
Johnson, R. C. (see Fox et al.), 15
Johnson, Timothy R., Jr. (see Rodriquez et al.), 660
Johnston, W. G., and Baskett, T. F. Obstetric cholestasis, 299
Jones, Thomas K. (see Prem et al.), 803
Jordaan, Harold V. F. (see Cates and Jordaan), 398
— (see Krebs et al.), 762, 773

K

Kaneko, Yoshiharu (see Katoh et al.), 886
Kappus, Sheryl S. (see Cunningham, Gilstrap, and Kappus), 602
Karchmar, E. J. (see Galbraith et al.), 281
Karlsson, Kirsten (see Hedberg, Karlsson, and Lindstedt), 928 (Comm. in brief)
Kasper, Dennis L. (see Beachler et al.), 171
Kava, H. Wallace (see Chandra et al.), 519
Keegan, Kirk A., Paul, Richard H., Broussard, Paula M., McCart, Dorothy, and Smith, Marci A. Antepartum fetal heart rate testing. III. The effect of phenobarbital on the nonstress test, 579 (Comm. in brief)
Kelly, Robert W., Martin, Scott A., and Strickler, Ronald C. Delayed hemorrhage in conservative surgery for ectopic pregnancy, 227 (Comm. in brief)
Kendall, Benjamin (see Check et al.), 846
Kerenyi, T. D. (see Gleicher et al.), 386
Khosla, Savita S., and Rooney, Seamus A. Stimulation of fetal lung surfactant production by administration of 17β-estradiol to the maternal rabbit, 213
King, W. J. (see Chatterton et al.), 694
Kinoshita, Katsuyuki (see Satoh et al.), 886
Kitau, M. J. (see Gordon et al.), 422
Knobbe, Thomas, Meier, Primrose, Wenar, Charles, and Cordero, Leandro. Psychological development of children who received intrauterine transfusions, 877
Knox, G. Eric (see Orr et al.), 108
Koenigsberg, Mordecai (see Chandra et al.), 519
Koh, Kee Seng (see Paul, Koh, and Monfared), 503
Krebs, H. B., Petres, R. E., Dunn, L. J., Jordaan, H. V. F., and Segreti, A. Intrapartum fetal heart rate monitoring. I. Classification and prognosis of fetal heart rate patterns, 762
—, —, —, —, and —. Intrapartum fetal heart rate monitoring. II. Multifactorial analysis of intrapartum fetal heart rate tracings, 773
Kuhnert, Betty R., Kuhnert, Paul M., Tu, Ann-Sheng L., Lin, Denis C. K., and Foltz, Roger L. Meperidine and normeperidine levels following meperidine administration during labor. I. Mother, 904
—, —, —, and —. Meperidine and normeperidine levels following meperidine administration during labor. II. Fetus and neonate, 909

KUHNERT, PAUL M. (*see* KUHNERT ET AL.), 904, 909
KULOVICH, MARIE V. (*see* BUSTOS ET AL.), 899

L

LAGZIEL, A. (*see* SOMPOLINSKY ET AL.), 931 (Comm. in brief)
LAM, R. (*see* ARTAL ET AL.), 452
LARREA, FERNANDO (*see* LISKER ET AL.), 149
LAUERSEN, NIELS H., MILLER, FRANK C., AND PAUL, RICHARD H. Continuous intrapartum monitoring of fetal scalp pH, 44
LEE, KERRY L. (*see* HAMMOND ET AL.), 525, 537
LEIGHTON, M. (*see* GORDON ET AL.), 422
LEONTIC, E. A., SCHRUEFER, J. J., ANDREASSEN, B., PINTO, H., AND TYSON, J. E. Further evidence for the role of prolactin on human fetoplacental osmoregulation, 435
LEVISON, MATTHEW E., TRESTMAN, IRWIN, QUACH, ROSEANNA, SLADOWSKI, CATHERINE, AND FLORO, CLARO N. Quantitative bacteriology of the vaginal flora in vaginitis, 139
LEWIS, J. D. (*see* GORDON ET AL.), 422
LEWIS, JOYCE (*see* YUEN ET AL.), 316
LEWIS, P. E., AND CEFALO, R. C. Triploidy syndrome with theca lutein cysts and severe pre-eclampsia, 110 (Comm. in brief)
LEWIS, SHERWIN D. Carbon dioxide versus electronic urethrocystometry for the detection of detrusor dyssynergia, 371
LIEB, S. (*see* CABALUM ET AL.), 630
LILLING, MAX I. (*see* GAL ET AL.), 111
LIN, CHIN-CHU (*see* SCHULMAN ET AL.), 742
LIN, DENIS C. K. (*see* KUHNERT ET AL.), 904, 909
LIN, T. J. (*see* BRASELTON ET AL.), 154
LINDHEIMER, M. D. (*see* NOLTEN ET AL.), 644
LINDSTEDT, GÖRAN (*see* HEDBERG, KARLSSON, AND LINDSTEDT), 928 (Comm. in brief)
LISKER, RUBÉN, JIMÉNEZ, RAMÓN, LARREA, FERNANDO, MUTCHINICK, OSVALDO, RUZ, LIZBETH, MEDINA, JUAN MANUEL, AND PÉREZ-PALACIOS, GREGORIO. Cytogenetic and endocrine studies in a 45,X female subject with spontaneous sexual development, 149
LIVAUDAIS, WEST, JR., HARTONG, JOHN M., AND OTTERSON, WARREN N. Small bowel herniation through a defect in the broad ligament, 927 (Comm. in brief)
LOGUE, JAMES (*see* CHECK ET AL.), 457
LONDON, WILLIAM T. (*see* JOHNSON ET AL.), 677
LOPKIN, CARL (*see* BEREK ET AL.), 223
LOW, J. A. (*see* GALBRAITH ET AL.), 281
LOWENBERG, EDUARDO (*see* BUSTOS ET AL.), 899
LUCIANO, ANTHONY A. (*see* RIDDICK ET AL.), 618
LYONS, E. R., BYLSMA-HOWELL, M., SHAMSI, S., AND TOWELL, M. E. A scoring system for nonstressed antepartum fetal heart rate monitoring, 242

M

MCCALLUM, W. D., AND BRINKLEY, J. F. Estimation of fetal weight from ultrasonic measurements, 195
MCCART, DOROTHY (*see* KEEGAN ET AL.), 579
MCCARTHY, M. J. (*see* SMITH ET AL.), 489
MCCOMB, PETER (*see* YUEN ET AL.), 316
MACDONALD, PAUL C. (*see* BATES ET AL.), 691
— (*see* MILEWICH ET AL.), 611
MACDONALD, S. W., MANUEL, F. R., AND EMBIL, J. A. Localization of group B beta-hemolytic streptococci in the female urogenital tract, 57
MCELIN, THOMAS W. My eye and heart are at a mortal war, 184
— (*see* HUGHEY, MCELIN, AND CAPRINI), 461
MACRI, JAMES N., HADDOW, JAMES E., AND WEISS, ROBERT R. Screening for neural tube defects in the United States, 119 (Clinical opinion)
MAGYAR, DAVID M. (*see* JACK ET AL.), 594
MAHESH, V. B. (*see* BRASELTON ET AL.), 154
MAJMUDAR, B. (*see* HAGER AND MAJMUDAR), 60
MALANGIT, ANSENIO C. (*see* BLOOMINGTON, SUAREZ, AND MALANGIT), 459
MALARKEY, WILLIAM B. (*see* GOODENOW AND MALARKEY), 161
MANGAN, CHARLES (*see* SEDLIS ET AL.), 64
MANNING, FRANK A., AND PLATT, LAWRENCE D. Fetal breathing movements and the abnormal contraction stress test, 590
MANUEL, F. R. (*see* MACDONALD, MANUEL, AND EMBIL), 57
MARION, ROBERT (*see* CHANDRA ET AL.), 519
MARSHALL, JOHN R. (*see* CHOW, PATTEN, AND MARSHALL), 362
MARTIN, ALICE O. (*see* ELIAS ET AL.), 401
MARTIN, CHESTER B., JR., (*see* MURATA ET AL.), 515
MARTIN, SCOTT A. (*see* KELLY, MARTIN, AND STRICKLER), 227
MARTIN, T. R., ALLEN, A. C., AND STINSON, D. Overt diabetes in pregnancy, 275
MASLAR, ILLA A. (*see* RIDDICK ET AL.), 618
MASSÉ, DENISE (*see* SHAPIRO ET AL.), 713
MATTINGLY, R. F. (*see* PATTILLO ET AL.), 791
MAZIBUKO, D. (*see* GILLMER AND MAZIBUKO), 499
MEAD, PHILIP B. (*see* BAKER ET AL.), 923
MEDINA, JUAN MANUEL (*see* LISKER ET AL.), 149
MEGGS, PAUL D., AND BEER, ALAN E. In vitro stimulation of human colostral lymphocytes by cytomegalovirus, 703
MEIER, PRIMROSE (*see* KNOBBE ET AL.), 877
MENNUTI, MICHAEL T. (*see* WU, MENNUTI, AND MIKHAIL), 666
MENON, K. M. J. (*see* RODRIQUEZ ET AL.), 660
MENON, MANGLADEVI (*see* RODRIQUEZ ET AL.), 660
MIKHAIL, GEORGE (*see* WU, MENNUTI, AND MIKHAIL), 666
MILEWICH, LEON, GANT, NORMAN F., SCHWARZ, BARRY E., CHEN, GRACE T., AND MACDONALD, PAUL C. 5α-Reductase activity in human placenta, 611
MILLER, FRANK C. (*see* LAUERSEN, MILLER, AND PAUL), 44
MILLS, T. M. (*see* BRASELTON ET AL.), 154
MISKIN, M. (*see* RIZOS ET AL.), 287
MITZNER, WAYNE (*see* JOHNSON ET AL.), 677
MIYAKE, KAORU (*see* MURATA, MIYAKE, AND QUILLIGAN), 509
— (*see* MURATA ET AL.), 515
MOHAMED, N. CARLOS (*see* SHAMSUDDIN ET AL.), 585
MONFARED, AMIR H. (*see* PAUL, KOH, AND MONFARED), 503
MORGAN, H. R. (*see* COWAN AND MORGAN), 295
MUELLER-HEUBACH, EBERHARD (*see* CARITIS, EDELSTONE, AND MUELLER-HEUBACH), 557
MURATA, YUJI, MIYAKE, KAORU, AND QUILLIGAN, EDWARD J. Pre-ejection period of cardiac cycles in fetal lamb, 509
—, PIJLS, NICO, MIYAKE, KAORU, SCHMIDT, PATRICIA, MARTIN, CHESTER B., JR., AND SINGER, JILL. Antepartum determination of pre-ejection period of fetal cardiac cycle: Its relation to newborn body weight, 515
MUTCHINICK, OSVALDO (*see* LISKER ET AL.), 149
MYERS, RONALD E., AND MYERS, SUSAN E. Use of sedative, analgesic, and anesthetic drugs during labor and delivery: Bane or boon? 81 (Current developments)
MYERS, SUSAN E. (*see* MYERS AND MYERS), 81

N

NAEYE, RICHARD L., AND FRIEDMAN, EMANUEL A. Causes of perinatal death associated with gestational hypertension and proteinuria, 8
NAFTOLIN, FREDERICK I. (*see* NEWMARK ET AL.), 75
NAMBA, Y. (*see* FOX ET AL.), 15
NATALE, RENATO (*see* RICHARDSON, NATALE, AND PATRICK), 247
NATHANIELSZ, PETER W. (*see* JACK ET AL.), 594
NESBITT, ROBERT E. L., JR. (*see* RICE, ROURKE, AND NESBITT), 649
NESTEL, PAUL J. (*see* POTTER AND NESTEL), 165
NEUHOFF, SOL (*see* GAL ET AL.), 111
NEWMARK, STEPHEN R., ROSSINI, ALDO A., NAFTOLIN, FREDERICK I., TODD, ROBERTA, ROSE, LESLIE I., AND CAHILL, GEORGE F., JR. Gonadotropin profiles in fed and fasted obese women, 75
NISWANDER, KENNETH R. The obstetrician, fetal asphyxia, and cerebral palsy, 358 (Clinical opinion)
NITOWSKY, HAROLD M. (*see* CHANDRA ET AL.), 519
NITZAN, MENACHEM, ORLOFF, SHELDON, CHRZANOWSKA, BARBARA L., AND SCHULMAN, JOSEPH D. Intrauterine growth retardation in renal insufficiency: An experimental model in the rat, 40
NOBLES, BRENDA (*see* CUNNINGHAM, GILSTRAP, AND KAPPUS), 602
NOCHIMSON, DAVID J., AND PETRIE, ROY H. Glucocorticoid therapy for the induction of pulmonary maturity in severely hypertensive gravid women, 449 (Current investigation)
NOLTEN, W. E., LINDHEIMER, M. D., OPARIL, S., RUECKERT, P. A., AND EHRLICH, E. N. Desoxycorticosterone in normal pregnancy. II. Cortisol-dependent fluctuations in free plasma desoxycorticosterone, 644
NORIEGA-GUERRA, LUIS, AVILES-MIRANDA, AGUSTÍN, DE LA CADENA, OCTAVIO ALVAREZ, ESPINOSA, LUZ MARÍA, CHÁVEZ, FRANCISCO, AND PIZZUTO, JAVIER. Pregnancy in patients with autoimmune thrombocytopenic purpura, 439
NOWROOZI, KHOSROW (*see* CHECK ET AL.), 457
NUWAYHID, B. (*see* CABALUM ET AL.), 630

O

OAKLEY, GODFREY P., JR. (*see* GOLDBERG AND OAKLEY), 126
ODDIE, T. H. (*see* ARTAL ET AL.), 452
OH, WILLIAM (*see* VOHR ET AL.), 425
OKAGAKI, TAKASHI (*see* PREM ET AL.), 803
O'LANE, JOHN M. Sterilization and contraceptive services in Catholic hospitals, 355 (Clinical opinion)
OLSON, ROBERT O. (*see* PETITTI, OLSON, AND WILLIAMS), 391
OPARIL, S. (*see* NOLTEN ET AL.), 644
ORLOFF, SHELDON (*see* NITZAN ET AL.), 40
ORR, JAMES W., JR., HUDDLESTON, JOHN F., KNOX, G. ERIC, GOLDENBERG, ROBERT L., AND DAVIS, RICHARD O. False negative oxytocin challenge test associated with abdominal pregnancy, 108 (Comm. in brief)
OSBORNE, NEWTON G., WRIGHT, RALPH C., AND DUBAY, MARK. Preoperative hot conization of the cervix: A possible method to reduce postoperative febrile morbidity following vaginal hysterectomy, 374
OTTERSON, WARREN N. (*see* LIVAUDAIS, HARTONG, AND OTTERSON), 927 (Comm. in brief)

P

PALMER, AMOS E. (*see* JOHNSON ET AL.), 677
PARK, ROBERT (*see* SEDLIS ET AL.), 64
PARKER, ROY T. (*see* HAMMOND ET AL.), 525, 537
PARVEZ, SIMONE (*see* RAZA-BUKHARI AND PARVEZ), 880
PATEL, V. A. (*see* ELIAS ET AL.), 401
PATRICK, JOHN (*see* RICHARDSON, NATALE, AND PATRICK), 247
PATTEN, VALERIE (*see* CHOW, PATTEN, AND MARSHALL), 362
PATTILLO, ROLAND A., RUCKERT, A. C. F., STORY, M., AND MATTINGLY, R. F. Immunodiagnosis in ovarian cancer: Blocking factor activity, 791
PAUL, RICHARD H., KOH, KEE SENG, AND MONFARED, AMIR H. Obstetric factors influencing outcome in infants weighing from 1,001 to 1,500 grams, 503
— (*see* GAUTHIER, EVERTSON, AND PAUL), 34
— (*see* LAUERSEN, MILLER, AND PAUL), 44
— (*see* EVERTSON ET AL.), 29
— (*see* KEEGAN ET AL.), 579
PAWLOWITZKI, I. H., AND WÖRMANN, B. Elevated amniotic alpha fetoprotein in a fetus with Turner's syndrome due to puncture of a cystic hygroma, 584 (Comm. in brief)
PÉREZ-PALACIOS, GREGORIO (*see* LISKER ET AL.), 149
PERIS, LEON A. (*see* CHECK ET AL.), 846
PERKS, A. M. (*see* SMITH AND PERKS), 868
PETITTI, DIANA, OLSON, ROBERT O., AND WILLIAMS, RONALD L. Cesarean section in California—1960 through 1975, 391
PETRES, R. E. (*see* KREBS ET AL.), 762, 773
PETRIE, ROY H. (*see* NOCHIMSON AND PETRIE), 449
— (*see* SHAMSI, PETRIE, AND STEER), 855
PHELAN, JEFFREY P., AND PRUYN, STEPHEN C. Prophylactic antibiotics in cesarean section: A double-blind study of cefazolin, 474
PIERCY, W. N. (*see* GALBRAITH ET AL.), 281
PIJLS, NICO (*see* MURATA ET AL.), 515
PINEDA, JORGE (*see* ARIAS, PINEDA, AND JOHNSON), 894
PINTO, HUMBERTO (*see* ADASHI, PINTO, AND TYSON), 268
— (*see* LEONTIC ET AL.), 435
PITKIN, ROY M., REYNOLDS, W. ANN, WILLIAMS, GERALD A., AND HARGIS, GARY K. Calcium metabolism in normal pregnancy: A longitudinal study, 781
PIZZUTO, JAVIER (*see* NORIEGA-GUERRA ET AL.), 439
PLATT, LAWRENCE D. (*see* MANNING AND PLATT), 590
PORTER, JOHN C. (*see* BATES ET AL.), 691
POTTER, JULIA M., AND NESTEL, PAUL J. The hyperlipidemia of pregnancy in normal and complicated pregnancies, 165
PREM, KONALD A., ADCOCK. LEON L., OKAGAKI, TAKASHI, AND JONES, THOMAS K. The evolution of a treatment program for adenocarcinoma of the endometrium, 803
PRUYN, STEPHEN C. (*see* PHELAN AND PRUYN), 474

Q

QUACH, ROSEANNA (*see* LEVISON ET AL.), 139
QUIGLEY, M. E., SHEEHAN, K. L., WILKES, M. M., AND YEN, S. S. C. Effects of maternal smoking on circulating catecholamine levels and fetal heart rates, 685
QUILLIGAN, EDWARD J. (*see* MURATA, MIYAKE, AND QUILLIGAN), 509

R

RABIDEAU, S. (*see* GARFIELD ET AL.), 308
RACASA, ZENAIDA (*see* WILLIAMS, SPERLING, AND RACASA), 51
RAKOFF, ABRAHAM E. (*see* CHECK ET AL.), 457
RANDOLPH, GEORGIA (*see* SCHULMAN ET AL.), 742
RATTER, SALLY (*see* JACK ET AL.), 594
RATTRAY, M. (*see* VONTVER ET AL.), 548
RAVE, JOHN R. (*see* RIDDICK ET AL.), 618
RAZA-BUKHARI, ABID, AND PARVEZ, SIMONE. Alterations in activity of enzyme catechol-O-methyltransferase in central and peripheral regions of the rat and rabbit, 880
REDICK, LLOYD F. An inflatable wedge for prevention of aortocaval compression during pregnancy, 458 (Comm. in brief)
REES, LESLEY H. (*see* JACK ET AL.), 594
REEVES, W. C. (*see* VONTVER ET AL.), 548
REILLY, KEVIN B., RUBIN, SYLVIA P., BLANKE, BEVERLY G., AND YEH, MING-NENG. Infantile polycystic kidney disease: A difficult antenatal diagnosis, 580 (Comm. in brief)
REMINGTON, M. A. (*see* VONTVER ET AL.), 548
RESCH, BELA (*see* CSAPO ET AL.), 176
REYNOLDS, W. ANN (*see* PITKIN ET AL.), 781
RHYNE, A. LEONARD (*see* FISHBURNE ET AL.), 753
RICE, PHILIP A., ROURKE, JAMES E., AND NESBITT, ROBERT E. L., JR. In vitro perfusion studies of the human placenta. VI. Evidence against active glucose transport, 649
RICH, WILLIAM M. (*see* DISAIA, CREASMAN, AND RICH), 825
RICHARDSON, BRYAN, NATALE, RENATO, AND PATRICK, JOHN. Human fetal breathing activity during electively induced labor at term, 247
RIDDICK, DANIEL H., MASLAR, ILLA A., LUCIANO, ANTHONY A., AND RAVE, JOHN R. Thyroxine uptake and metabolism by fetal sheep after intra-amniotic thyroxine injection, 618
RIZOS, N., DORAN, T. A., MISKIN, M., BENZIE, R. J., AND FORD, J. A. Natural history of placenta previa ascertained by diagnostic ultrasound, 287
RODRIGUEZ-RIGAU, LUIS J. (*see* STEINBERGER ET AL.), 133
RODRIQUEZ, JESUS, SEN, K. K., SESKI, JAN C., MENON, MANGLADEVI, JOHNSON, TIMOTHY R., JR., AND MENON, K. M. J. Progesterone binding by human endometrial tissue during the proliferative and secretory phases of the menstrual cycle and by hyperplastic and carcinomatous endometrium, 660
ROONEY, SEAMUS A. (*see* KHOSLA AND ROONEY), 213
ROSE, LESLIE I. (*see* NEWMARK ET AL.), 75
ROSENFIELD, ABBY G. (*see* VOHR ET AL.), 425
ROSSINI, ALDO A. (*see* NEWMARK ET AL.), 75
ROURKE, JAMES E. (*see* RICE, ROURKE, AND NESBITT), 649
ROUX, JACQUES F. (*see* SHAPIRO ET AL.), 713
RUBIN, SYLVIA P. (*see* REILLY ET AL.), 580
RUCKERT, A. C. F. (*see* PATTILLO ET AL.), 791
RUECKERT, P. A. (*see* NOLTEN ET AL.), 644
RUTLEDGE, FELIX (*see* WHARTON ET AL.), 833
RUZ. LIZBETH (*see* LISKER ET AL.), 149
RYAN, ROBERT J. (*see* COULAM AND RYAN), 639

S

SACHS, B. P., AND VAN IDDEKINGE, B. Successful pregnancy in a patient with autosomal dominant ventricular dysrhythmia, 932 (Comm. in brief)
SACHTLEBEN, MARLENE R. (*see* FRIEDMAN, SACHTLEBEN, AND WALLACE), 718
SAKAMOTO, SHOICHI (*see* SATOH ET AL.), 886
SALAU, GABRIELE (*see* CSAPO ET AL.), 176
SALDANA, LUIS (*see* SCHULMAN ET AL.), 742
SALL, SANFORD (*see* SEDLIS ET AL.), 64
SALVADOR, H. S. (*see* HARDYMENT ET AL.), 235
SATOH, KAZUO, YASUMIZU, TAKEHIKO, FUKUOKA, HIDEOKI, KINOSHITA, KATSUYUKI, KANEKO, YOSHIHARU, TSUCHIYA, MITOSE, AND SAKAMOTO, SHOICHI. Prostaglandin $F_{2\alpha}$ metabolite levels in plasma, amniotic fluid, and urine during pregnancy and labor, 886
SCHIFRIN, BARRY S. (*see* EVERTSON ET AL.), 29
SCHMIDT, PATRICIA (*see* MURATA ET AL.), 515
SCHONBERG, LEONARD A. Combined pregnancy and ruptured corpus luteum cyst, 106 (Comm. in brief)
SCHRUEFER, J. J. (*see* LEONTIC ET AL.), 435
SCHULMAN, HAROLD, SALDANA, LUIS, LIN, CHIN-CHU, AND RANDOLPH, GEORGIA. Mechanism of failed labor after fetal death and its treatment with prostaglandin E_2, 742

SCHULMAN, JOSEPH D. (*see* NITZAN ET AL.), 40
SCHWARZ, BARRY E. (*see* MILEWICH ET AL.), 611
SCHWEID, A. (*see* VONTVER ET AL.), 548
SCOTT, RACHEL (*see* JOHNSON ET AL.), 677
SEDLIS, ALEXANDER, SALL, SANFORD, TSUKADA, YOSHI, PARK, ROBERT, MANGAN, CHARLES, SHINGLETON, HUGH, AND BLESSING, JOHN A. Microinvasive carcinoma of the uterine cervix: A clinical-pathologic study, 64
SEGAL, ARTHUR I., AND CORLETT, ROBERT C., JR. Postoperative bladder training, 366
SEGRETI, A. (*see* KREBS ET AL.), 762, 773
SEN, K. K. (*see* RODRIQUEZ ET AL.), 660
SESKI, JAN C. (*see* RODRIQUEZ ET AL.), 660
SHAMSI, HAIDER H., PETRIE, ROY H., AND STEER, CHARLES M. Changing obstetric practices and amelioration of perinatal outcome in a university hospital, 855
SHAMSI, S. (*see* LYONS ET AL.), 242
SHAMSUDDIN, A. K. M., VILLASANTA, UMBERTO, TANG, CHIK-KWUN, AND MOHAMED, N. CARLOS. Adenocarcinoma arising from extragonadal endometriosis 14 years after total hysterectomy and bilateral salpingo-oophorectomy for endometriosis: Report of a case with ultrastructural studies, 585 (Comm. in brief)
SHAPIRO, MARTIN I., ROUX, JACQUES F., HARLOW, ALICE, AND MASSÉ, DENISE. Placental uptake and transfer of lipid in the postterm rabbit, 713
SHEEHAN, K. L. (*see* QUIGLEY ET AL.), 685
SHETTLES, LANDRUM B. Diploid nuclear replacement in mature human ova with cleavage, 224 (Comm. in brief)
—. Ova harvest with in vivo fertilization, 845 (Comm. in brief)
SHINGLETON, HUGH (*see* SEDLIS ET AL.), 64
SIIMES, ANJA S. I., AND CREASY, ROBERT K. Cardiac and uterine hemodynamic responses to ritodrine hydrochloride administration in pregnant sheep, 20
SIMPSON, JOE LEIGH (*see* ELIAS ET AL.), 401
SINGER, JILL (*see* MURATA ET AL.), 515
SLADOWSKI, CATHERINE (*see* LEVISON ET AL.), 139
SMITH, CAROLINE, AND PERKS, A. M. Plasma bradykininogen levels before and after ovulation: Studies in women and guinea pigs, with observations on oral contraceptives and menopause, 868
SMITH, GENE M., STUBBLEFIELD, PHILLIP G., CHIRCHIRILLO, LINDA, AND MCCARTHY M. J. Pain of first-trimester abortion: Its quantification and relations with other variables, 489
SMITH, J. BRUCE (*see* FOX ET AL.), 15
SMITH, JULIAN P. (*see* WHARTON ET AL.), 833
SMITH, KEITH D. (*see* STEINBERGER ET AL.), 133
SMITH, MARCI A. (*see* KEEGAN ET AL.), 519
SOMPOLINSKY, D., BOLDUR, I., LAGZIEL, A., HALPERIN, Y., AND CASPI, E. A series of sepsis due to *Staphylococcus aureus* after abdominal hysterectomy, 931 (Comm. in brief)
SPERLING, MARK A. (*see* WILLIAMS, SPERLING, AND RACASA), 51
STEER, CHARLES M. (*see* SHAMSI, PETRIE, AND STEER), 855
STEINBERGER, EMIL, SMITH, KEITH D., TCHOLAKIAN, ROBERT K., AND RODRIGUEZ-RIGAU, LUIS J. Testosterone levels in female partners of infertile couples, 133
STILES, GERALD E. (*see* SULLIVAN, BARG, AND STILES), 411
STINSON, D. (*see* MARTIN, ALLEN, AND STINSON), 275
STONE, SERGIO C., AND CARDINALE, FRANK. Evaluation of a new vaginal contraceptive, 635
STORY, M. (*see* PATTILLO ET AL.), 791
STRAUSS, ROBERT G., DASE, DENNIS, AND DOERING, PAUL L. Prolonging paracervical block anesthesia: Addition of dextran to 2-chloroprocaine, 891
STRICKLER, RONALD C. (*see* KELLY, MARTIN, AND STRICKLER), 227
STUBBLEFIELD, PHILLIP G. (*see* SMITH ET AL.), 489
SUAREZ, JORGE R. (*see* BLOOMFIELD, SUAREZ, AND MALANGIT), 459
SULLIVAN, THOMAS F., BARG, WILLIAM F., JR., AND STILES, GERALD E. Evaluation of a new rapid slide test for pregnancy, 411
SY, LYDIA (*see* YUEN ET AL.), 316

T

TABEN, EVA (*see* CHANDRA ET AL.), 519
TANCER, M. LEON (*see* GAL ET AL.), 111
TANG, CHIK-KWUN (*see* SHAMSUDDIN ET AL.), 585
TCHOLAKIAN, ROBERT K. (*see* STEINBERGER ET AL.), 133
TINGLE, A. J. (*see* HARDYMENT ET AL.), 235
TODD, ROBERTA (*see* NEWMARK ET AL.), 75
TOLENTINO, E. (*see* VONTVER ET AL.), 548
TOWELL, M. E. (*see* HARDYMENT ET AL.), 235
— (*see* LYONS ET AL.), 242
TREDWAY, DONALD R. (*see* DRAKE, TREDWAY, AND BUCHANAN), 382
TRESTMAN, IRWIN (*see* LEVISON ET AL.), 139
TSANG, B. K., HENDERSON, K. M., AND ARMSTRONG, D. T. Effect of danazol on estradiol-17β and progesterone secretion by porcine ovarian cells in vitro, 256
TSUCHIYA, MITOSE (*see* SATOH ET AL.), 886
TSUKADA, YOSHI (*see* SEDLIS ET AL.), 64
TU, ANN-SHENG L. (*see* KUHNERT ET AL.), 904, 909
TYSON, JOHN E. (*see* ADASHI, PINTO, AND TYSON), 268
— (*see* LEONTIC ET AL.), 435

U

UELAND, KENT (*see* CONRAD AND UELAND), 11

V

VAN IDDEKINGE, B. (*see* SACHS AND VAN IDDEKINGE), 932 (Comm. in brief)
VARGAS, CARLOS (*see* BUSTOS ET AL.), 899
VILLASANTA, UMBERTO (*see* SHAMSUDDIN ET AL.), 585
VOHR, BETTY A., OH, WILLIAM, ROSENFIELD, ABBY G., AND COWETT, RICHARD M., with the technical assistance of BERSTEIN, JASON. The preterm small-for-gestational age infant: A two-year follow-up study, 425
VONTVER, L. A., REEVES, W. C., RATTRAY, M., COREY, L., REMINGTON, M. A., TOLENTINO, E., SCHWEID, A., AND HOLMES, K. K. Clinical course and diagnosis of genital herpes simplex virus infection and evaluation of topical surfactant therapy, 548

W

WALLACE, ANN K. (*see* FRIEDMAN, SACHTLEBEN, AND WALLACE), 718
WEBB, BETTE J. (*see* BEACHLER ET AL.), 171
WEISS, ROBERT R. (*see* MACRI, HADDOW, AND WEISS), 119
WELLENBACH, BURTON L. (*see* CHECK ET AL.), 846
WENAR, CHARLES (*see* KNOBBE ET AL.), 877
WHARTON, J. TAYLOR, RUTLEDGE, FELIX, SMITH, JULIAN P., HERSON, JAY, AND HODGE, M. PAT. Hexamethylmelamine: An evaluation of its role in the treatment of ovarian cancer, 833
WHITSETT, JEFFREY A., AND JOHNSON, CARL L. Adenylate cyclase from human decidua parietalis, 479
—, JOHNSON, CARL L., AND HAWKINS, KIM. Differences in localization of insulin receptors and adenylate cyclase in the human placenta, 204
WIEST, WALTER G. (*see* DIAZ-ZAGOYA, WIEST, AND ARIAS), 673
WILKES, M. M. (*see* QUIGLEY ET AL.), 685
WILLIAMS, GERALD A. (*see* PITKIN ET AL.), 781
WILLIAMS, PAUL R., SPERLING, MARK A., AND RACASA, ZENAIDA. Blunting of spontaneous and alanine-stimulated glucagon secretion in newborn infants of diabetic mothers, 51
WILLIAMS, RONALD L. (*see* PETITTI, OLSON, AND WILLIAMS), 391
WONG, P. Y. (*see* DORAN ET AL.), 302
WÖRMANN, B. (*see* PAWLOWITZKI AND WÖRMANN), 584
WRIGHT, RALPH C. (*see* OSBORNE, WRIGHT, AND DUBAY), 374
WU, CHUNG H., MENNUTI, MICHAEL T., AND MIKHAIL, GEORGE. Free and protein-bound steroids in amniotic fluid of midpregnancy, 666
WYNN, R. M. (*see* CHATTERTON ET AL.), 694

Y

YASUMIZU, TAKEHIKO (*see* SATOH ET AL.), 886
YEH, MING-NENG (*see* REILLY ET AL.), 580
YEN, S. S. C. (*see* QUIGLEY ET AL.), 685
YOW, MARTHA D. (*see* BEACHLER ET AL.), 171
YUEN, BASIL HO, MCCOMB, PETER, SY, LYDIA, LEWIS, JOYCE, AND CANNON, WENDY. Plasma prolactin, human chorionic gonadotropin, estradiol, testosterone, and progesterone in the ovarian hyperstimulation syndrome, 316

Z

ZAMORA, JUAN (*see* ARIAS, ANDRINOPOULOS, AND ZAMORA), 624
ZANINI, BERNARDINO (*see* HOPPENBROUWERS, ZANINI, AND HODGMAN), 217
ZUGAIB, M. (*see* CABALUM ET AL.), 630

Subject index*

A

Abdominal hysterectomy, series of sepsis due to *Staphylococcus aureus* after (Sompolinsky et al.), 931 (Comm. in brief)
pregnancy, false negative oxytocin challenge test associated with (Orr et al.), 108 (Comm. in brief)
Abortion(s), failed, use of intramuscular 15(S)-15-methyl prostaglandin $F_{2\alpha}$ in (Corson and Bolognese), 145
first-trimester, induced by intravaginal 15-methyl prostaglandin $F_{2\alpha}$ methyl ester, ultrasonic assessment of uterine emptying in (Dutt, Blair, and Elder), 484
pain of: Its quantification and relations with other variables (Smith et al.), 489
induced with prostaglandin $F_{2\alpha}$, sudden collapse and death of women obtaining (Cates and Jordaan), 398
Acid, palmitic, palmitic acid/stearic acid ratio, total cortisol, creatinine, percentage of lipid-positive cells, and lecithin/sphingomyelin ratio, amniotic fluid, in assessment of fetal maturity and fetal pulmonary maturity: Comparison (Doran et al.), 302
Actinomycosis, pelvic, in women using intrauterine contraceptive devices (Hager and Majmudar), 60
Adenocarcinoma arising from extragonadal endometriosis 14 years after total hysterectomy and bilateral salpingo-oophorectomy for endometriosis: Report of case with ultrastructural studies (Shamsuddin et al.), 585 (Comm. in brief)
of endometrium, evolution of treatment program for (Prem et al.), 803
Adenylate cyclase from human decidua parietalis (Whitsett and Johnson), 479
insulin receptors and, differences in localization of, in human placenta (Whitsett, Johnson, and Hawkins), 204
Adrenal steroids and prolactin, effect of: Ultrastructural alterations in mammary glands of pregnant rats after ovariectomy and hysterectomy (Chatterton et al.), 694
Adrenocorticotropin and glucocorticoid concentrations in fetal and maternal plasma of rabbit does continuously infused with cortisol from day 21 to day 24 of gestation (Jack et al.), 594
Adriamycin, dimethyl-triazeno-imidazole carboximide, and vincristine, remission of uterine leiomyosarcomas treated with (Azizi et al.), 379
Age, gestational, small–for–, infant, preterm: Two-year follow-up study (Vohr, Oh, and Rosenfield), 425
Agonist, dopamine, effect of: Gigantomastia during pregnancy (Hedberg, Karlsson, and Lindstedt), 928 (Comm. in brief)
Alanine-stimulated glucagon secretion, spontaneous and, blunting of, in newborn infants of diabetic mothers (Williams, Sperling, and Racasa), 51
Alpha fetoprotein, elevated amniotic, in fetus with Turner's syndrome due to puncture of cystic hygroma (Pawlowitzki and Wörmann), 584 (Comm. in brief)
levels, elevated amniotic fluid, interpreting, in clinical practice: Use of predictive value positive concept (Goldberg and Oakley), 126 (Clinical opinion)
maternal serum, as index of fetal risk (Gordon et al.), 422
Amenorrhea-galactorrhea syndrome, hyperprolactinemic, ineffectiveness of pyridoxine in evaluation and treatment of (Goodenow and Malarkey), 161
American Association of Obstetricians and Gynecologists, transactions, eighty-ninth annual meeting, 184-190, 723-844
Amniocentesis, experience with sonography as adjunct to, for prenatal diagnosis of fetal genetic disorders (Chandra et al.), 519
second-trimester, analysis for amniotic fluid crystallization in (Elias et al.), 401
Amniotic alpha fetoprotein, elevated, in fetus with Turner's syndrome due to puncture of cystic hygroma (Pawlowitzki and Wörmann), 584 (Comm. in brief)
fluid alpha-fetoprotein levels, elevated, interpreting, in clinical practice: Use of predictive value positive concept (Goldberg and Oakley), 126 (Clinical opinion)
blocking factor in, causing leukocyte migration enhancement (Gleicher et al.), 386
crystallization, analysis for, in second-trimester amniocentesis (Elias et al.), 401
human, free metanephrine in, as index of fetal sympathetic nervous system maturation (Artal et al.), 452 (Current investigation)
lecithin/sphingomyelin ratio, human, and dipalmitoyl lecithin, changes in, associated with maternal betamethasone therapy (Arias, Pineda, and Johnson), 894
palmitic acid, palmitic acid/stearic acid ratio, total cortisol, creatinine, and percentage of lipid-positive cells in assessment of fetal maturity and fetal pulmonary maturity: Comparison (Doran et al.), 302
of midpregnancy, free and protein-bound steroids in (Wu, Mennuti, and Mikhail), 666
significance of phosphatidylglycerol in, in complicated pregnancies (Bustos et al.), 899
urine, and plasma, prostaglandin $F_{2\alpha}$ metabolite levels in, during pregnancy and labor (Satoh et al.), 886
Analgesic, anesthetic, and sedative drugs, use of, during labor and delivery: Bane or boon? (Myers and Myers), 83 (Current developments)
Anesthesia for cesarean section: Further studies (Fox et al.), 15
paracervical block, prolonging: Addition of dextran to 2-chloroprocaine (Strauss, Dase, and Doering), 891
spinal, effect of dopamine on hypotension induced by (Cabalum et al.), 630
Anesthetic agents, local, responses of gravid uterine vasculature to arterial levels of (Fishburne et al.), 753
sedative, and analgesic drugs, use of, during labor and delivery: Bane or boon? (Myers and Myers), 83 (Current developments)
Antenatal diagnosis, difficult: Infantile polycystic kidney disease (Reilly et al.), 580 (Comm. in brief)
Antepartum determination of pre-ejection period of fetal cardiac cycle: Its relation to newborn body weight (Murata et al.), 515
fetal heart rate monitoring, nonstressed, scoring system for (Lyons et al.), 242
testing. I. Evolution of nonstress test (Evertson et al.), 29
II. Intrapartum fetal heart rate observation and newborn outcome following positive contraction stress test (Gauthier, Evertson, and Paul), 34
III. Effect of phenobarbital on nonstress test (Keegan et al.), 579 (Comm. in brief)
tracings, abnormal, failure to intervene, and fetal death: Review of five cases reveals potential pitfalls of antepartum monitoring programs (Bobitt), 415
Antibiotics, prophylactic, in cesarean section: Double-blind study of cefazolin (Phelan and Pruyn), 474
Antibody status, group B streptococcal colonization and, in lower socioeconomic parturient women (Beachler et al.), 171
Antimicrobial therapy, role of: Postpartum urinary retention (Harris), 174
Antiprogesterone, effects of, on pregnancy. I. Midpregnancy (Csapo et al.), 176
Aortocaval compression, inflatable wedge for prevention of, during pregnancy (Redick), 458 (Comm. in brief)

*January 1, 1-118; January 15, 119-234; February 1, 235-354; February 15, 355-468; March 1, 469-588; March 15, 589-722; April 1, 723-850; April 15, 851-964.

Arm deletion, X short, in female subject with spontaneous sexual development (Barakat, Ances, and Fajer), 460 (Comm. in brief)
Arterial levels of local anesthetic agents, responses of gravid uterine vasculature to (Fishburne et al.), 753
Asphyxia, fetal, cerebral palsy, and obstetrician (Niswander), 358 (Clinical opinion)
Aureus, Staphylococcus, series of sepsis due to, after abdominal hysterectomy (Sompolinsky et al.), 931 (Comm. in brief)
Autoimmune thrombocytopenic purpura, pregnancy in patients with (Noriega-Guerra et al.), 439
Autosomal dominant ventricular dysrhythmia, successful pregnancy in patient with (Sachs and Van Iddekinge), 932 (Comm. in brief)

B

B beta-hemolytic streptococci, group, localization of, in female urogenital tract (MacDonald, Manuel, and Embil), 57
-lymphocytes, complement receptors on, in human milk, analysis of (Bush and Beer), 708
streptococcal colonization, group, and antibody status in lower socioeconomic parturient women (Beachler et al.), 171
Bacteriology of acute pelvic inflammatory disease (Chow, Patten, and Marshall), 362
quantitative, of vaginal flora in vaginitis (Levison et al.), 139
Benign obstructive myxometra: Report of case (Honoré), 227 (Comm. in brief)
Beta-hemolytic streptococci, group B, localization of, in female urogenital tract (MacDonald, Manuel, and Embil), 57
Betamethasone and rhesus fetus: Multisystemic effects (Johnson et al.), 677
therapy, maternal, changes in human amniotic fluid lecithin/sphingomyelin ratio and dipalmitoyl lecithin associated with (Arias, Pineda, and Johnson), 894
Bilateral ovarian venous sampling, detection of estrogen-suppressible lipoid cell ovarian neoplasm by (Check et al.), 457 (Comm. in brief)
salpingo-oophorectomy, total hysterectomy and, for endometriosis, adenocarcinoma arising from extragonadal endometriosis 14 years after: Report of case with ultrastructural studies (Shamsuddin et al.), 585 (Comm. in brief)
Binding, progesterone, by human endometrial tissue during proliferative and secretory phases of menstrual cycle and by hyperplastic and carcinomatous endometrium (Rodriquez et al.), 660
Biomechanical changes, enzymatically mediated, in chorioamniotic membranes, in vitro model for study of (Artal et al.), 656
Birth weight, genital mycoplasmas and, in offspring of primigravid women (Harrison, Hurley, and deLouvois), 201
Bladder training, postoperative (Segal and Corlett), 366
Block anesthesia, paracervical, prolonging: Addition of dextran to 2-chloroprocaine (Strauss, Dase, and Doering), 891
Blocking factor activity: Immunodiagnosis in ovarian cancer (Pattillo et al.), 791
in amniotic fluid causing leukocyte migration enhancement (Gleicher et al.), 386
Blood, whole-, fibrinolytic activity in normal and hypertensive pregnancies and its relation to placental concentration of urokinase inhibitor (Arias, Andrinopoulos, and Zamora), 624
Body weight, newborn, its relation to: Antepartum determination of pre-ejection period of fetal cardiac cycle (Murata et al.), 515
Books received, 234, 468, 942
Bound, protein-, steroids, free and, in amniotic fluid of midpregnancy (Wu, Mennuti, and Mikhail), 666
Bowel herniation, small, through defect in broad ligament (Livaudais, Hartong, and Otterson), 927 (Comm. in brief)
Bradykininogen levels, plasma, before and after ovulation: Studies in women and guinea pigs, with observations on oral contraceptives and menopause (Smith and Perks), 868
Breathing activity, human fetal, during electively induced labor at term (Richardson, Natale, and Patrick), 247
movements, fetal, and abnormal contraction stress test (Manning and Platt), 590
Broad ligament, small bowel herniation through defect in (Livaudais, Hartong, and Otterson), 927 (Comm. in brief)

C

C_{Harlem}, hemoglobin, pregnancy in patient with (Cromartie, Hall, and Caldwell), 582 (Comm. in brief)
Calcium accumulation by human uterine microsomal preparations: Effects of progesterone and oxytocin (Carsten), 598
metabolism in normal pregnancy: Longitudinal study (Pitkin et al.), 781
California, cesarean section in—1960 through 1975 (Petitti, Olson, and Williams), 391
Cancer, early, of vulva, alternate approach to (DiSaia, Creasman, and Rich), 825
ovarian, evaluation of its role in treatment of: Hexamethylmelamine (Wharton et al.), 833
immunodiagnosis in: Blocking factor activity (Pattillo et al.), 791
Carbon dioxide versus electronic urethrocystometry for detection of detrusor dyssynergia (Lewis), 371
Carboximide, dimethyl-triazeno-imidazole, vincristine, and Adriamycin, remission of uterine leiomyosarcomas treated with (Azizi et al.), 379
Carcinoma, endometrial, experience in treating two hundred and eighty-eight patients with, from 1968 to 1972 (Beck), 260
extrapelvic lymph node cervical, metastases in (Buchsbaum), 814
microinvasive, of uterine cervix: Clinical-pathologic study (Sedlis et al.), 64
Carcinomatous endometrium, hyperplastic and, progesterone binding by human endometrial tissue during proliferative and secretory phases of menstrual cycle and by (Rodriquez et al.), 660
Cardiac cycle(s), fetal, antepartum determination of pre-ejection period of: Its relation to newborn body weight (Murata et al.), 515
pre-ejection period of, in fetal lamb (Murata, Miyake, and Quilligan), 509
and uterine hemodynamic responses to ritodrine hydrochloride administration in pregnant sheep (Siimes and Creasy), 20
Catechol-O-methyltransferase activity in erythrocytes of women taking oral contraceptive steroids (Bates et al.), 691
enzyme, alterations in activity of, in central and peripheral regions of rat and rabbit during pregnancy, parturition, and postpartum period (Raza-Bukhari and Parvez), 880
Catecholamine levels, circulating, and fetal heart rates, effects of maternal smoking on (Quigley et al.), 685
Catholic hospitals, sterilization and contraceptive services in (O'Lane), 355 (Clinical opinion)
Cefamandole, treatment of obstetric and gynecologic infections with (Cunningham, Gilstrap, and Kappus), 602
Cefazolin, double-blind study of: Prophylactic antibiotics in cesarean section (Phelan and Pruyn), 474
Cell(s), lipid-positive, percentage of, lecithin/sphingomyelin ratio, palmitic acid, palmitic acid/stearic acid ratio, total cortisol, and creatinine, amniotic fluid, in assessment of fetal maturity and fetal pulmonary maturity: Comparison (Doran et al.), 302
ovarian neoplasm, estrogen-suppressible lipoid, detection of, by bilateral ovarian venous sampling (Check et al.), 457 (Comm. in brief)
porcine ovarian, estradiol-17β and progesterone secretion by, in vitro, effect of danazol on (Tsang, Henderson, and Armstrong), 256
Central nervous system, defects of, in Finland. IV. Associations with diagnostic x-ray examinations (Granroth), 191
Cerebral palsy, fetal asphyxia, and obstetrician (Niswander), 358 (Clinical opinion)
Cervical carcinoma, extrapelvic lymph node metastases in (Buchsbaum), 814
tissue, human, stretch modulus of, in spontaneous, oxytocin-induced, and prostaglandin E_2–induced labor (Conrad and Ueland), 11
Cervix, preoperative hot conization of: Possible method to reduce postoperative febrile morbidity following vaginal hysterectomy (Osborne, Wright, and Dubay), 374
uterine, microinvasive carcinoma of: Clinical-pathologic study (Sedlis et al.), 64
Cesarean section, anesthesia for: Further studies (Fox et al.), 15
in California—1960 through 1975 (Petitti, Olson, and Williams), 391
prophylactic antibiotics in: Double-blind study of cefazolin (Phelan and Pruyn), 474

Challenge test, false negative oxytocin: Report of three cases (Gal et al.), 111 (Comm. in brief)
associated with abdominal pregnancy (Orr et al.), 108 (Comm. in brief)
Chemical diabetes in pregnancy, pyridoxine treatment of (Gillmer and Mazibuko), 499
Children, intrauterine transfused surviving, follow-up of (Hardyment et al.), 235
who received intrauterine transfusions, psychological development of (Knobbe et al.), 877
Chloroprocaine, 2-, addition of dextran to: Prolonging paracervical block anesthesia (Strauss, Dase, and Doering), 891
Cholestasis, obstetric (Johnston and Baskett), 299
Cholinesterase, atypical, in psychotic patient with eclampsia (Amaranath et al.), 105 (Comm. in brief)
Chorioamniotic membranes, in vitro model for study of enzymatically mediated biomechanical changes in (Artal et al.), 656
Chorionic gonadotropin, human, estradiol, testosterone, progesterone, and prolactin, plasma, in ovarian hyperstimulation syndrome (Yuen et al.), 316
Circulating catecholamine levels and fetal heart rates, effects of maternal smoking on (Quigley et al.), 685
Classic pages, 81-82, 221-222, 321-322, 455-456, 555-556, 925-926
Cleavage, diploid nuclear replacement in mature human ova with (Shettles), 222 (Comm. in brief)
Clinical course and diagnosis of genital herpes simplex virus infection and evaluation of topical surfactant therapy (Vontver et al.), 548
opinion, 119-132, 355-361, 851-858
-pathologic study: Microinvasive carcinoma of uterine cervix (Sedlis et al.), 64
practice, interpreting elevated amniotic fluid alpha-fetoprotein levels in: Use of predictive value positive concept (Goldberg and Oakley), 126 (Clinical opinion)
prediction of intrauterine growth retardation (Galbraith et al.), 281
Collapse, sudden, and death of women obtaining abortions induced with prostaglandin $F_{2\alpha}$ (Cates and Jordaan), 398
Colonization, group B streptococcal, and antibody status in lower socioeconomic parturient women (Beachler et al.), 171
Colostral lymphocytes, human, in vitro stimulation of, by cytomegalovirus (Meggs and Beer), 703
Communications in brief, 105-113, 223-229, 457-463, 579-586, 845-846, 927-933
Complement receptors on B-lymphocytes in human milk, analysis of (Bush and Beer), 708
Complicated pregnancies, normal and, hyperlipidemia of pregnancy in (Potter and Nestel), 165
significance of phosphatidylglycerol in amniotic fluid in (Bustos et al.), 899
Complications, fetal and neonatal, effect of associated diabetes on: Cushing's syndrome in pregnancy (Check et al.), 846 (Comm. in brief)
Compression, aortocaval, inflatable wedge for prevention of, during pregnancy (Redick), 458 (Comm. in brief)
external pneumatic, for prevention of deep venous thrombosis and pulmonary emboli (Barnes), 226 (Comm. in brief)
Concentration(s), adrenocorticotropin and glucocorticoid, in fetal and maternal plasma of rabbit does continuously infused with cortisol from day 21 to day 24 of gestation (Jack et al.), 594
placental, of urokinase inhibitor, whole-blood fibrinolytic activity in normal and hypertensive pregnancies and its relation to (Arias, Andrinopoulos, and Zamora), 624
20α-dihydroprogesterone, 20α-hydroxysteroid oxidoreductase activity and, in human placenta before and after parturition (Diaz-Zagoya, Wiest, and Arias), 673
Conization, preoperative hot, of cervix: Possible method to reduce postoperative febrile morbidity following vaginal hysterectomy (Osborne, Wright, and Dubay), 374
Contamination, water-borne, of intrauterine pressure transducers (Baker et al.), 923 (Current investigation)
Contraception, oral, and twinning: Epidemiologic study (Bracken), 432
Contraceptive(s) devices, intrauterine, pelvic actinomycosis in women using (Hager and Majmudar), 60
dosage, short- and long-term administration of, accumulation of norethindrone and individual metabolites in human plasma during (Braselton et al.), 154
new vaginal, evaluation of (Stone and Cardinale), 635
Contraceptive(s)—Cont'd
oral, and menopause, studies in women and guinea pigs, with observations on: Plasma bradykininogen levels before and after ovulation (Smith and Perks), 868
services, sterilization and, in Catholic hospitals (O'Lane), 355 (Clinical opinion)
steroids, oral, catechol-O-methyltransferase activity in erythrocytes of women taking (Bates et al.), 691
Contraction stress test, abnormal, fetal breathing movements and (Manning and Platt), 590
positive, intrapartum fetal heart rate observation and newborn outcome following, II. Antepartum fetal heart rate testing (Gauthier, Evertson, and Paul), 34
Cooper's ligament attachment, Marlex gauze hammock sling operation with, in management of recurrent urinary stress incontinence (Bryans), 292
Corpus luteum cyst, ruptured, combined pregnancy and (Schonberg), 106 (Comm. in brief)
Correspondence, 230-233, 464-467, 934-941
Cortisol, adrenocorticotropin and glucocorticoid concentrations in fetal and maternal plasma of rabbit does continuously infused with, from day 21 to day 24 of gestation (Jack et al.), 594
-dependent fluctuations in free plasma desoxycorticosterone, II. Desoxycorticosterone in normal pregnancy (Nolten et al.), 644
total, creatinine, percentage of lipid-positive cells, lecithin/ sphingomyelin ratio, palmitic acid, and palmitic acid/stearic acid ratio, amniotic fluid, in assessment of fetal maturity and fetal pulmonary maturity: Comparison (Doran et al.), 302
Creatinine, percentage of lipid-positive cells, lecithin/sphingomyelin ratio, palmitic acid, palmitic acid/stearic acid ratio, and total cortisol, amniotic fluid, in assessment of fetal maturity and fetal pulmonary maturity: Comparison (Doran et al.), 302
Crystallization, amniotic fluid, analysis for, in second-trimester amniocentesis (Elias et al.), 401
Current developments, 83-104, 323-343, 557-578
investigation, 449-454, 915-924
Cushing's syndrome in pregnancy: Effect of associated diabetes on fetal and neonatal complications (Check et al.), 846 (Comm. in brief)
Cyclase, adenylate, from human decidua parietalis (Whitsett and Johnson), 479
insulin receptors and, differences in localization of, in human placenta (Whitsett, Johnson, and Hawkins), 204
Cycle(s), cardiac, pre-ejection period of, in fetal lamb (Murata, Miyake, and Quilligan), 509
fetal cardiac, antepartum determination of pre-ejection period of: Its relation to newborn body weight (Murata et al.), 515
menstrual, human endometrial tissue during proliferative and secretory phases of, and by hyperplastic and carcinomatous endometrium, progesterone binding by (Rodriquez et al.), 660
normal menstrual, proliferation kinetics of human endometrium during (Ferenczy, Bertrand, and Gelfand), 859
Cyst(s), giant theca-lutein (Bloomfield, Suarez, and Malangit), 459 (Comm. in brief)
ruptured corpus luteum, combined pregnancy and (Schonberg), 106 (Comm. in brief)
theca lutein, and severe pre-eclampsia, triploidy syndrome with (Lewis and Cefalo), 110 (Comm. in brief)
Cystic hygroma, elevated amniotic alpha fetoprotein in fetus with Turner's syndrome due to puncture of (Pawlowitzki and Wörmann), 584 (Comm. in brief)
Cytogenetic and endocrine studies in 45,X female subject with spontaneous sexual development (Lisker et al.), 149
Cytomegalovirus, in vitro stimulation of human colostral lymphocytes by (Meggs and Beer), 703

D

Danazol, effect of, on estradiol-17β and progesterone secretion by porcine ovarian cells in vitro (Tsang, Henderson, and Armstrong), 256
Death, fetal, abnormal antepartum fetal heart rate tracings, and failure to intervene: Review of five cases reveals potential pitfalls of antepartum monitoring programs (Bobitt), 415
mechanism of failed labor after, and its treatment with prostaglandin E_2 (Schulman et al.), 742

Death—Cont'd
perinatal, causes of, associated with gestational hypertension and proteinuria (Naeye and Friedman), 8
sudden collapse and, of women obtaining abortions induced with prostaglandin $F_{2\alpha}$ (Cates and Jordaan), 398
syndrome, sudden infant, intrapartum fetal heart rate and (Hoppenbrouwers, Zanini, and Hodgman), 217
Decidua parietalis, human, adenylate cyclase from (Whitsett and Johnson), 479
Deep venous thrombosis and pulmonary emboli, external pneumatic compression for prevention of (Barnes), 226 (Comm. in brief)
Defect(s) in broad ligament, small bowel herniation through (Livaudais, Hartong, and Otterson), 927 (Comm. in brief)
of central nervous system in Finland. IV. Associations with diagnostic x-ray examinations (Granroth), 191
neural tube, screening for, in United States (Macri, Haddow, and Weiss), 119 (Clinical opinion)
Deletion, X short arm, in female subject with spontaneous sexual development (Barakat, Ances, and Fajer), 460 (Comm. in brief)
Delivery, labor and, use of sedative, analgesic, and anesthetic drugs during: Bane or boon? (Myers and Myers), 83 (Current developments)
Desoxycorticosterone in normal pregnancy. II. Cortisol-dependent fluctuations in free plasma desoxycorticosterone (Nolten et al.), 644
Detrusor dyssynergia, carbon dioxide versus electronic urethrocystometry for detection of (Lewis), 371
Devices, intrauterine contraceptive, pelvic actinomycosis in women using (Hager and Majmudar), 60
Dextran, addition of, to 2-chloroprocaine: Prolonging paracervical block anesthesia (Strauss, Dase, and Doering), 891
Diabetes, associated, effect of, on fetal and neonatal complications: Cushing's syndrome in pregnancy (Check et al.), 846 (Comm. in brief)
chemical, in pregnancy, pyridoxine treatment of (Gillmer and Mazibuko), 499
overt, in pregnancy (Martin, Allen, and Stinson), 275
Diabetic mothers, blunting of spontaneous and alanine-stimulated glucagon secretion in newborn infants of (Williams, Sperling, and Racas), 51
pregnancy, impact of maternal euglycemia on fetal outcome in (Adashi, Pinto, and Tyson), 268
Diagnosis, clinical course and, of genital herpes simplex virus infection and evaluation of topical surfactant therapy (Vontver et al.), 548
difficult antenatal: Infantile polycystic kidney disease (Reilly et al.), 580 (Comm. in brief).
nonsurgical, and management of puerperal ovarian vein thrombophlebitis (Hughey, McElin, and Caprini), 461 (Comm. in brief)
prenatal, of fetal genetic disorders, experience with sonography as adjunct to amniocentesis for (Chandra et al.), 519
Diagnostic ultrasound, natural history of placenta previa ascertained by (Rizos et al.), 287
x-ray examinations, associations with, IV. Defects of central nervous system in Finland (Granroth), 191
Dihydroprogesterone, 20α-, concentration, 20α-hydroxysteroid oxidoreductase activity and, in human placenta before and after parturition (Diaz-Zagoya, Wiest, and Arias), 673
Dimethyl-triazeno-imidazole carboximide, vincristine, and Adriamycin, remission of uterine leiomyosarcomas treated with (Azizi et al.), 379
Dipalmitoyl lecithin, human amniotic fluid lecithin/sphingomyelin ratio and, changes in, associated with maternal betamethasone therapy (Arias, Pineda, and Johnson), 894
Diploid nuclear replacement in mature human ova with cleavage (Shettles), 222 (Comm. in brief)
Disease, acute pelvic inflammatory, bacteriology of (Chow, Patten, and Marshall), 362
infantile polycystic kidney: Difficult antenatal diagnosis (Reilly et al.), 580 (Comm. in brief)
Disorders, fetal genetic, experience wtith sonography as adjunct to amniocentesis for prenatal diagnosis of (Chandra et al.), 519
Dominant ventricular dysrhythmia, autosomal, successful pregnancy in patient with (Sachs and Van Iddekinge), 923 (Comm. in brief)
Dopamine agonist, effect of: Gigantomastia during pregnancy (Hedberg, Karlsson, and Lindstedt), 928 (Comm. in brief)
effect of, on hypotension induced by spinal anesthesia (Cabalum et al.), 630
Double-blind study of cefazolin: Prophylactic antibiotics in cesarean section (Phelan and Pruyn), 474
Drugs, sedative, analgesic, and anesthetic, use of, during labor and delivery: Bane or boon? (Myers and Myers), 83 (Current developments)
Dysrhythmia, autosomal dominant ventricular, successful pregnancy in patient with (Sachs and Van Iddekinge), 923 (Comm. in brief)
Dyssynergia, detrusor, carbon dioxide versus electronic urethrocystometry for detection of (Lewis), 371

E

E_2, prostaglandin, –induced, spontaneous, and oxytocin-induced labor, stretch modulus of human cervical tissue in (Conrad and Ueland), 11
mechanism of failed labor after fetal death and its treatment with (Schulman et al.), 742
Eclampsia, atypical cholinesterase in psychotic patient with (Amaranath et al.), 105 (Comm. in brief)
Ectopic pregnancy, delayed hemorrhage in conservative surgery for (Kelly, Martin, and Strickler), 225 (Comm. in brief)
Electively induced labor at term, human fetal breathing activity during (Richardson, Natale, and Patrick), 247
Electronic urethrocystometry, carbon dioxide versus, for detection of detrusor dyssynergia (Lewis), 371
Emboli, pulmonary, deep venous thrombosis and, external pneumatic compression for prevention of (Barnes), 226 (Comm. in brief)
Endocrine studies, cytogenetic, in 45,X female subject with spontaneous sexual development (Lisker et al.), 149
Endometrial carcinoma, experience in treating two hundred and eighty-eight patients with, from 1968 to 1972 (Beck), 260
tissue, human, progesterone binding by, during proliferative and secretory phases of menstrual cycle and by hyperplastic and carcinomatous endometrium (Rodriquez et al.), 660
Endometriosis, extragonadal, adenocarcinoma arising from, 14 years after total hysterectomy and bilateral salpingo-oophorectomy for endometriosis. Report of case with ultrastructural studies (Shamsuddin et al.), 585 (Comm. in brief)
Endometrium, adenocarcinoma of, evolution of treatment program for (Prem et al.), 803
human, proliferation kinetics of, during normal menstrual cycle (Ferenczy, Bertrand, and Gelfand), 859
hyperplastic and carcinomatous, progesterone binding by human endometrial tissue during proliferative and secretory phases of menstrual cycle and by (Rodriquez et al.), 660
Enzymatically mediated biomechanical changes in chorioamniotic membranes, in vitro model for study of (Artal et al.), 656
Enzyme catechol-O-methyltransferase, alterations in activity of, in central and peripheral regions of rat and rabbit during pregnancy, parturition, and postpartum period (Raza-Bukhari and Parvez), 880
Epidemiologic study: Oral contraception and twinning (Bracken), 432
Epinephrine infusion, effect of, on maternal and uterine oxygen uptake in pregnant ewe (Clapp), 208
Erythrocytes of women taking oral contraceptive steroids, catechol-O-methyltransferase activity in (Bates et al.), 691
Ester, intravaginal 15-methyl prostaglandin $F_{2\alpha}$ methyl, ultrasonic assessment of uterine emptying in first-trimester abortions induced by (Dutt, Blair, and Elder), 484
Estradiol, testosterone, progesterone, prolactin, and human chorionic gonadotropin, plasma, in ovarian hyperstimulation syndrome (Yuen et al.), 316
-17β and progesterone secretion by porcine ovarian cells in vitro, effect of danazol on (Tsang, Henderson, and Armstrong), 256
stimulation of fetal lung surfactant production by administration of, to maternal rabbit (Khosla and Rooney), 213
Estrogen replacement therapy, long-term, effects of. I. Metabolic effects (Hammond et al.), 525
II. Neoplasia (Hammond et al.), 537
-suppressible lipoid cell ovarian neoplasm, detection of, by bilateral ovarian venous sampling (Check et al.), 457 (Comm. in brief)

Euglycemia, maternal, impact of, on fetal outcome in diabetic pregnancy (Adashi, Pinto, and Tyson), 268
Examinations, in-training, for residents in obstetrics and gynecology, 1975 to 1978 (Easterling), 733
Excretion, distribution, and plasma levels of magnesium, parenteral magnesium sulfate and (Chesley), 1
Extragonadal endometriosis, adenocarcinoma arising from, 14 years after total hysterectomy and bilateral salpingo-oophorectomy for endometriosis: Report of case with ultrastructural studies (Shamsuddin et al.), 585 (Comm. in brief)
Extrapelvic lymph node metastases in cervical carcinoma (Buchsbaum), 814

F

$F_{2\alpha}$, prostaglandin, intramuscular 15(S)-15-methyl, use of, in failed abortions (Corson and Bolognese), 145
metabolite levels in plasma, amniotic fluid, and urine during pregnancy and labor (Satoh et al.), 886
methyl ester, intravaginal 15-methyl, ultrasonic assessment of uterine emptying in first-trimester abortions induced by (Dutt, Blair, and Elder), 484
sudden collapse and death of women obtaining abortions induced with (Cates and Jordaan), 398
Factor activity, blocking: Immunodiagnosis in ovarian cancer (Pattillo et al.), 791
blocking, in amniotic fluid causing leukocyte migration enhancement (Gleicher et al.), 386
Failed abortions, use of intramuscular 15(S)-15-methyl prostaglandin $F_{2\alpha}$ in (Corson and Bolognese), 145
labor after fetal death, mechanism of, and its treatment with prostaglandin E_2 (Schulman et al.), 742
Fasted obese women, fed and, gonadotropin profiles in (Newmark et al.), 75
Febrile morbidity, postoperative, following vaginal hysterectomy, possible method to reduce: Preoperative hot conization of cervix (Osborne, Wright, and Dubay), 374
Fed and fasted obese women, gonadotropin profiles in (Newmark et al.), 75
Fertilization, in vitro, ova harvest with (Shettles), 845 (Comm. in brief)
Fetal asphyxia, cerebral palsy, and obstetrician (Niswander), 358 (Clinical opinion)
breathing activity, human, during electively induced labor at term (Richardson, Natale, and Patrick), 247
movements and abnormal contraction stress test (Manning and Platt), 590
cardiac cycle, antepartum determination of pre-ejection period of: Its relation to newborn body weight (Murata et al.), 515
death, mechanism of failed labor after, and its treatment with prostaglandin E_2 (Schulman et al.), 742
genetic disorders, experience with sonography as adjunct to amniocentesis for prenatal diagnosis of (Chandra et al.), 519
heart rate(s), circulating catecholamine levels and, effects of maternal smoking on (Quigley et al.), 685
intrapartum, and sudden infant death syndrome (Hoppenbrouwers, Zanini, and Hodgman), 217
monitoring, intrapartum. I. Classification and prognosis of fetal heart rate patterns (Krebs et al.), 762
II. Multifactorial analysis of intrapartum fetal heart rate tracings (Krebs et al.), 773
nonstressed antepartum, scoring system for (Lyons et al.), 242
testing, antepartum. I. Evolution of nonstress test (Evertson et al.), 29
II. Intrapartum fetal heart rate observation and newborn outcome following positive contraction stress test (Gauthier, Evertson, and Paul), 34
III. Effect of phenobarbital on nonstress test (Keegan et al.), 579 (Comm. in brief)
tracings, abnormal antepartum, failure to intervene, and fetal death: Review of five cases reveals potential pitfalls of antepartum monitoring programs (Bobitt), 415
lamb, pre-ejection period of cardiac cycles in (Murata, Miyake, and Quilligan), 509
lung surfactant production, stimulation of, by administration of 17β-estradiol to maternal rabbit (Khosla and Rooney), 213
and maternal plasma of rabbit does continuously infused with cortisol from day 21 to day 24 of gestation, adrenocorticotropin and glucocorticoid concentrations in (Jack et al.), 594
Fetal—Cont'd
maturity and fetal pulmonary maturity, amniotic fluid lecithin/sphingomyelin ratio, palmitic acid, palmitic acid/stearic acid ratio, total cortisol, creatinine, and percentage of lipid-positive cells in assessment of: Comparison (Doran et al.), 302
monitoring, history of (Goodlin), 232 (Current developments)
and neonatal complications, effect of associated diabetes on: Cushing's syndrome in pregnancy (Check et al.), 846 (Comm. in brief)
outcome in diabetic pregnancy, impact of maternal euglycemia on (Adashi, Pinto, and Tyson), 268
pulmonic maturity, ultrasonic changes in maturing placenta and their relation to (Grannum, Berkowitz, and Hobbins), 915 (Current investigation)
risk, maternal serum alpha-fetoprotein levels as index of (Gordon et al.), 422
scalp pH, continuous intrapartum monitoring of (Lauersen, Miller, and Paul), 44
sheep, thyroxine uptake and metabolism by, after intra-amniotic thyroxine injection (Riddick et al.), 618
sympathetic nervous system maturation, free metanephrine in human amniotic fluid as index of (Artal et al.), 452 (Current investigation)
weight, estimation of, from ultrasonic measurements (McCallum and Brinkley), 195
Fetoplacental osmoregulation, human, further evidence for role of prolactin on (Leontic et al.), 435
Fetoprotein, alpha-, levels, elevated amniotic fluid, interpreting, in clinical practice: Use of predictive value positive concept (Goldberg and Oakley), 126 (Clinical opinion)
maternal serum, as index of fetal risk (Gordon et al.), 422
elevated amniotic alpha, in fetus with Turner's syndrome due to puncture of cystic hygroma (Pawlowitzki and Wörmann), 584 (Comm. in brief)
Fetus and neonate, II. Meperidine and normeperidine levels following meperidine administration during labor (Kuhnert et al.), 909
rhesus, betamethasone and: Multisystemic effects (Johnson et al.), 677
with Turner's syndrome, elevated amniotic alpha fetoprotein in, due to puncture of cystic hygroma (Pawlowitzki and Wörmann), 584 (Comm. in brief)
Fibrinolytic activity, whole-blood, in normal and hypertensive pregnancies and its relation to placental concentration of urokinase inhibitor (Arias, Andrinopoulos, and Zamora), 624
15-Methyl prostaglandin $F_{2\alpha}$ methyl ester, intravaginal, ultrasonic assessment of uterine emptying in first-trimester abortions induced by (Dutt, Blair, and Elder), 484
(S)-15-methyl prostaglandin $F_{2\alpha}$, intramuscular use of, in failed abortions (Corson and Bolognese), 145
Finland, defects of central nervous system in. IV. Associations with diagnostic x-ray examinations (Granroth), 191
First-trimester abortion(s) induced by intravaginal 15-methyl prostaglandin $F_{2\alpha}$ methyl ester, ultrasonic assessment of uterine emptying in (Dutt, Blair, and Elder), 484
pain of: Its quantification and relations with other variables (Smith et al.), 489
5α-Reductase activity in human placenta (Milewich et al.), 611
Flora, vaginal, quantitative bacteriology of, in vaginitis (Levison et al.), 139
Fluid alpha-fetoprotein levels, elevated amniotic, interpreting, in clinical practice: Use of predictive value positive concept (Goldberg and Oakley), 126 (Clinical opinion)
amniotic, blocking factor in, causing leukocyte migration enhancement (Gleicher et al.), 386
of midpregnancy, free and protein-bound steroids in (Wu, Mennuti, and Mikhail), 666
significance of phosphatidylglycerol in, in complicated pregnancies (Bustos et al.), 899
urine, and plasma, prostaglandin $F_{2\alpha}$ metabolite levels in, during pregnancy and labor (Satoh et al.), 886
crystallization, amniotic, analysis for, in second-trimester amniocentesis (Elias et al.), 401
human amniotic, free metanephrine, as index of fetal sympathetic nervous system maturation (Artal et al.), 452 (Current investigation)

Fluid—Cont'd
lecithin/sphingomyelin ratio, human amniotic, and dipalmitoyl lecithin, changes in, associated with maternal betamethasone therapy (Arias, Pineda, and Johnson), 894
palmitic acid, palmitic acid/stearic acid ratio, total cortisol, creatinine, and percentage of lipid-positive cells, amniotic, in assessment of fetal maturity and fetal pulmonary maturity: Comparison (Doran et al.), 302
45,X female subject with spontaneous sexual development, cytogenetic and endocrine studies in (Lisker et al.), 149
Fractional postcoital test, reassessment of (Drake, Tredway, and Buchanan), 382
Free metanephrine in human amniotic fluid as index of fetal sympathetic nervous system maturation (Artal et al.), 452 (Current investigation)
plasma desoxycorticosterone, cortisol-dependent fluctuations in, II. Desoxycorticosterone in normal pregnancy (Nolten et al.), 644
and protein-bound steroids in amniotic fluid of midpregnancy (Wu, Mennuti, and Mikhail), 666

G

Galactorrhea, amenorrhea-, syndrome, hyperprolactinemic, ineffectiveness of pyridoxine in evaluation and treatment of (Goodenow and Malarkey), 161
Gauze hammock sling operation, Marlex, with Cooper's ligament attachment in management of recurrent urinary stress incontinence (Bryans), 292
Genetic disorders, fetal, experience with sonography as adjunct to amniocentesis for prenatal diagnosis of (Chandra et al.), 519
Genital herpes simplex virus infection, clinical course and diagnosis of, and evaluation of topical surfactant therapy (Vontver et al.), 548
mycoplasmas and birth weight in offspring of primigravid women (Harrison, Hurley, and deLouvois), 201
Gestation, adrenocorticotropin and glucocorticoid concentrations in fetal and maternal plasma of rabbit does continuously infused with cortisol from day 21 to day 24 of (Jack et al.), 594
Gestational age, small–for–, infant, preterm: Two-year follow-up study (Vohr, Oh, and Rosenfield), 425
hypertension and proteinuria, causes of perinatal death associated with (Naeye and Friedman), 8
Giant theca-lutein cyst (Bloomfield, Suarez, and Malangit), 459 (Comm. in brief)
Gigantomastia during pregnancy: Effect of dopamine agonist (Hedberg, Karlsson, and Lindstedt), 928 (Comm. in brief)
Glands, mammary, of pregnant rats, ultrastructural alterations in, after ovariectomy and hysterectomy: Effect of adrenal steroids and prolactin (Chatterton et al.), 694
Glucagon secretion, spontaneous and alanine-stimulated, blunting of, in newborn infants of diabetic mothers (Williams, Sperling, and Racasa), 51
Glucocorticoid concentrations, adrenocorticotropin and, in fetal and maternal plasma of rabbit does continuously infused with cortisol from day 21 to day 24 of gestation (Jack et al.), 594
therapy for induction of pulmonary maturity in severely hypertensive gravid women (Nochimson and Petrie), 449 (Current investigation)
Glucose transport, active, evidence against, VI. In vitro perfusion studies of human placenta (Rice, Rourke, and Nesbitt), 649
Gonadotropin, human chorionic, estradiol, testosterone, progesterone, and prolactin, plasma, in ovarian hyperstimulation syndrome (Yuen et al.), 316
profiles in fed and fasted obese women (Newmark et al.), 75
Gouty nephropathy and pregnancy (Coddington, Albrecht, and Cefalo), 107 (Comm. in brief)
Gravid uterine vasculature, responses of, to arterial levels of local anesthetic agents (Fishburne et al.), 753
women, severely hypertensive, glucocorticoid therapy for induction of pulmonary maturity in (Nochimson and Petrie), 449 (Current investigation)
Growth retardation, intrauterine, clinical prediction of (Galbraith et al.), 281
in renal insufficiency: Experimental model in rat (Nitzan et al.), 40
Gynecologic infections, obstetric and, treatment of, with cefamandole (Cunningham, Gilstrap, and Kappus), 602
Gynecology, obstetrics and, in-training examinations for residents in, 1975 to 1978 (Easterling), 733

H

Hammock sling operation, Marlex gauze, with Cooper's ligament attachment in management of recurrent urinary stress incontinence (Bryans), 292
Heart rate(s), fetal, circulating catecholamine levels and, effects of maternal smoking on (Quigley et al.), 685
intrapartum fetal, and sudden infant death syndrome (Hoppenbrouwers, Zanini, and Hodgman), 217
monitoring, intrapartum fetal. I. Classification and prognosis of fetal heart rate patterns (Krebs et al.), 762
II. Multifactorial analysis of intrapartum fetal heart rate tracings (Krebs et al.), 773
nonstressed antepartum fetal, scoring system for (Lyons et al.), 242
testing, antepartum fetal. I. Evolution of nonstress test (Evertson et al.), 29
II. Intrapartum fetal heart rate observation and newborn outcome following positive contraction stress test (Gauthier, Evertson, and Paul), 34
III. Effect of phenobarbital on nonstress test (Keegan et al.), 579 (Comm. in brief)
tracings, abnormal antepartum fetal, failure to intervene, and fetal death: Review of five cases reveals potential pitfalls of antepartum monitoring programs (Bobitt), 415
Hemodynamic responses, cardiac and uterine, to ritodrine hydrochloride administration in pregnant sheep (Siimes and Creasy), 20
Hemoglobin C_{Harlem} pregnancy in patient with (Cromartie, Hall, and Caldwell), 582 (Comm. in brief)
Hemolytic, beta-, streptococci, group B, localization of, in female urogenital tract (MacDonald, Manuel, and Embil), 57
Hemorrhage, delayed, in conservative surgery for ectopic pregnancy (Kelly, Martin, and Strickler), 225 (Comm. in brief)
Herniation, small bowel, through defect in broad ligament (Livaudais, Hartong, and Otterson), 927 (Comm. in brief)
Herpes simplex virus infection, genital, clinical course and diagnosis of, and evaluation of topical surfactant therapy (Vontver et al.), 548
Hexamethylmelamine: Evaluation of its role in treatment of ovarian cancer (Wharton et al.), 833
Hospital(s), Catholic, sterilization and contraceptive services in (O'Lane), 355 (Clinical opinion)
university, changing obstetric practices and amelioration of perinatal outcome in (Shamsi, Petrie, and Steer), 855 (Clinical opinion)
Hot conization, preoperative, of cervix: Possible method to reduce postoperative febrile morbidity following vaginal hysterectomy (Osborne, Wright, and Dubay), 374
Human chorionic gonadotropin, estradiol, testosterone, progesterone, and prolactin, plasma, in ovarian hyperstimulation syndrome (Yuen et al.), 316
Hydrochloride administration, ritodrine, cardiac and uterine hemodynamic responses to, in pregnant sheep (Siimes and Creasy), 20
Hydroxysteroid, 20α-, oxidoreductase activity and 20α-dihydroprogesterone concentration in human placenta before and after parturition (Diaz-Zagoya, Wiest, and Arias), 673
Hygroma, cystic, elevated amniotic alpha fetoprotein in fetus with Turner's syndrome due to puncture of (Pawlowitzki and Wörmann), 584 (Comm. in brief)
Hyperlipidemia of pregnancy in normal and complicated pregnancies (Potter and Nestel), 165
Hyperplastic and carcinomatous endometrium, progesterone binding by human endometrial tissue during proliferative and secretory phases of menstrual cycle and by (Rodriquez et al.), 660
Hyperprolactinemic amenorrhea-galactorrhea syndrome, ineffectiveness of pyridoxine in evaluation and treatment of (Goodenow and Malarkey), 161
Hyperstimulation syndrome, ovarian, plasma prolactin, human chorionic gonadotropin, estradiol, testosterone, and progesterone in (Yuen et al.), 316

Hypertension, gestational, and proteinuria, causes of perinatal death associated with (Naeye and Friedman), 8
Hypertensive gravid women, severely, glucocorticoid therapy for induction of pulmonary maturity in (Nochimson and Petrie), 449 (Current investigation)
pregnancies, normal and, whole-blood fibrinolytic activity in, and its relation to placental concentration of urokinase inhibitor (Arias, Andrinopoulos, and Zamora), 624
Hypotension induced by spinal anesthesia, effect of dopamine on (Cabalum et al.), 630
Hysterectomy, abdominal, series of sepsis due to *Staphylococcus aureus* after (Sompolinsky et al.), 931 (Comm. in brief)
total, and bilateral salpingo-oophorectomy for endometriosis, adenocarcinoma arising from extragonadal endometriosis 14 years after: Report of case with ultrastructural studies (Shamsuddin et al.), 585 (Comm. in brief)
vaginal, possible method to reduce postoperative febrile morbidity following: Preoperative hot conization of cervix (Osborne, Wright, and Dubay), 374
simplified surgical technique for treatment of vault in (Hajj), 851 (Clinical opinion)

I

Imidazole carboximide dimethyl-triazeno-, vincristine, and Adriamycin, remission of uterine leiomyosarcomas treated with (Azizi et al.), 379
Immunodiagnosis in ovarian cancer: Blocking factor activity (Pattillo et al.), 791
Incontinence, primary and recurrent urinary stress, simplified retropubic urethropexy in treatment of, in female (Cowan and Morgan), 295
recurrent urinary stress, Marlex gauze hammock sling operation with Cooper's ligament attachment in management of (Bryans), 292
Induced by intravaginal 15-methyl prostaglandin $F_{2\alpha}$ methyl ester, ultrasonic assessment of uterine emptying in first-trimester abortions (Dutt, Blair, and Elder), 484
labor, electively, at term, human fetal breathing activity during (Richardson, Natale, and Patrick), 247
oxytocin-, prostaglandin E_2–induced, and spontaneous labor, stretch modulus of human cervical tissue in (Conrad and Ueland), 11
by spinal anesthesia, effect of dopamine on hypotension (Cabalum et al.), 630
with prostaglandin $F_{2\alpha}$, sudden collapse and death of women obtaining abortions (Cates and Jordaan), 398
Induction, labor, infant outcome following (Friedman, Sachtleben, and Wallace), 718
of pulmonary maturity, glucocorticoid therapy for, in severely hypertensive gravid women (Nochimson and Petrie), 449 (Current investigation)
Infant(s) death syndrome, sudden, intrapartum fetal heart rate and (Hoppenbrouwers, Zanini, and Hodgman), 217
newborn, of diabetic mothers, blunting of spontaneous and alainine-stimulated glucagon secretion in (Williams, Sperling, and Racasa), 51
outcome following labor induction (Friedman, Sachtleben, and Wallace), 718
preterm small–for–gestational age: Two-year follow-up study (Vohr, Oh, and Rosenfield), 425
weighing from 1,001 to 1,500 grams, obstetric factors influencing outcome in (Paul, Koh, and Monfared), 503
Infantile polycystic kidney disease: Difficult antenatal diagnosis (Reilly et al.), 580 (Comm. in brief)
Infection(s), genital herpes simplex virus, clinical course and diagnosis of, and evaluation of topical surfactant therapy (Vontver et al.), 548
obstetric and gynecologic, treatment of, with cefamandole (Cunningham, Gilstrap, and Kappus), 602
Infertile couples, testosterone levels in female partners of (Steinberger et al.), 133
Inflammatory disease, acute pelvic, bacteriology of (Chow, Patten, and Marshall), 362
Inflatable wedge for prevention of aortocaval compression during pregnancy (Redick), 458 (Comm. in brief)
Infused, continuously, with cortisol from day 21 to day 24 of gestation, adrenocorticotropin and glucocorticoid concentrations in fetal and maternal plasma of rabbit does (Jack et al.), 594
Infusion, epinephrine, effect of, on maternal and uterine oxygen uptake in pregnant ewe (Clapp), 208
Inhibitor, urokinase, placental concentration of, whole-blood fibrinolytic activity in normal and hypertensive pregnancies and its relation to (Arias, Andrinopoulos, and Zamora), 624
Injection, intra-amniotic thyroxine, thyroxine uptake and metabolism by fetal sheep after (Riddick et al.), 618
Insufficiency, renal, intrauterine growth retardation in: Experimental model in rat (Nitzan et al.), 40
Insulin receptors and adenylate cyclase, differences in localization of, in human placenta (Whitsett, Johnson, and Hawkins), 204
Intra-amniotic thyroxine injection, thyroxine uptake and metabolism by fetal sheep after (Riddick et al.), 618
Intramuscular 15(S)-15-methyl prostaglandin $F_{2\alpha}$, use of, in failed abortions (Corson and Bolognese), 145
Intrapartum fetal heart rate monitoring. I. Classification and prognosis of fetal heart rate patterns (Krebs et al.), 762
II. Multifactorial analysis of intrapartum fetal heart rate tracings (Krebs et al.), 773
observation and newborn outcome following positive contraction stress test, II. Antepartum fetal heart rate testing (Gauthier, Evertson, and Paul), 34
and sudden infant death syndrome (Hoppenbrouwers, Zanini, and Hodgman), 217
monitoring, continuous, of fetal scalp pH (Lauersen, Miller, and Paul), 44
Intrauterine contraceptive devices, pelvic actinomycosis in women using (Hager and Majmudar), 60
growth retardation, clinical prediction of (Galbraith et al.), 281
in renal insufficiency: Experimental model in rat (Nitzan et al.), 40
pressure transducers, water-borne contamination of (Baker et al.), 923 (Current investigation)
transfused surviving children, follow-up of (Hardyment et al.), 235
transfusions, psychological development of children who received (Knobbe et al.), 877
Intravaginal 15-methyl prostaglandin $F_{2\alpha}$ methyl ester, ultrasonic assessment of uterine emptying in first-trimester abortions induced by (Dutt, Blair, and Elder), 484
Items, 118, 353-354, 587-588, 847-850

K

Kidney disease, infantile polycystic: Difficult antenatal diagnosis (Reilly et al.), 580 (Comm. in brief)
Kinetics, proliferation, of human endometrium during normal menstrual cycle (Ferenczy, Bertrand, and Gelfand), 859

L

Labor and delivery, use of sedative, analgesic, and anesthetic drugs during: Bane or boon? (Myers and Myers), 83 (Current developments)
electively induced, at term, human fetal breathing activity during (Richardson, Natale, and Patrick), 247
failed, after fetal death, mechanism of, and its treatment with prostaglandin E_2 (Schulman et al.), 742
induction, infant outcome following (Friedman, Sachtleben, and Wallace), 718
meperidine and normeperidine levels following meperidine administration during. I. Mother (Kuhnert et al.), 904
II. Fetus and neonate (Kuhnert et al.), 909
pregnancy and, prostaglandin $F_{2\alpha}$ metabolite levels in plasma, amniotic fluid, and urine during (Satoh et al.), 886
preterm, pharmacologic inhibition of (Caritis, Edelstone, and Mueller-Heubach), 557 (Current developments)
Lecithin/sphingomyelin ratio, human amniotic fluid, and dipalmitoyl lecithin, changes in, associated with maternal betamethasone therapy (Arias, Pineda, and Johnson), 894
palmitic acid, palmitic acid/stearic acid ratio, total cortisol, creatinine, and percentage of lipid-positive cells, amniotic fluid, in assessment of fetal maturity and fetal pulmonary maturity: Comparison (Doran et al.), 302
Leiomyosarcomas, uterine, treated with vincristine, Adriamycin, and dimethyl-triazeno-imidazole carboximide, remission of (Azizi et al.), 379
Leukocyte migration enhancement, blocking factor in amniotic fluid causing (Gleicher et al.), 386

Ligament attachment, Cooper's, Marlex gauze hammock sling operation with, in management of recurrent urinary stress incontinence (Bryans), 292
broad, small bowel herniation through defect in (Livaudais, Hartong, and Otterson), 927 (Comm. in brief)
Lipid, placental uptake and transfer of, in postterm rabbit (Shapiro et al.), 713
-positive cells, percentage of, lecithin/sphingomyelin ratio, palmitic acid, palmitic acid/stearic acid ratio, total cortisol, and creatinine, amniotic fluid, in assessment of fetal maturity and fetal pulmonary maturity: Comparison (Doran et al.), 302
Lipoid cell ovarian neoplasm, estrogen-suppressible, detection of, by bilateral ovarian venous sampling (Check et al.), 457 (Comm. in brief)
Listeriosis, perinatal—Review of twelve patients (Halliday and Hirata), 405
Local anesthetic agents, responses of gravid uterine vasculature to arterial levels of (Fishburne et al.), 753
Lung surfactant production, fetal, stimulation of, by administration of 17β-estradiol to maternal rabbit (Khosla and Rooney), 213
Lutein, theca-, cyst(s), giant (Bloomfield, Suarez, and Malangit), 459 (Comm. in brief)
and severe pre-eclampsia, triploidy syndrome with (Lewis and Cefalo), 110 (Comm. in brief)
Luteum cyst, ruptured corpus, combined pregnancy and (Schonberg), 106 (Comm. in brief)
Lymph node metastases, extrapelvic, in cervical carcinoma (Buchsbaum), 814
Lymphocytes, B-, complement receptors on, in human milk, analysis of (Bush and Beer), 708
human colostral, in vitro stimulation of, by cytomegalovirus (Meggs and Beer), 703

M

Magnesium sulfate, parenteral, and distribution, plasma levels, and excretion of magnesium (Chesley), 1
Mammary glands of pregnant rats, ultrastructural alterations in, after ovariectomy and hysterectomy: Effect of adrenal steroids and prolactin (Chatterton et al.), 694
Marlex gauze hammock sling operation with Cooper's ligament attachment in management of recurrent urinary stress incontinence (Bryans), 292
Maternal betamethasone therapy, changes in human amniotic fluid lecithin/sphingomyelin ratio and dipalmitoyl lecithin associated with (Arias, Pineda, and Johnson), 894
euglycemia, impact of, on fetal outcome in diabetic pregnancy (Adashi, Pinto, and Tyson), 268
plasma, fetal and, of rabbit does continuously infused with cortisol from day 21 to day 24 of gestation, adrenocorticotropin and glucocorticoid concentrations in (Jack et al.), 594
rabbit, stimulation of fetal lung surfactant production by administration of 17β-estradiol to (Khosla and Rooney), 213
serum alpha-fetoprotein levels as index of fetal risk (Gordon et al.), 422
smoking, effects of, on circulating catecholamine levels and fetal heart rates (Quigley et al.), 685
and uterine oxygen uptake, effect of, in pregnant ewe (Clapp), 208
Maturation, fetal sympathetic nervous system, free metanephrine in human amniotic fluid as index of (Artal et al.), 452 (Current investigation)
Mature human ova with cleavage, diploid nuclear replacement in (Shettles), 222 (Comm. in brief)
Maturing placenta, ultrasonic changes in, and their relation to fetal pulmonic maturity (Grannum, Berkowitz, and Hobbins), 915 (Current investigation)
Maturity, fetal, and fetal pulmonary maturity, amniotic fluid lecithin/sphingomyelin ratio, palmitic acid, palmitic acid/stearic acid ratio, total cortisol, creatinine, and percentage of lipid-positive cells in assessment of: Comparison (Doran et al.), 302
pulmonic, ultrasonic changes in maturing placenta and their relation to (Grannum, Berkowitz, and Hobbins), 915 (Current investigation)
pulmonary, glucocorticoid therapy for induction of, in severely hypertensive gravid women (Nochimson and Petrie), 449 (Current investigation)
Membranes, chorioamniotic, in vitro model for study of enzymatically mediated biomechanical changes in (Artal et al.), 656
Menopause, oral contraceptives and, studies in women and guinea pigs, with observations on: Plasma bradykininogen levels before and after ovulation (Smith and Perks), 868
premature. I. Etiology (Coulam and Ryan), 639
Menstrual cycle, human endometrial tissue during proliferative and secretory phases of, and by hyperplastic and carcinomatous endometrium, progesterone binding by (Rodriquez et al.), 660
normal, proliferation kinetics of human endometrium during (Ferenczy, Bertrand, and Gelfand), 859
Meperidine and normeperidine levels following meperidine administration during labor. I. Mother (Kuhnert et al.), 904
II. Fetus and neonate (Kuhnert et al.), 909
Metabolic effects, I. Effects of long-term estrogen replacement therapy (Hammond et al.), 525
Metabolism, calcium, in normal pregnancy: Longitudinal study (Pitkin et al.), 781
thyroxine uptake and, by fetal sheep after intra-amniotic thyroxine injection (Riddick et al.), 618
Metabolite(s), individual, norethindrone and, accumulation of, in human plasma during short-and long-term administration of contraceptive dosage (Braselton et al.), 154
levels, prostaglandin $F_{2\alpha}$, in plasma, amniotic fluid, and urine during pregnancy and labor (Satoh et al.), 886
Metanephrine, free, in human amniotic fluid as index of fetal sympathetic nervous system maturation (Artal et al.), 452 (Current investigation)
Metastases, extrapelvic lymph node, in cervical carcinoma (Buchsbaum), 814
Methyl, 15-, prostaglandin $F_{2\alpha}$ methyl ester, intravaginal, ultrasonic assessment of uterine emptying in first-trimester abortions induced by (Dutt, Blair, and Elder), 484
15(S)-15-, prostaglandin $F_{2\alpha}$, intramuscular, use of, in failed abortions (Corson and Bolognese), 145
Methyltransferase, catechol-O-, activity in erythrocytes of women taking oral contraceptive steroids (Bates et al.), 691
enzyme, alterations in activity of, in central and peripheral regions of rat and rabbit during pregnancy, parturition, and postpartum period (Raza-Bukhari and Parvez), 880
Microinvasive carcinoma of uterine cervix: Clinical-pathologic study (Sedlis et al.), 64
Microsomal preparations, human uterine, calcium accumulation by: Effects of progesterone and oxytocin (Carsten), 598
Midpregnancy, I. Effects of antiprogesterone on pregnancy (Csapo et al.), 176
free and protein-bound steroids in amniotic fluid of (Wu, Mennuti, and Mikhail), 666
Migration enhancement, leukocyte, blocking factor in amniotic fluid causing (Gleicher et al.), 386
Milk, human, analysis of complement receptors on B-lymphocytes in (Bush and Beer), 708
Monitoring, continuous intrapartum, of fetal scalp pH (Lauersen, Miller, and Paul), 44
fetal, history of (Goodlin), 323 (Current developments)
intrapartum fetal heart rate. I. Classification and prognosis of fetal heart rate patterns (Krebs et al.), 762
II. Multifactorial analysis of intrapartum fetal heart rate tracings (Krebs et al.), 773
nonstressed antepartum fetal heart rate, scoring system for (Lyons et al.), 242
programs, antepartum, review of five cases reveals potential pitfalls of: Abnormal antepartum fetal heart rate tracings, failure to intervene, and fetal death (Bobitt), 415
Morbidity, postoperative febrile, following vaginal hysterectomy, possible method to reduce: Preoperative hot conization of cervix (Osborne, Wright, and Dubay), 374
Mothers, diabetic, blunting of spontaneous and alanine-stimulated glucagon secretion in newborn infants of (Williams, Sperling, and Racasa), 51
My eye and heart are at a mortal war (McElin), 184
Mycoplasmas, genital, and birth weight in offspring of primigravid women (Harrison, Hurley, and deLouvois), 201
Myxometra, benign obstructive: Report of case (Honoré), 227 (Comm. in brief)

N

Neonatal complications, fetal and, effect of associated diabetes on: Cushing's syndrome in pregnancy (Check et al.), 846 (Comm. in brief)
Neonate, fetus and, II. Meperidine and normeperidine levels following meperidine administration during labor (Kuhnert et al.), 909
Neoplasia, II. Effects of long-term estrogen replacement therapy (Hammond et al.), 537
Neoplasm, estrogen-suppressible lipoid cell ovarian, detection of, by bilateral ovarian venous sampling (Check et al.), 457 (Comm. in brief)
Nephropathy, gouty, and pregnancy (Coddington, Albrecht, and Cefalo), 107 (Comm. in brief)
Nervous system, central, defects of, in Finland. IV. Associations with diagnostic x-ray examinations (Granroth), 191
maturation, fetal sympathetic, free metanephrine in human amniotic fluid as index of (Artal et al.), 452 (Current investigation)
Neural tube defects, screening for, in United States (Macri, Haddow, and Weiss), 119 (Clinical opinion)
Newborn body weight, its relation to: Antepartum determination of pre-ejection period of fetal cardiac cycle (Murata et al.), 515
infants of diabetic mothers, blunting of spontaneous and alanine-stimulated glucagon secretion in (Williams, Sperling, and Racasa), 51
outcome, intrapartum fetal heart rate observation and, following positive contraction stress test, II. Antepartum fetal heart rate testing (Gauthier, Evertson, and Paul), 34
Node metastases, extrapelvic lymph, in cervical carcinoma (Buchsbaum), 814
Nonstress test, effect of phenobarbital on, III. Antepartum fetal heart rate testing (Keegan et al.), 579 (Comm. in brief)
evolution of, I. Antepartum fetal heart rate testing (Evertson et al.), 29
Nonstressed antepartum fetal heart rate monitoring, scoring system for (Lyons et al.), 242
Norethindrone and individual metabolites, accumulation of, in human plasma during short- and long-term administration of contraceptive dosage (Braselton et al.), 154
Normeperidine levels, meperidine and, following meperidine administration during labor. I. Mother (Kuhnert et al.), 909
II. Fetus and neonate (Kuhnert et al.), 909
Nuclear replacement, diploid, in mature human ova with cleavage (Shettles), 222 (Comm. in brief)

O

Obese women, fed and fasted, gonadotropin profiles in (Newmark et al.), 75
Obstetric(s) cholestasis (Johnston and Baskett), 299
factors influencing outcome in infants weighing from 1,001 to 1,500 grams (Paul, Koh, and Monfared), 503
and gynecologic infections, treatment of, with cefamandole (Cunningham, Gilstrap, and Kappus), 602
and gynecology, in-training examinations for residents in, 1975 to 1978 (Easterling), 733
practices, changing, and amelioration of perinatal outcome in university hospital (Shamsi, Petrie, and Steer), 855 (Clinical opinion)
Obstetrician, fetal asphyxia, and cerebral palsy (Niswander), 358 (Clinical opinion)
Obstructive myxometra, benign: Report of case (Honoré), 227 (Comm. in brief)
Offspring of primigravid women, genital mycoplasmas and birth weight in (Harrison, Hurley, and deLouvois), 201
Operation, Marlex gauze hammock sling, with Cooper's ligament attachment in management of recurrent urinary stress incontinence (Bryans), 292
Oral contraception and twinning: Epidemiologic study (Bracken), 432
contraceptive(s) and menopause, studies in women and guinea pigs, with observations on: Plasma bradykininogen levels before and after ovulation (Smith and Perks), 868
steroids, catechol-O-methyltransferase activity in erythrocytes of women taking (Bates et al.), 691
Osmoregulation, human fetoplacental, further evidence for role of prolactin on (Leontic et al.), 435
Ova harvest with in vivo fertilization (Shettles), 845 (Comm. in brief)
mature human, with cleavage, diploid nuclear replacement in (Shettles), 222 (Comm. in brief)
Ovarian cancer, evaluation of its role in treatment of: Hexamethylmelamine (Wharton et al.), 833
immunodiagnosis in: Blocking factor activity (Pattillo et al.), 791
cells, porcine, estradiol-17β and progesterone secretion by, in vitro, effect of danazol on (Tsang, Henderson, and Armstrong), 256
hyperstimulation syndrome, plasma prolactin, human chorionic gonadotropin, estradiol, testosterone, and progesterone in (Yuen et al.), 316
neoplasm, estrogen-suppressible lipoid cell, detection of, by bilateral ovarian venous sampling (Check et al.), 457 (Comm. in brief)
remnant syndrome, avoiding ureteral damage in pelvic surgery for (Berek et al.), 221 (Comm. in brief)
vein thrombophlebitis, puerperal, nonsurgical diagnosis and management of (Hughey, McElin, and Caprini), 461 (Comm. in brief)
Ovulation, plasma bradykininogen levels before and after: Studies in women and guinea pigs, with observations on oral contraceptives and menopause (Smith and Perks), 868
Oxidoreductase activity, 20α-hydroxysteroid, and 20α-dihydroprogesterone concentration in human placenta before and after parturition (Diaz-Zagoya, Wiest, and Arias), 673
Oxygen uptake, maternal and uterine, effect of, in pregnant ewe (Clapp), 208
Oxytocin challenge test, false negative: Report of three cases (Gal et al.), 111 (Comm. in brief)
associated with abdominal pregnancy (Orr et al.), 108 (Comm. in brief)
-induced, prostaglandin E_2–induced, and spontaneous labor, stretch modulus of human cervical tissue in (Conrad and Ueland), 11
and progesterone, effects of: Calcium accumulation by human uterine microsomal preparations (Carsten), 598

P

Pain of first-trimester abortion: Its quantification and relations with other variables (Smith et al.), 489
Palmitic acid, palmitic acid/stearic acid ratio, total cortisol, creatinine, percentage of lipid-positive cells, and lecithin/sphingomyelin ratio, amniotic fluid, in assessment of fetal maturity and fetal pulmonary maturity: Comparison (Doran et al.), 302
Palsy, cerebral, fetal asphyxia, and obstetrician (Niswander), 358 (Clinical opinion)
Papers of Society for Gynecologic Investigation, 590-722
Paracervical block anesthesia, prolonging: Addition of dextran to 2-chloroprocaine (Strauss, Dase, and Doering), 891
Parenteral magnesium sulfate and distribution, plasma levels, and excretion of magnesium (Chesley), 1
Parietalis, human decidua, adenylate cyclase from (Whitsett and Johnson), 479
Parturient women, lower socioeconomic, group B streptococcal colonization and antibody status in (Beachler et al.), 171
Parturition, controlled, approach to (Beazley), 723
postpartum period, and pregnancy, alterations in activity of enzyme catechol-O-methyltransferase in central and peripheral regions of rat and rabbit during (Raza-Bukhari and Parvez), 880
20α-hydroxysteroid oxidoreductase activity and 20α-dihydroprogesterone concentration in human placenta before and after (Diaz-Zagoya, Wiest, and Arias), 673
Pathologic, clinical-, study: Microinvasive carcinoma of uterine cervix (Sedlis et al.), 64
Pelvic actinomycosis in women using intrauterine contraceptive devices (Hager and Majmudar), 60
inflammatory disease, acute, bacteriology of (Chow, Patten, and Marshall), 362
surgery for ovarian remnant syndrome, avoiding ureteral damage in (Berek et al.), 221 (Comm. in brief)
Perfusion studies, in vitro, of human placenta. VI. Evidence against active glucose transport (Rice, Rourke, and Nesbitt), 649

Perinatal death, causes of, associated with gestational hypertension and proteinuria (Naeye and Friedman). 8
listeriosis—Review of twelve patients (Halliday and Hirata), 405
outcome, amelioration of, changing obstetric practices and, in university hospital (Shamsi, Petrie, and Steer), 855 (Clinical opinion)
pH, fetal scalp, continuous intrapartum monitoring of (Lauersen, Miller, and Paul), 44
Pharmacologic inhibition of preterm labor (Caritis, Edelstone, and Mueller-Heubach), 557 (Current developments)
Phenobarbital, effect of, on nonstress test, III. Antepartum fetal heart rate testing (Keegan et al.), 579 (Comm. in brief)
Phosphatidylglycerol in amniotic fluid, significance of, in complicated pregnancies (Bustos et al.), 899
Placenta, human, differences in localization of insulin receptors and adenylate cyclase in (Whitsett, Johnson, and Hawkins), 204
5α-reductase activity in (Milewich et al.), 611
20α-hydroxysteroid oxidoreductase activity and 20α-dihydroprogesterone concentration in, before and after parturition (Diaz-Zagoya, Wiest, and Arias), 673
in vitro perfusion studies of. VI. Evidence against active glucose transport (Rice, Rourke, and Nesbitt), 649
maturing, ultrasonic changes in, and their relation to fetal pulmonic maturity (Grannum, Berkowitz, and Hobbins), 915 (Current investigation)
previa ascertained by diagnostic ultrasound, natural history of (Rizos et al.), 287
Placental concentration of urokinase inhibitor, whole-blood fibrinolytic activity in normal and hypertensive pregnancies and its relation to (Arias, Andrinopoulos, and Zamora), 624
uptake and transfer of lipid in postterm rabbit (Shapiro et al.), 713
Plasma, amniotic fluid, and urine, prostaglandin $F_{2\alpha}$ metabolite levels in, during pregnancy and labor (Satoh et al.), 886
bradykininogen levels before and after ovulation: Studies in women and guinea pigs, with observations on oral contraceptives and menopause (Smith and Perks), 868
desoxycorticosterone, free, cortisol-dependent fluctuations in, II. Desoxycorticosterone in normal pregnancy (Nolten et al.), 644
fetal and maternal, of rabbit does continuously infused with cortisol from day 21 to day 24 of gestation, adrenocorticotropin and glucocorticoid concentrations in (Jack et al.), 594
human, accumulation of norethindrone and individual metabolites in, during short- and long-term administration of contraceptive dosage (Braselton et al.), 154
levels, excretion, and distribution of magnesium, parenteral magnesium sulfate and (Chesley), 1
prolactin, human chorionic gonadotropin, estradiol, testosterone, and progesterone in ovarian hyperstimulation syndrome (Yuen et al.), 316
Pneumatic compression, external, for prevention of deep venous thrombosis and pulmonary emboli (Barnes), 226 (Comm. in brief)
Polycystic kidney disease, infantile: Difficult antenatal diagnosis (Reilly et al.), 580 (Comm. in brief)
Porcine ovarian cells, estradiol-17β and progesterone secretion by, in vitro, effect of danazol on (Tsang, Henderson, and Armstrong), 256
Postcoital test, fractional, reassessment of (Drake, Tredway, and Buchanan), 382
Postoperative bladder training (Segal and Corlett), 366
febrile morbidity following vaginal hysterectomy, possible method to reduce: Preoperative hot conization of cervix (Osborne, Wright, and Dubay), 374
Postpartum period, pregnancy, and parturition, alterations in activity of enzyme catechol-O-methyltransferase in central and peripheral regions of rat and rabbit during (Raza-Bukhari and Parvez), 880
urinary retention: Role of antimicrobial therapy (Harris), 174
Postterm rabbit, placental uptake and transfer of lipid in (Shapiro et al.), 713
Pre-eclampsia, severe, theca lutein cysts and, triploidy syndrome with (Lewis and Cefalo), 110 (Comm. in brief)
Pre-ejection period of cardiac cycles in fetal lamb (Murata, Miyake, and Quilligan), 509
fetal cardiac cycle, antepartum determination of: Its relation to newborn body weight (Murata et al.), 515
Pregnancy (pregnancies), abdominal, false negative oxytocin challenge test associated with (Orr et al.), 108 (Comm. in brief)
complicated, significance of phosphatidylglycerol in amniotic fluid in (Bustos et al.), 899
Cushing's syndrome in: Effect of associated diabetes on fetal and neonatal complications (Check et al.), 846 (Comm. in brief)
diabetic, impact of maternal euglycemia on fetal outcome in (Adashi, Pinto, and Tyson), 268
ectopic, delayed hemorrhage in conservative surgery for (Kelly, Martin, and Strickler), 225 (Comm. in brief)
effects of antiprogesterone on. I. Midpregnancy (Csapo et al.), 176
evaluation of new rapid slide test for (Sullivan, Barg, and Stiles), 411
gigantomastia during: effect of dopamine agonist (Hedberg, Karlsson, and Lindstedt), 928 (Comm. in brief)
gouty nephropathy and, (Coddington, Albrecht, and Cefalo), 107 (Comm. in brief)
hyperlipidemia of, in normal and complicated pregnancies (Potter and Nestel), 165
inflatable wedge for prevention of aortocaval compression during (Redick), 458 (Comm. in brief)
and labor, prostaglandin $F_{2\alpha}$ metabolite levels in plasma, amniotic fluid, and urine during (Satoh et al.), 886
maintenance and termination of, ultrastructural basis for (Garfield et al.), 308
normal, calcium metabolism in: Longitudinal study (Pitkin et al.), 781
desoxycorticosterone in. II. Cortisol-dependent fluctuations in free plasma desoxycorticosterone (Nolten et al.), 644
and hypertensive, whole-blood fibrinolytic activity in, and its relation to placental concentration of urokinase inhibitor (Arias, Andrinopoulos, and Zamora), 624
overt diabetes in (Martin, Allen, and Stinson), 275
parturition, and postpartum period, alterations in activity of enzyme catechol-O-methyltransferase in central and peripheral regions of rat and rabbit during (Raza-Bukhari and Parvez), 880
in patient(s) with autoimmune thrombocytopenic purpura (Noriega-Guerra et al.), 439
with hemoglobin C_{Harlem} (Cromartie, Hall, and Caldwell), 582 (Comm. in brief)
pyridoxine treatment of chemical diabetes in (Gillmer and Mazibuko), 499
and ruptured corpus luteum cyst, combined (Schonberg), 106 (Comm. in brief)
successful, in patient with autosomal dominant ventricular dysrhythmia (Sachs and Van Iddekinge), 932 (Comm. in brief)
Pregnant ewe, effect of epinephrine infusion on maternal and uterine oxygen uptake in (Clapp), 208
rats, ultrastructural alterations in mammary glands of, after ovariectomy and hysterectomy: Effect of adrenal steroids and prolactin (Chatterton et al.), 694
sheep, cardiac and uterine hemodynamic responses to ritodrine hydrochloride administration in (Siimes and Creasy), 20
Premature menopause. I. Etiology (Coulam and Ryan), 639
Prenatal diagnosis of fetal genetic disorders, experience with sonography as adjunct to amniocentesis for (Chandra et al.), 519
Preoperative hot conization of cervix: Possible method to reduce postoperative febrile morbidity following vaginal hysterectomy (Osborne, Wright, and Dubay), 374
Pressure transducers, intrauterine, water-borne contamination of (Baker et al.), 923 (Current investigation)
Preterm labor, pharmacologic inhibition of (Caritis, Edelstone, and Mueller-Heubach), 557 (Current developments)
small–for–gestational age infant: Two-year follow-up study (Vohr, Oh, and Rosenfield), 425
Previa, placenta, ascertained by diagnostic ultrasound, natural history of (Rizos et al.), 287
Primigravid women, genital mycoplasmas and birth weight in offspring of (Harrison, Hurley, and deLouvois), 201
Progesterone binding by human endometrial tissue during proliferative and secretory phases of menstrual cycle and by hyperplastic and carcinomatous endometrium (Rodriquez et al.), 660
and oxytocin, effects of: Calcium accumulation by human uterine microsomal preparations (Carsten), 598
prolactin, human chorionic gonadotropin, estradiol, and testosterone, plasma, in ovarian hyperstimulation syndrome (Yuen et al.), 316

Progesterone—Cont'd
secretion, estradiol-17β and, by porcine ovarian cells in vitro, effect of danazol on (Tsang, Henderson, and Armstrong), 256
Prolactin, adrenal steroids and, effect of: Ultrastructural alterations in mammary glands of pregnant rats after ovariectomy and hysterectomy (Chatterton et al.), 694
further evidence for role of, on human fetoplacental osmoregulation (Leontic et al.), 435
human chorionic gonadotropin, estradiol, testosterone, and progesterone, plasma, in ovarian hyperstimulation syndrome (Yuen et al.), 316
Proliferation kinetics of human endometrium during normal menstrual cycle (Ferenczy, Bertrand, and Gelfand), 859
Proliferative and secretory phases of menstrual cycle, human endometrial tissue during, and by hyperplastic and carcinomatous endometrium, progesterone binding by (Rodriquez et al.), 660
Prophylactic antibiotics in cesarean section: Double-blind study of cefazolin (Phelan and Pruyn), 474
Prostaglandin E_2–induced, spontaneous, and oxytocin-induced labor, stretch modulus of human cervical tissue in (Conrad and Ueland), 11
mechanism of failed labor after fetal death and its treatment with (Schulman et al.), 742
$F_{2\alpha}$, intramuscular 15(S)-15-methyl, use of, in failed abortions (Corson and Bolognese), 145
metabolite levels in plasma, amniotic fluid, and urine during pregnancy and labor (Satoh et al.), 886
methyl ester, intravaginal 15-methyl, ultrasonic assessment of uterine emptying in first-trimester abortions induced by (Dutt, Blair, and Elder), 484
sudden collapse and death of women obtaining abortions induced with (Cates and Jordaan), 398
Protein-bound steroids, free and, in amniotic fluid of midpregnancy (Wu, Mennuti, and Mikhail), 666
Proteinuria, gestational hypertension and, causes of perinatal death associated with (Naeye and Friedman), 8
Psychological development of children who received intrauterine transfusions (Knobbe et al.), 877
Psychotic patient with eclampsia, atypical cholinesterase in (Amaranath et al.), 105 (Comm. in brief)
Puerperal ovarian vein thrombophlebitis, nonsurgical diagnosis and management of (Hughey, McElin, and Caprini), 461 (Comm. in brief)
Pulmonary emboli, deep venous thrombosis and, external pneumatic compression for prevention of (Barnes), 226 (Comm. in brief)
maturity, fetal, and fetal maturity, amniotic fluid lecithin/sphingomyelin ratio, palmitic acid, palmitic acid/stearic acid ratio, total cortisol, creatinine, and percentage of lipid-positive cells in assessment of: Comparison (Doran et al.), 302
glucocorticoid therapy for induction of, in severely hypertensive gravid women (Nochimson and Petrie), 449 (Current investigation)
Pulmonic maturity, fetal, ultrasonic changes in maturing placenta and their relation to (Grannum, Berkowitz, and Hobbins), 915 (Current investigation)
Purpura, autoimmune thrombocytopenic, pregnancy in patients with (Noriega-Guerra et al.), 439
Pyridoxine, ineffectiveness of, in evaluation and treatment of hyperprolactinemic amenorrhea-galactorrhea syndrome (Goodenow and Malarkey), 161
treatment of chemical diabetes in pregnancy (Gillmer and Mazibuko), 499

R

Rate(s), fetal heart, circulating catecholamine levels and, effects of maternal smoking on (Quigley et al.), 685
intrapartum fetal heart, and sudden infant death syndrome (Hoppenbrouwers, Zanini, and Hodgman), 217
monitoring, intrapartum fetal heart. I. Classification and prognosis of fetal heart rate patterns (Krebs et al.), 762
II. Multifactorial analysis of intrapartum fetal heart rate tracings (Krebs et al.), 773
nonstressed antepartum fetal heart, scoring system for (Lyons et al.), 242
testing, antepartum fetal heart. I. Evolution of nonstress test (Evertson et al.), 29
Rate(s) testing, antepartum fetal heart—Cont'd
II. Intrapartum fetal heart rate observation and newborn outcome following positive contraction stress test (Gauthier, Evertson, and Paul), 34
III. Effect of phenobarbital on nonstress test (Keegan et al.), 579 (Comm. in brief)
tracings, abnormal antepartum fetal heart, failure to intervene, and fetal death: Review of five cases reveals potential pitfalls of antepartum monitoring programs (Bobitt), 415
Receptors, complement, on B-lymphocytes in human milk, analysis of (Bush and Beer), 708
insulin, and adenylate cyclase, differences in localization of, in human placenta (Whitsett, Johnson, and Hawkins), 204
Reductase, 5α-, activity in human placenta (Milewich et al.), 611
Regulate, when in doubt (Edwards), 469
Remission of uterine leiomyosarcomas treated with vincristine, Adriamycin, and dimethyl-triazeno-imidazole carboximide (Azizi et al.), 379
Remnant syndrome, ovarian, avoiding ureteral damage in pelvic surgery for (Berek et al.), 221 (Comm. in brief)
Renal insufficiency, intrauterine growth retardation in: Experimental model in rat (Nitzan et al.), 40
Residents in obstetrics and gynecology, in-training examinations for, 1975 to 1978 (Easterling), 733
Retardation, intrauterine growth, clinical prediction of (Galbraith et al.), 281
in renal insufficiency: Experimental model in rat (Nitzan et al.), 40
Retention, postpartum urinary; Role of antimicrobial therapy (Harris), 174
Retropubic urethropexy, simplified, in treatment of primary and recurrent urinary stress incontinence in female (Cowan and Morgan), 295
Risk, fetal, maternal serum alpha-fetoprotein levels as index of (Gordon et al.), 422
Ritodrine hydrochloride administration, cardiac and uterine hemodynamic responses to, in pregnant sheep (Siimes and Creasy), 20
Roster of American obstetrical and gynecological societies, 114 (Roster)
Ruptured corpus luteum cyst, combined pregnancy and (Schonberg), 106 (Comm. in brief)

S

Salpingo-oophorectomy, bilateral, total hysterectomy and, for endometriosis, adenocarcinoma arising from extragonadal endometriosis 14 years after: Report of case with ultrastructural studies (Shamsuddin et al.), 585 (Comm. in brief)
Scalp pH, fetal, continuous intrapartum monitoring of (Lauersen, Miller, and Paul), 44
Scoring system for nonstressed antepartum fetal heart rate monitoring (Lyons et al.), 242
Second-trimester amniocentesis, analysis for amniotic fluid crystallization in (Elias et al.), 401
Secretion, estradiol-17β and progesterone, by porcine ovarian cells in vitro, effect of danazol on (Tsang, Henderson, and Armstrong), 256
spontaneous and alanine-stimulated glucagon, blunting of, in newborn infants of diabetic mothers (Williams, Sperling, and Racasa), 51
Secretory phases, proliferative and, of menstrual cycle, human endometrial tissue during, and by hyperplastic and carcinomatous endometrium, progesterone binding by (Rodriquez et al.), 660
Section, cesarean, anesthesia for: Further studies (Fox et al.), 15
in California—1960 through 1975 (Petitti, Olson, and Williams), 391
prophylactic antibiotics in: Double-blind study of cefazolin (Phelan and Pruyn), 474
Sedative, analgesic, and anesthetic drugs, use of, during labor and delivery: Bane or boon? (Myers and Myers), 83 (Current developments)
Sepsis due to *Staphylococcus aureus* after abdominal hysterectomy, series of (Sompolinsky et al.), 931 (Comm. in brief)
Serum alpha-fetoprotein levels, maternal, as index of fetal risk (Gordon et al.), 422

17β, estradiol-, and progesterone secretion by porcine ovarian cells in vitro, effect of danazol on (Tsang, Henderson, and Armstrong), 256
stimulation of fetal lung surfactant production by administration of, to maternal rabbit (Khosla and Rooney), 213
Sexual development, spontaneous, cytogenetic and endocrine studies in 45,X female subject with (Lisker et al.), 149
X short arm deletion in female subject with (Barakat, Ances, and Fajer), 460 (Comm. in brief)
Short arm deletion, X, in female subject with spontaneous sexual development (Barakat, Ances, and Fajer), 460 (Comm. in brief)
Simplex virus infection, genital herpes, clinical course and diagnosis of, and evaluation of topical surfactant therapy (Vontver et al.), 548
Slide test, new rapid, for pregnancy, evaluation of (Sullivan, Barg, and Stiles), 411
Sling operation, Marlex gauze hammock, with Cooper's ligament attachment in management of recurrent urinary stress incontinence (Bryans), 292
Small bowel herniation through defect in broad ligament (Livaudais, Hartong, and Otterson), 927 (Comm. in brief)
–for–gestational age infant, preterm: Two-year follow-up study (Vohr, Oh, and Rosenfield), 425
Smoking, maternal, effects of, on circulating catecholamine levels and fetal heart rates (Quigley et al.), 685
Society for Gynecologic Investigation, papers of, 590-722
of Obstetricians and Gynaecologists of Canada, transactions, thirty-fourth annual meeting, 235-320
Socioeconomic, lower, parturient women, group B streptococcal colonization and antibody status in (Beachler et al.), 171
Sonography, experience with, as adjunct to amniocentesis for prenatal diagnosis of fetal genetic disorders (Chandra et al.), 519
Sphingomyelin, lecithin/, ratio, human amniotic fluid, and dipalmitoyl lecithin, changes in, associated with maternal betamethasone therapy (Arias, Pineda, and Johnson), 894
palmitic acid, palmitic acid/stearic acid ratio, total cortisol, creatinine, and percentage of lipid-positive cells, amniotic fluid, in assessment of fetal maturity and fetal pulmonary maturity: Comparison (Doran et al.), 302
Spinal anesthesia, effect of dopamine on hypotension induced by (Cabalum et al.), 630
Spontaneous, oxytocin-induced, and prostaglandin E_2–induced labor, stretch modulus of human cervical tissue in (Conrad and Ueland), 11
Staphylococcus aureus, series of sepsis due to, after abdominal hysterectomy (Sompolinsky et al.), 931 (Comm. in brief)
Stearic acid, palmitic acid/, ratio, total cortisol, creatinine, percentage of lipid-positive cells, lecithin/sphingomyelin ratio, and palmitic acid, amniotic fluid, in assessment of fetal maturity and fetal pulmonary maturity: Comparison (Doran et al.), 302
Sterilization and contraceptive services in Catholic hospitals (O'Lane), 355 (Clinical opinion)
Steroids, adrenal, and prolactin, effect of: Ultrastructural alterations in mammary glands of pregnant rats after ovariectomy and hysterectomy (Chatterton et al.), 694
free and protein-bound, in amniotic fluid of midpregnancy (Wu, Mennuti, and Mikhail), 666
oral contraceptive, catechol-O-methyltransferase activity in erythrocytes of women taking (Bates et al.), 691
Streptococcal colonization, group B, and antibody status in lower socioeconomic parturient women (Beachler et al.), 171
Streptococci, group B beta-hemolytic, localization of, in female urogenital tract (MacDonald, Manuel, and Embil), 57
Stress incontinence, primary and recurrent urinary, simplified retropubic urethropexy in treatment of, in female (Cowan and Morgan), 295
recurrent urinary, Marlex gauze hammock sling operation with Cooper's ligament attachment in management of (Bryans), 292
Stress test, abnormal contraction, fetal breathing movements and (Manning and Platt), 590
positive contraction, intrapartum fetal heart rate observation and newborn outcome following, II. Antepartum fetal heart rate testing (Gauthier, Evertson, and Paul), 34
Stretch modulus of human cervical tissue in spontaneous, oxytocin-induced, and prostaglandin E_2–induced labor (Conrad and Ueland), 11
Sudden infant death syndrome, intrapartum fetal heart rate and (Hoppenbrouwers, Zanini, and Hodgman), 217
Sulfate, parenteral magnesium, and distribution, plasma levels, and excretion of magnesium (Chesley), 1
Summary of analysis of published articles, 589 (Editorial)
Surfactant production, fetal lung, stimulation of, by administration of 17β-estradiol to maternal rabbit (Khosla and Rooney), 213
therapy, topical, evaluation of, clinical course and diagnosis of genital herpes simplex virus infection and (Vontver et al.), 548
Surgery, conservative, for ectopic pregnancy, delayed hemorrhage in (Kelly, Martin, and Strickler), 225 (Comm. in brief)
pelvic, for ovarian remnant syndrome, avoiding ureteral damage in (Berek et al.), 221 (Comm. in brief)
Surgical technique, simplified, for treatment of vault in vaginal hysterectomy (Hajj), 851 (Clinical opinion)
Surviving children, intrauterine transfused, follow-up of (Hardyment et al.), 235
Sympathetic nervous system maturation, fetal, free metanephrine in human amniotic fluid as index of (Artal et al.), 452 (Current investigation)
Syndrome, Cushing's, in pregnancy: Effect of associated diabetes on fetal and neonatal complications (Check et al.), 846 (Comm. in brief)
hyperprolactinemic amenorrhea-galactorrhea, ineffectiveness of pyridoxine in evaluation and treatment of (Goodenow and Malarkey), 161
ovarian hyperstimulation, plasma prolactin, human chorionic gonadotropin, estradiol, testosterone, and progesterone in (Yuen et al.), 316
remnant, avoiding ureteral damage in pelvic surgery for (Berek et al.), 221 (Comm. in brief)
sudden infant death, intrapartum fetal heart rate and (Hoppenbrouwers, Zanini, and Hodgman), 217
triploidy, with theca lutein cysts and severe pre-eclampsia (Lewis and Cefalo), 110 (Comm. in brief)
Turner's, elevated amniotic alpha fetoprotein in fetus with, due to puncture of cystic hygroma (Pawlowitzki and Wörmann), 584 (Comm. in brief)

T

Term, human fetal breathing activity during electively induced labor at (Richardson, Natale, and Patrick), 247
Test, abnormal contraction stress, fetal breathing movements and (Manning and Platt), 590
false negative oxytocin challenge: Report of three cases (Gal et al.), 111 (Comm. in brief)
associated with abdominal pregnancy (Orr et al.), 108 (Comm. in brief)
fractional postcoital, reassessment of (Drake, Tredway, and Buchanan), 382
new rapid slide, for pregnancy, evaluation of (Sullivan, Barg, and Stiles), 411
nonstress, effect of phenobarbital on, III. Antepartum fetal heart rate testing (Keegan et al.), 579 (Comm. in brief)
evolution of, I. Antepartum fetal heart rate testing (Evertson et al.), 29
positive contraction stress, intrapartum fetal heart rate observation and newborn outcome following, II. Antepartum fetal heart rate testing (Gauthier, Evertson, and Paul), 34
Testing, antepartum fetal heart rate. I. Evolution of nonstress test (Evertson et al.), 29
II. Intrapartum fetal heart rate observation and newborn outcome following positive contraction stress test (Gauthier, Evertson, and Paul), 34
III. Effect of phenobarbital on nonstress test (Keegan et al.), 579 (Comm. in brief)
Testosterone levels in female partners of infertile couples (Steinberger et al.), 133
progesterone, prolactin, human chorionic gonadotropin, and estradiol, plasma, in ovarian hyperstimulation syndrome (Yuen et al.), 316
Theca-lutein cyst(s), giant (Bloomfield, Suarez, and Malangit), 459 (Comm. in brief)
and severe pre-eclampsia, triploidy syndrome with (Lewis and Cefalo), 110 (Comm. in brief)
Therapy, antimicrobial, role of: Postpartum urinary retention (Harris), 174

Therapy—Cont'd
glucocorticoid, for induction of pulmonary maturity in severely hypertensive gravid women (Nochimson and Petrie), 449 (Current investigation)
long-term estrogen replacement, effects of. I. Metabolic effects (Hammond et al.), 525
II. Neoplasia (Hammond et al.), 537
maternal betamethasone, changes in human amniotic fluid lecithin/sphingomyelin ratio and dipalmitoyl lecithin associated with (Arias, Pineda, and Johnson), 894
topical surfactant, evaluation of, clinical course and diagnosis of genital herpes simplex virus infection and (Vontver et al.), 548
Thrombocytopenic purpura, autoimmune, pregnancy in patients with (Noriega-Guerra et al.), 439
Thrombophlebitis, puerperal ovarian vein, nonsurgical diagnosis and management of (Hughey, McElin, and Caprini), 461 (Comm. in brief)
Thrombosis, deep venous, and pulmonary emboli, external pneumatic compression for prevention of (Barnes), 226 (Comm. in brief)
Thyroxine uptake and metabolism by fetal sheep after intra-amniotic thyroxine injection (Riddick et al.), 618
Tissue, human cervical, stretch modulus of, in spontaneous, oxytocin-induced, and prostaglandin E_2–induced labor (Conrad and Ueland), 11
endometrial, progesterone binding by, during proliferative and secretory phases of menstrual cycle and by hyperplastic and carcinomatous endometrium (Rodriquez et al.), 660
Topical surfactant therapy, evaluation of, clinical course and diagnosis of genital herpes simplex virus infection and (Vontver et al.), 548
Tracings, abnormal antepartum fetal heart rate, failure to intervene, and fetal death: Review of five cases reveals potential pitfalls of antepartum monitoring programs (Bobitt), 415
Transactions, eighty-ninth annual meeting, American Association of Obstetricians and Gynecologists, 184-190, 723-844
thirty-fourth annual meeting, Society of Obstetricians and Gynaecologists of Canada, 235-320
Transducers, intrauterine pressure, water-borne contamination of (Baker et al.), 923 (Current investigation)
Transfused surviving children, intrauterine, follow-up of (Hardyment et al.), 235
Transfusions, intrauterine, psychological development of children who received (Knobbe et al.), 877
Treated with vincristine, Adriamycin, and dimethyl-triazeno-imidazole carboximide, remission of uterine leiomyosarcomas (Azizi et al.), 379
Treating two hundred and eighty-eight patients with endometrial carcinoma, experience in, from 1968 to 1972 (Beck), 260
Treatment, evaluation and, of hyperprolactinemic amenorrhea-galactorrhea syndrome, ineffectiveness of pyridoxine in (Goodenow and Malarkey), 161
its, with prostaglandin E_2, mechanism of failed labor after fetal death and (Schulman et al.), 742
of obstetric and gynecologic infections with cefamandole (Cunningham, Gilstrap, and Kappus), 602
of ovarian cancer, evaluation of its role in: Hexamethylmelamine (Wharton et al.), 833
primary and recurrent urinary stress incontinence, simplified retropubic urethropexy in, in female (Cowan and Morgan), 295
program for adenocarcinoma of endometrium, evolution of (Prem et al.), 803
pyridoxine, of chemical diabetes in pregnancy (Gillmer and Mazibuko), 499
of vault in vaginal hysterectomy, simplified surgical technique for (Hajj), 851 (Clinical opinion)
Triazeno-imidazole carboximide, dimethyl-, vincristine, and Adriamycin, remission of uterine leiomyosarcomas treated with (Azizi et al.), 379
Trimester, first-, abortion(s) induced by intravaginal 15-methyl prostaglandin $F_{2\alpha}$ methyl ester, ultrasonic assessment of uterine emptying in (Dutt, Blair, and Elder), 484
pain of: Its quantification and relations with other variables (Smith et al.), 489
second-, amniocentesis, analysis for amniotic fluid crystallization in (Elias et al.), 401
Triploidy syndrome with theca lutein cysts and severe pre-eclampsia (Lewis and Cefalo), 110 (Comm. in brief)
Tube defects, neural, screening for, in United States (Macri, Haddow, and Weiss), 119 (Clinical opinion)
Turner's syndrome, elevated amniotic alpha fetoprotein in fetus with, due to puncture of cystic hygroma (Pawlowitzki and Wörmann), 584 (Comm. in brief)
20α-Hydroxysteroid oxidoreductase activity and 20α-dihydroprogesterone concentration in human placenta before and after parturition (Diaz-Zagoya, Wiest, and Arias), 673
Twinning, oral contraception and: Epidemiologic study (Bracken), 432
2-Chloroprocaine, addition of dextran to: Prolonging paracervical block anesthesia (Strauss, Dase, and Doering), 891

U

Ultrasonic assessment of uterine emptying in first-trimester abortions induced by intravaginal 15-methyl prostaglandin $F_{2\alpha}$ methyl ester (Dutt, Blair, and Elder), 484
changes in maturing placenta and their relation to fetal pulmonic maturity (Grannum, Berkowitz, and Hobbins), 915 (Current investigation)
measurements, estimation of fetal weight from (McCallum and Brinkley), 195
Ultrasound, diagnostic, natural history of placenta previa ascertained by (Rizos et al.), 287
Ultrastructural alterations in mammary glands of pregnant rats after ovariectomy and hysterectomy: Effect of adrenal steroids and prolactin (Chatterton et al.), 694
basis for maintenance and termination of pregnancy (Garfield et al.), 308
studies, report of case with: Adenocarcinoma arising from extragonadal endometriosis 14 years after total hysterectomy and bilateral salpingo-oophorectomy for endometriosis (Shamsuddin et al.), 585 (Comm. in brief)
United States, screening for neural tube defects in (Macri, Haddow, and Weiss), 119 (Clinical opinion)
University hospital, changing obstetric practices and amelioration of perinatal outcome in (Shamsi, Petrie, and Steer), 855 (Clinical opinion)
Ureteral damage, avoiding, in pelvic surgery for ovarian remnant syndrome (Berek et al.), 221 (Comm. in brief)
Urethrocystometry, electronic, carbon dioxide versus, for detection of detrusor dyssynergia (Lewis), 371
Urethropexy, simplified retropubic, in treatment of primary and recurrent urinary stress incontinence in female (Cowan and Morgan), 295
Urinary retention, postpartum: Role of antimicrobial therapy (Harris), 174
stress incontinence, primary and recurrent, simplified retropubic urethropexy in treatment of, in female (Cowan and Morgan), 295
recurrent, Marlex gauze hammock sling operation with Cooper's ligament attachment in managment of (Bryans), 292
Urine, plasma, and amniotic fluid prostaglandin $F_{2\alpha}$ metabolite levels in, during pregnancy and labor (Satoh et al.), 886
Urogenital tract, female, localization of group B beta-hemolytic streptococci in (MacDonald, Manuel, and Embil), 57
Urokinase inhibitor, placental concentration of, whole-blood fibrinolytic activity in normal and hypertensive pregnancies and its relation to (Arias, Andrinopoulos, and Zamora), 624
Uterine cervix, microinvasive carcinoma of; Clinical-pathologic study (Sedlis et al.), 64
emptying in first-trimester abortions induced by intravaginal 15-methyl prostaglandin $F_{2\alpha}$ methyl ester, ultrasonic assessment of (Dutt, Blair, and Elder), 484
hemodynamic responses, cardiac and, to ritodrine hydrochloride administration in pregnant sheep (Siimes and Creasy), 20
leiomyosarcomas treated with vincristine, Adriamycin, and dimethyl-triazeno-imidazole carboximide, remission of (Azizi et al.), 379
microsomal preparations, human, calcium accumulation by: Effects of progesterone and oxytocin (Carsten), 598
oxygen uptake, maternal and, effect of, in pregnant ewe (Clapp), 208
vasculature, gravid, responses of, to arterial levels of local anesthetic agents (Fishburne et al.), 753

V

Vaginal contraceptive, new, evaluation of (Stone and Cardinale), 635
flora, quantitative bacteriology of, in vaginitis (Levison et al.), 139

Vaginal—Cont'd
hysterectomy, possible method to reduce postoperative febrile morbidity following: Preoperative hot conization of cervix (Osborne, Wright, and Dubay), 374
simplified surgical technique for treatment of vault in (Hajj), 851 (Clinical opinion)
Vaginitis, quantitative bacteriology of vaginal flora in (Levison et al.), 139
Vasculature, gravid uterine, responses of, to arterial levels of local anesthetic agents (Fishburne et al.), 753
Vault, simplified surgical technique for treatment of, in vaginal hysterectomy (Hajj), 851 (Clinical opinion)
Vein thrombophlebitis, puerperal ovarian, nonsurgical diagnosis and management of (Hughey, McElin, and Caprini), 461 (Comm. in brief)
Venous sampling, bilateral ovarian, detection of estrogen-suppressible lipoid cell ovarian neoplasm by (Check et al.), 457 (Comm. in brief)
thrombosis, deep, and pulmonary emboli, external pneumatic compression for prevention of (Barnes), 226 (Comm. in brief)
Ventricular dysrhythmia, autosomal dominant, successful pregnancy in patient with (Sachs and Van Iddekinge), 923 (Comm. in brief)
Vincristine, Adriamycin, and dimethyl-triazeno-imidazole carboximide, remission of uterine leiomyosarcomas treated with (Azizi et al.), 379
Virus infection, genital herpes simplex, clinical course and diagnosis of, and evaluation of topical surfactant therapy (Vontver et al.), 548
Vulva, early cancer of, alternate approach to (DiSaia, Creasman, and Rich), 825

W

Water-borne contamination of intrauterine pressure transducers (Baker et al.), 923 (Current investigation)
Wedge, inflatable, for prevention of aortocaval compression during pregnancy (Redick), 458 (Comm. in brief)
Weighing from 1,001 to 1,500 grams, obstetric factors influencing outcome in infants (Paul, Koh, and Monfared), 503
Weight, birth, genital mycoplasmas and, in offspring of primigravid women (Harrison, Hurley, and deLouvois), 201
fetal, estimation of, from ultrasonic measurements (McCallum and Brinkley), 195
newborn body, its relation to: Antepartum determination of preejection period of fetal cardiac cycle (Murata et al.), 515
When in doubt, regulate (Edwards), 469

X

X short arm deletion in female subject with spontaneous sexual development (Barakat, Ances, and Fajer), 460 (Comm. in brief)
X-ray examinations, diagnostic, associations with, IV. Defects of central nervous system in Finland (Granroth), 191

Editors

JOHN I. BREWER, *Editor in Chief*

FREDERICK P. ZUSPAN, E. J. QUILLIGAN, *Editors*

ALBERT B. GERBIE, *Associate Editor*

HOWARD C. TAYLOR, JR., ALLAN C. BARNES, *Editors Emeritus*

Advisory committee on policy

David G. Anderson
C. D. Christian
Leo J. Dunn
David Figge
Fred T. Given
A. Brian Little
Lawrence D. Longo
Edgar L. Makowski
Roy T. Parker
J. C. G. Whetham

Board of corresponding editors

Oscar Aguero, *Caracas*
Frederick Kubli, *Heidelberg*
Pierre O. Hubinont, *Brussels*
Malcolm Symonds, *Nottingham*
Ichiro Taki, *Fukuoka*

Volume 133
January-April, 1979
The C. V. Mosby Company
St. Louis
1979

in addition to those listed on the front cover
the Journal is the official publication
of the following societies

NEW YORK OBSTETRICAL SOCIETY
OBSTETRICAL SOCIETY OF PHILADELPHIA
BROOKLYN GYNECOLOGICAL SOCIETY
ST. LOUIS GYNECOLOGICAL SOCIETY
NEW ORLEANS GYNECOLOGICAL AND OBSTETRICAL SOCIETY
THE OBSTETRICAL AND GYNECOLOGICAL SOCIETY OF MARYLAND
CHICAGO GYNECOLOGICAL SOCIETY
CINCINNATI OBSTETRICAL AND GYNECOLOGICAL SOCIETY
WASHINGTON GYNECOLOGICAL SOCIETY
PITTSBURGH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
BOSTON OBSTETRICAL SOCIETY
LOUISVILLE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SEATTLE GYNECOLOGICAL SOCIETY
ALABAMA ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
AKRON OBSTETRICAL AND GYNECOLOGICAL SOCIETY
KANSAS CITY GYNECOLOGICAL SOCIETY
CENTRAL NEW YORK ASSOCIATION OF GYNECOLOGISTS
AND OBSTETRICIANS
NEW JERSEY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
IOWA OBSTETRIC AND GYNECOLOGIC SOCIETY
THE TEXAS ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
OKLAHOMA CITY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
MEMPHIS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
UTAH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ROCHESTER OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ARKANSAS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
TENNESSEE STATE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
NEW YORK GYNECOLOGICAL SOCIETY
PACIFIC NORTHWEST OBSTETRICAL AND GYNECOLOGICAL ASSOCIATION
BUFFALO OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SAN FRANCISCO GYNECOLOGICAL SOCIETY
JACKSON GYNECIC SOCIETY
INDIANA OBSTETRICAL AND GYNECOLOGICAL SOCIETY
THE MINNESOTA OBSTETRICAL AND GYNECOLOGICAL SOCIETY

***Volume* 133**
Copyright © 1979 by The C. V. Mosby Company
(All rights reserved)

Printed in the United States of America

Index to volume 134

Author index*

A

Aaronson, Stuart A. (*see* Rosen et al.), 734
Abernathy, James R. (*see* Wade et al.), 628
Adar, Daniela (*see* Granat et al.), 696
Aitchison, T. (*see* Wittmann et al.), 30
Aksel, Sezer, and Glass, Regina. Luteinizing hormone–releasing hormone levels in human plasma: A radioimmunoassay method, 619
Aladjem, Silvio, Feria, Antonio, Rest, Jonathan, Gull, Kathleen, and O'Connor, Margaret. Effect of maternal glucose load on fetal activity, 276
Alger, Lindsay Staubus, Golbus, Mitchell S., and Laros, Russell K., Jr. Thalassemia and pregnancy: Results of an antenatal screening program, 662
Alkjaersig, Norma K. (*see* Fletcher, Alkjaersig, and Burstein), 743
Amirikia, Hassan, and Evans, T. N. Ten-year review of hysterectomies: Trends, indications, and risks, 431
Anderson, W. Richard. Bilateral Paget's disease of the nipple: Case report, 877
Austin, Edward M. (*see* Klein, Holzman, and Austin), 347

B

Baker, David A., and Phillips, Charles A. Association of Legionnaires' disease and pregnancy, 227 (Comm. in brief)
Ballon, Samuel C. (*see* Lagasse et al.), 219
Bambirra, E. A., and Tafuri, C. P. An unusual case of ovarian tumor, 346 (Comm. in brief)
Bandinelli, Renzo (*see* Curiel and Bandinelli), 721
Bangdiwala, Ishver S. (*See* Ortiz-Pérez et al.), 512
Bankhead, John (*see* Morris et al.), 120
Barkus, John C. (*see* Morishima et al.), 289
Barrada, M. Ismail, Edwards, Laura E., and Hakanson, Erick Y. Antepartum fetal testing. I. The oxytocin challenge test, 532
—, —, and —. Antepartum fetal testing. II. The acceleration/constant ratio: A nonstress test, 538
Barton, David M. (*see* Barton, Harvey, and Barton), 477
Barton, Loretta J., Harvey, Carol D. H., ' and Barton, David M. Social problems of women patients in a private obstetrics and gynecology clinic, 477
Bashore, R. A. (*see* Morley et al.), 581
Beale, Francis A. (*see* Dembo et al.), 793
Bean, Helen A. (*see* Dembo et al.), 793
Beck, L. R. (*see* Dollar et al.), 305
Beck, N. F. G. (*see* Jansen et al.), 776
Bell, William R. (*see* Niebyl et al.), 518
Benedet, J. L., Turko, M., Fairey, R. N., and Boyes, D. A. Squamous carcinoma of the vulva: Results of treatment, 1938 to 1976, 201
Berkowitz, Richard L. (*see* Hobbins et al.), 331
Berman, Michael L. (*see* Lagasse et al.), 219
Bertrand, Gracia (*see* Ferenczy, Bertrand, and Gelfand), 297
Bidlingmaier, F. (*see* Moltz et al.), 813
Bierenbaum, Marvin L., Fleischman, Alan I., Stier, Arleane, Watson, Portia, Somol, Helen, Naso, Ann Marie, and Binder, Mervin. Increased platelet aggregation and decreased high-density lipoprotein cholesterol in women on oral contraceptives, 638
Bigler, Lewis (*see* Russell and Bigler), 4
Bindfr, Mervin (*see* Bierenbaum et al.), 638
Birk, S. A. (*see* Spellacy et al.), 528
Blake, D. A. (*see* Ghodgaonkar et al.), 265
Blake, David A. (*see* Niebyl et al.), 518
Blasco, Luis (*see* Freedman, Coleman, and Blasco), 719
Blumenstock, Edward (*see* Sweet et al.), 68
Board, John A., Redwine, Fay O., Moncure, Charles W., Frable, William J., and Taylor, John R. Identification of differing etiologies of clinically diagnosed premature menopause, 936
Bodden, Joan L. (*see* Kreutner et al.), 925
Boehm, Frank H., and Haire, Mary F. One-way maternal transport: An evolving concept, 484
Boots, L. R. (*see* Dollar et al.), 305
Boyes, D. A. (*see* Benedet et al.), 201
Boylan, Peter (*see* Lewis and Boylan), 587
Bridges, R. (*see* Van Petten and Bridges), 711
Brown, Ernest H., Jr. Identical twins with twisted benign cystic teratoma of the ovary, 879
Brown, Jerry (*see* Morris et al.), 120
Bryant-Greenwood, G. D. (*see* Orloff et al.), 632
Buchanan, Glenn C., Tredway, D. R., Gareis, F. J., and Robinson, D. M. Hypothalamic-pituitary responses to high concentrations of gonadal steroids in a three-month-old infant with a feminizing gonadal stromal tumor, 648
Buckley, Helen (*see* Syverson et al.), 624
Buhi, W. C. (*see* Spellacy et al.), 528
Burstein, Robert (*see* Fletcher, Alkjaersig, and Burstein), 743
Burtnett, M. (*see* Mangan et al.), 860
Bush, Raymond S. (*see* Dembo et al.), 793
Buttram, Veasy, Izu, Allen, and Henzl, Milan R. Naproxen sodium in uterine pain folloxing intrauterine contraceptive device insertion, 575
Byrd, J. Rogers (*see* Manganiello et al.), 911

C

Caldwell, David (*see* Strauss et al.), 260
Calvert, Ida S. (*see* Rosen et al.), 734
Cantor, Jerome O., Fenoglio, Cecilia M., and Richart, Ralph M. A case of extensive abdominal endometriosis, 846 (Comm. in brief)
Carlson, H. E. (*see* Morley et al.), 581
Casagrande, John (*see* Roy et al.), 568
Cederqvist, Lars L., Zervoudakis, Ioannis A., Ewool, Linda C., and Litwin, Stephen D. The relationship between prematurely ruptured membranes and fetal immunoglobulin production, 784
Cetrulo, Curtis L. (*see* Kappy et al.), 655
Chang, Jeff (*see* Morris et al.), 120
Chang, R. Jeffrey (*see* Keye et al.), 360
Cherny, Walter B. (*see* Nath, Vivian, and Cherny), 390
Claque, Alan E., and McGeary, Heather M. Lidocaine interference in lecithin/sphingomyelin ratios, 229 (Comm. in brief)
Clements, John A. (*see* Schlueter et al.), 761
Clift, Arthur Frederick. Early studies on the rheology of cervical mucus, 829 (Classic page)
Cline, Donald L. Unsuspected subclinical pregnancies in patients with luteal phase defects, 438
Coleman, Beverly (*see* Freedman, Coleman, and Blasco), 719
Cooper, Donna L. (*see* Roy et al.), 568
Corwin, Raymond S. Pregnancy complicated by diabetes mellitus in private practice: A review of ten years, 156
Coutinho, Elsimar Metzker, Nascimento, Lusia, Da Silva Maia, Hugo, and Goncalves, Maria Teresa R. Motility of human myometrium in vivo: Intramural versus transcervical recording, 801
Covino, Benjamin G. (*see* Morishima et al.), 289
Creasy, Robert K. (*see* Schlueter et al.), 761
Crenshaw, Carlyle, Jr. (*see* Pupkin et al.), 281

*May 1, 1-114; May 15, 115-234; June 1, 235-354; June 15, 355-492; July 1, 493-610; July 15, 611-728; August 1, 729-850; August 15, 851-964.

CROXATTO, HORACIO B. (*see* GUILOFF ET AL.), 321
CRUIKSHANK, DWIGHT P., PITKIN, ROY M., REYNOLDS, W. ANN, WILLIAMS, GERALD A., AND HARGIS, GARY K. Effects of magnesium sulfate treatment on perinatal calcium metabolism. I. Maternal and fetal responses, 243
CRUZ, A. C. (*see* SPELLACY ET AL.), 528
CSAPO, ARPAD I., AND RESCH, BELA A. Induction of preterm labor in the rat by antiprogesterone, 823 (Current investigation)
CURIEL, PIERO, AND BANDINELLI, RENZO. Pregnancy in a woman with xanthinuria: Study of amniotic fluid uric acid, 721 (Comm. in brief)

D

DANZER, HAL C. (*see* WADE ET AL.), 628
DA SILVA MAIA, HUGO (*see* COUTINHO ET AL.), 801
DAVAJAN, VAL (*see* MARCH ET AL.), 45
DAVIS, JOYCE (*see* NITOWSKY ET AL.), 642
DAWSON, JEFFREY R. (*see* PULEO ET AL.), 899
DELAMAR, DIANE (*see* KREUTNER ET AL.), 925
DEL BENE, VICTOR E. (*see* KREUTNER FT AL.), 925
DEMBO, ALON J., BUSH, RAYMOND S., BEALE, FRANCIS A., BEAN, HELEN A., PRINGLE, JOHN F., STURGEON, JEREMY, AND REID, JOAN G. Ovarian carcinoma: Improved survival following abdominopelvic irradiation in patients with a completed pelvic operation, 793
DIGNAM, WILLIAM J. Our successors, 115
DIZEREGA, GERE, AND HODGEN, GARY D. Pregnancy-associated ovarian refractoriness to gonadotropin: A myth, 819 (Current investigation)
—, YONEKURA, LYNN, ROY, SUBIR, NAKAMURA, ROBERT M., AND LEDGER, WILLIAM J. A comparison of clindamycin-gentamicin and penicillin-gentamicin in the treatment of post–cesarean section endomyometritis, 238
DOLLAR, J. R., HAND, G. S., BECK, L. R., AND BOOTS, L. R. The baboon as a primate model for the study of endometrium, 305
DOMKE, HERBERT R. (*see* MEDEARIS ET AL.), 413
DONALDSON, E. S. (*see* VAN NAGELL ET AL.), 551
DRAPER, DEBORAH L. (*see* SWEET ET AL.), 68
DRUKKER, BRUCE (*see* LEE AND DRUKKER), 460
DRUTZ, HAROLD P., AND MANDEL, FRED. Urodynamic analysis of urinary incontinence symptoms in women, 789
DUBIN, N. H. (*see* GHODGAONKAR ET AL.), 265
DUBIN, NORMAN H. (*see* NIEBYL ET AL.), 518

E

EDWARDS, LAURA E. (*see* BARRADA, EDWARDS, AND HAKANSON), 532, 538
EIELSEN, O. V. (*see* MALTAU, EIELSEN, AND STOKKE), 681
EKWO, EDEM, WONG, YAU WAI, AND MYERS, MARTIN. Asymptomatic cervicovaginal shedding of herpes simplex virus, 102 (Comm. in brief)
ELLEGOOD, JAMES O. (*see* NAGAMANI ET AL.), 674
ELLIOTT, FRANK A. (*see* EWING, SMALE, AND ELLIOTT), 173
ELLIOTT, JOHN P., O'KEEFFE, DANIEL F., GREENBERG, PAUL, AND FREEMAN, ROGER K. Pulmonary edema associated with magnesium sulfate and betamethasone administration, 717 (Comm. in brief)
ERICKSON, GREGORY F. (*see* WILSON ET AL.), 56
EUBANKS, ANNIE (*see* KNOX, HUDDLESTON, AND FLOWERS), 376
EVANS, T. N. (*see* AMIRIKIA AND EVANS), 431
EWING, THOMAS L., SMALE, LEROY E., AND ELLIOTT, FRANK A. Maternal deaths associated with postpartum vulvar edema, 173
EWOOL, LINDA C. (*see* CEDERQVIST ET AL.), 784

F

FAIREY, R. N. (*see* BENEDET ET AL.), 201
FARBER, MARTIN, AND MITCHELL, GEORGE W., JR. Bicornuate uterus and partial atresia of the fallopian tube, 881
FAYEZ, JAMIL (*see* SOWERS AND FAYEZ), 325
FENCL, MONTSERRAT DEM. (*see* ROTHCHILD ET AL.), 772
FENOGLIO, CECILIA M. (*see* CANTOR, FENOGLIO, AND RICHART), 846
FERENCZY, ALEX, BERTRAND, GRACIA, AND GELFAND, MORRIS M. Studies on the cytodynamics of human endometrial regeneration. III. In vitro short-term incubation historadioautography, 297
FERIA, ANTONIO (*see* ALADJEM ET AL.), 276
FINN, ANN E. (*see* WILSON ET AL.), 56
FLEISCHMAN, ALAN I. (*see* BIERENBAUM ET AL.), 638
FLEMING, J. E. E. (*see* WITTMANN ET AL.), 30
FLETCHER, ANTHONY P., ALKJAERSIG, NORMA K., AND BURSTEIN, ROBERT. The influence of pregnancy upon blood coagulation and plasma fibrinolytic enzyme function, 743
FLOWERS, CHARLES E. (*see* KNOX, HUDDLESTON, AND FLOWERS), 376
FOX, DAVID (*see* NITOWSKY ET AL.), 642
FOX, H. E., INGLIS, J., AND STEINBRECHER, M. Fetal breathing movements in uncomplicated pregnancies. I. Relationship to gestational age, 544
FRABLE, WILLIAM J. (*see* BOARD ET AL.), 936
FRANKS, BOBERT C., AND HAYASHI, ROBERT H. Maternal and fetal renin activity and renin and big renin concentrations in second-trimester pregnancy, 20
FREEDMAN, LOUIS J., COLEMAN, BEVERLY, AND BLASCO, LUIS. Tuberculous peritonitis and endometritis mimicking a "frozen pelvis," 719 (Comm. in brief)
FREEMAN, ROGER K. (*see* ELLIOTT ET AL.), 717
FREER, DENNIS E. (*see* SHER ET AL.), 705
FRIEDMAN, CHAD I. (*see* GOODNOUGH ET AL.), 579
FRIGOLETTO, FREDERIC D., JR. (*see* LACKRITZ, GIBSON, AND FRIGOLETTO), 349
— (*see* ROTHCHILD ET AL.), 772
FUERTES-DE LA HABA, ABELARDO (*see* ORTIZ-PÉREZ ET AL.), 512

G

GABBE, STEVEN G. (*see* LOWENSOHN AND GABBE), 702
GAFFEY, THOMAS A. (*see* MAGRINA ET AL.), 453
GALL, STANLEY A. The efficacy of prophylactic antibiotics in cesarean section, 506
— (*see* PULEO ET AL.), 899
GALLANT, JANICE M. (*see* MANN AND GALLANT), 611
GAREIS, F. J. (*see* BUCHANAN ET AL.), 648
GAVALER, JUDITH S. (*see* VAN THIEL, GAVALER, AND STREMPLE), 64
GAY, E. C. (*see* VAN NAGELL ET AL.), 551
GELFAND, MORRIS M. (*see* FERENCZY, BERTRAND, AND GELFAND), 297
GELMAN, S. R. (*see* SPELLACY ET AL.), 528
GEMZELL, CARL, AND SOLISH, GEORGE I. Induction of ovulation and pregnancy in a woman with sex chromosomal mosaicism 45,X/46,XX/47,XXX, 599 (Comm. in brief)
GHODGAONKAR, R. B., DUBIN, N. H., BLAKE, D. A., AND KING, T. M. 13,14-Dihydro-15-keto-prostaglandin $F_{2\alpha}$ concentrations in human plasma and amniotic fluid, 265
GIBIAN, JUDITH (*see* SYVERSON ET AL.), 624
GIBSON, MARK (*see* LACKRITZ, GIBSON, AND FRIGOLETTO), 349
GIUNTOLI, R. L. (*see* MANGAN ET AL.), 860
GLASS, REGINA (*see* AKSEL AND GLASS), 619
GLEICHER, NORBERT (*see* SANDLER ET AL.), 348
GODDARD, WILLIAM B. Time, 355
GOLBUS, MITCHELL S. (*see* ALGER, GOLBUS, AND LAROS), 662
GOMEZ, LUIS G. (*see* HANNIGAN AND GOMEZ), 557
GONCALVES, MARIA TERESA R. (*see* COUTINHO ET AL.), 801
GOODLIN, ROBERT C. (*see* HAESSLEIN AND GOODLIN), 192
GOODNOUGH, JOEL E., O'DORISIO, THOMAS M., FRIEDMAN, CHAD I., AND KIM, MOON H. Vasoactive intestinal polypeptide in tissues of the human female reproductive tract, 579 (Current investigation)
GORELKIN, LEO (*see* MAJMUDAR, ROSS, AND GORELKIN), 600
GRAMLICH, EDWIN P. (*see* HALE ET AL.), 213
GRANAT, MENACHEM, LAVIE, PERETZ, ADAR, DANIELA, AND SHARF, MORDECHI. Short-term cycles in human fetal activity. I. Normal pregnancies, 696
GRANNUM, PETER A. T. (*see* HOBBINS ET AL.), 331
GREBNER, EUGENE E., AND JACKSON, LAIRD G. Prenatal diagnosis of Tay-Sachs disease: Studies on the reliability of hexosaminidase levels in amniotic fluid, 546
GREENBERG, PAUL (*see* ELLIOTT ET AL.), 717
GREENWOOD, F. C. (*see* ORLOFF ET AL.), 632
GROWDON, WILLIAM A. (*see* MOORE ET AL.), 162
GUERRERO, RODOLFO (*see* GUILOFF ET AL.), 321
GUHA-RAY, DILIP K. Fetal death at term due to lightning, 103 (Comm. in brief)
GUILOFF, ENRIQUE, POLO, ANDRES A. IBARRA, ORTIZ, MARIA ELENA, SALVATIERRA, ANA MARIA, GUERRERO, RODOLFO, AND CROXATTO, HORACIO B. Ovum transport in women treated with methyl carbonovine, 321
GULL, KATHLEEN (*see* ALADJEM ET AL.), 276
GUTSCHE, BRETT G. (*see* MORISHIMA ET AL.), 289

H

HAAGENSEN, DARYL E., JR. (*see* PULEO ET AL.), 899
HADJIEV, ALEXANDER AL. (*see* HUEY ET AL.), 691
HADLEY, KEITH W. (*see* SWEET ET AL.), 68
HAESSLEIN, HANNS C., AND GOODLIN, ROBERT C. Delivery of the tiny newborn, 192

HAIRE, MARY F. (*see* BOEHM AND HAIRE), 484
HAKANSON, ERICK Y. (*see* BARRADA, EDWARDS, AND HAKANSON), 532, 538
HALE, RALPH W., KOBARA, THOMAS Y., SHARMA, SANTOSH D., TSUEI, JULIA J., GRAMLICH, EDWIN P., AND NAKAYAMA, ROY T. Office termination of pregnancy by "menstrual aspiration," 213
HAMMERSTEIN, J. (*see* MOLTZ ET AL.), 813
HAMMOND, CHARLES B. (*see* HANEY ET AL.), 917
— (*see* WIEBE, KRAMER, AND HAMMOND), 49
HAND, G. S. (*see* DOLLAR ET AL.), 305
HANEY, A. F., KRAMER, RICHARD S., WIEBE, R. HERBERT, AND HAMMOND, CHARLES B. Hypothalamic-pituitary function and radiographic evaluation of women with hyperprolactinemia and an "empty" sella turcica, 917
HANNIGAN, EDWARD V., AND GOMEZ, LUIS G. Uterine leiomyosarcoma, 557
HARADA, MINORU (*see* KOBAYASHI ET AL.), 255
HARGIS, GARY K. (*see* CRUIKSHANK ET AL.), 243
HARRIS, GEORGE S. (*see* WADE ET AL.), 628
HARVEY, CAROL D. H. (*see* BARTON, HARVEY, AND BARTON), 477
HATAKEYAMA, S. (*see* KUMASAKA ET AL.), 39
HAVERKAMP, ALBERT D., ORLEANS, MIRIAM, LANGENDOERFER, SHARON, MCFEE, JOHN, MURPHY, JAMES, AND THOMPSON, HORACE E. A controlled trial of the differential effects of intrapartum fetal monitoring, 399
HAYASHI, ROBERT H. (*see* FRANKS AND HAYASHI), 20
HAYASHI, T. TERRY (*see* TURNER, HAYASHI, AND POGOLOFF), 83
HAYNES, DOUGLAS M., AND MARTIN, BENJAMIN J., JR. Cesarean hysterectomy: A twenty-five year review, 393
HENZL, MILAN R. (*see* BUTTRAM, IZU, AND HENZL), 575
HERSHMAN, J. M. (*see* MORLEY ET AL.), 581
HIBBARD, LESTER T. (*see* MOORE ET AL.), 162
HIROSE, FRANK (*see* YOSHIMOTO ET AL.), 729
HISLEY, JOHN C. (*see* SHER ET AL.), 705
HOBBINS, JOHN C., GRANNUM, PETER A. T., BERKOWITZ, RICHARD L., SILVERMAN, ROSAMUND, AND MAHONEY, MAURICE J. Ultrasound in the diagnosis of congenital anomalies, 331 (Current developments)
HODGEN, GARY D. (*see* DIZEREGA AND HODGEN), 819
HOLZMAN, IAN R. (*see* KLEIN, HOLZMAN, AND AUSTIN), 347
HON, EDWARD H. (*see* HUEY ET AL.), 691
HONORÉ, LOUIS H. Benign obstructive myxometra: Report of a case, 847 (Comm. in brief)
HORGER, EDGAR O., III, AND MCCARTER, LINDA M. Prenatal diagnosis of sacrococcygeal teratoma, 228 (Comm. in brief)
HOSSEINIAN, ABDOL H. (*see* KIM ET AL.), 445
HUDDLESTON, JOHN F. (*see* KNOX, HUDDLESTON, AND FLOWERS), 376
HUEY, JAMES R., JR., PAUL, RICHARD H., HADJIEV, ALEXANDER AL., JILEK, JIRI, AND HON, EDWARD H. Fetal heart rate variability: An approach to automated assessment, 691

I

INGARDIA, CHARLES J. (*see* KAPPY ET AL.), 655
INGLIS, J. (*see* FOX, INGLIS, AND STEINBRECHER), 544
IRBY, DAVID (*see* STENCHEVER, O'TOOLE, AND IRBY), 235
ISMAHAN, GÜL (*see* PARVEZ, RAZA-BUKHARI, AND ISMAHAN), 13
ISRAEL, ROBERT (*see* MARCH ET AL.), 45
IZU, ALLEN (*see* BUTTRAM, IZU, AND HENZL), 575

J

JACKSON, LAIRD G. (*see* GREBNER AND JACKSON), 546
JAFFE, ROBERT B. (*see* KEYE ET AL.), 360
JAMES, L. STANLEY (*see* MORISHIMA ET AL.), 289
— (*see* MORISHIMA, YEH, AND JAMES), 270
JANSEN, C. A. M., KRANE, E. J., THOMAS, A. L., BECK, N. F. G., LOWE, K. C., JOYCE, P., PARR, M., AND NATHANIELSZ, P. W. Continuous variability of fetal Po_2 in the chronically catheterized fetal sheep, 776
JASIONOWSKI, EDWARD A., AND JASIONOWSKI, PATRICIA A. Further observations on the effect of topical progesterone on vulvar disease, 565
JASIONOWSKI, PATRICIA A. (*see* JASIONOWSKI AND JASIONOWSKI), 565
JILEK, JIRI (*see* HUEY ET AL.), 691
JONAS, HARRY S. (*see* MEDEARIS ET AL.), 413
JOYCE, P. (*see* JANSEN ET AL.), 776

K

KAMINSKA, JANINA (*see* ROSEN ET AL.), 734
KENNETH A., CETRULO, CURTIS L., KNUPPEL, ROBERT A., INGARDIA, CHARLES J., SBARRA, ANTHONY J., SCERBO, JOSE C., AND MITCHELL, GEORGE W. Premature rupture of the membranes: A conservative approach, 655
KATZ, MIRIAM (*see* YOUNG, KATZ, AND KLEIN), 685
KAUPPILA, ANTTI, PUUKKA, MATTI, AND TUIMALA, RISTO. Effect of dexamethasone on prolactin secretion in late pregnancy, 752
KELLNER, K. R. (*see* SPELLACY ET AL.), 528
KEYE, WILLIAM R., JR., CHANG, R. JEFFREY, MONROE, SCOTT E., WILSON, CHARLES B., AND JAFFE, ROBERT B. Prolactin-secreting pituitary adenomas in women. II. Menstrual function, pituitary reserves, and prolactin production following microsurgical removal, 360
KIDO, Y. (*see* KUMASAKA ET AL.), 39
KIELAR, R. (*see* VAN NAGELL ET AL.), 551
KIM, MOON H., ROSENFIELD, ROBERT L., HOSSEINIAN, ABDOL H., AND SCHNEIR, HARVEY G. Ovarian hyperandrogenism with normal and abnormal histologic findings of the ovaries, 445
— (*see* GOODNOUGH ET AL.), 579
KIMBALL, CHARLES D. Do endorphin residues of beta lipotropin in hormone reinforce reproductive functions? 127
KING, T. M. (*see* GHODGAONKAR ET AL.), 265
KING, THEODORE M. (*see* NIEBYL ET AL.), 518
KITCHIN, JAMES K., III, WEIN, ROBERT M., NUNLEY, WALLACE C., JR., THIAGARAJAH, SIVA, AND THORNTON, W. NORMAN, JR. Ectopic pregnancy: Current clinical trends, 870
KLEIN, ALAN M., HOLZMAN, IAN R., AND AUSTIN, EDWARD M. Fetal tachycardia prior to the development of hydrops—Attempted pharmacologic cardioversion: Case report, 347 (Comm. in brief)
KLEIN, STEVEN A. (*see* YOUNG, KATZ, AND KLEIN), 685
KLETZKY, OSCAR A. (*see* MARCH ET AL.), 45
KNOX, G. ERIC, HUDDLESTON, JOHN F., AND FLOWERS, CHARLES E., JR. Management of prolonged pregnancy: Results of a prospective randomized trial, 376
KNUPPEL, ROBERT A. (*see* KAPPY ET AL.), 655
KNUTZEN, VICTOR K. (*see* SANDLER ET AL.), 348
KOBARA, THOMAS Y. (*see* HALE ET AL.), 213
KOBAYASHI, HACHIRO, MORI, TAKAHIDE, SUZUKI, AKIRA, NISHIMURA, TOSHIO, NISHIMOTO, HIROHUMI, AND HARADA, MINORU. Suppression of mixed lymphocyte reaction by progesterone and estradiol-17β, 255
KOKUBU, K. (*see* KUMASAKA ET AL.), 39
KRAMER, RICHARD S. (*see* HANEY ET AL.), 917
— (*see* WIEBE, KRAMER, AND HAMMOND), 49
KRANE, E. J. (*see* JANSEN ET AL.), 776
KREUTNER, A. KAREN, DEL BENE, VICTOR E., DELAMAR, DIANE, BODDEN, JOAN L., AND LOADHOLT, CLAUDE B. Perioperative cephalosporin prophylaxis in cesarean section: Effect of endometritis in the high-risk patient, 925
KREUTNER, ALBERT (*see* UNDERWOOD ET AL.), 889
KUMASAKA, T., NISHI, N., YAOI, Y., KIDO, Y., SAITO, M., OKAYASU, I., SHIMIZU, K., HATAKEYAMA, S., SAWANO, S., AND KOKUBU, K. Demonstration of immunoreactive somatostatin-like substance in villi and decidua in early pregnancy, 39
KURZEL, RICHARD B. Ultrasonic detection of combined pregnancies, 100 (Comm. in brief)

L

LACKRITZ, RICHARD, GIBSON, MARK, AND FRIGOLETTO, FREDRIC D., JR. Preinduction use of laminaria for the unripe cervix, 349 (Comm. in brief)
LAGASSE, LEO D., BALLON, SAMUEL C., BERMAN, MICHAEL L., AND WATRING, WATSON G. Pretreatment lymphangiography and operative evaluation in carcinoma of the cervix, 219
LAMB, EMMET J., AND LEURGANS, SUE. Does adoption affect subsequent fertility? 138
LANGENDOERFER, SHARON (*see* HAVERKAMP ET AL.), 399
LAROS, RUSSELL K., JR. (*see* ALGER, GOLBUS, AND LAROS), 662
LAVERY, J. PATRICK, AND MILLER, C. EUGENE. Deformation and creep in the human chorioamniotic sac, 366
LAVIE, PERETZ (*see* GRANAT ET AL.), 696
LAWSON, JOHN S., YULIANO, S. EUGENE, PASQUALE, SAMUEL A., AND OSTERMAN, JENNIFER J. Optimum dosage of an oral contraceptive, 315
LEDGER, WILLIAM J. (*see* DIZEREGA ET AL.), 238
LEE, CHANG Y., AND DRUKKER, BRUCE. The nonstress test for the antepartum assessment of fetal reserve, 460
LEE, FREDERICK Y. L. (*see* YAMAGUCHI AND LEE), 422
LEURGANS, SUE (*see* LAMB AND LEURGANS), 138

Lewis, B. Victor, and Seneviratne, H. R. Vaginal breech delivery or cesarean section, 615
Lewis, Peter, and Boylan, Peter. Fetal breathing: A review, 587 (Current developments)
Lippard, Carroll H. The points of Osler's compass, 854
Litwin, Stephen D. (*see* Cederqvist et al.), 784
Loadholt, Claude B. (*see* Kreutner et al.), 925
Lorenz, Robert P., Work, Bruce A., and Menon, K. M. J. A radioreceptor assay for human chorionic gonadotropin in normal and abnormal pregnancies: A clinical evaluation, 471
Lowe, K. C. (*see* Jansen et al.), 776
Lowensohn, Richard I., and Gabbe, Steven G. The value of lecithin/sphingomyelin ratios in diabetes: A critical review, 702
Lucas, William E., and Yen, Samuel S. C. A study of endocrine and metabolic variables in postmenopausal women with endometrial carcinoma, 180

M

McCarter, Linda M. (*see* Horger and McCarter), 228
McCarthy, Phyllis (*see* Wade et al.), 628
McDonough, Paul G. (*see* Manganiello et al.), 911
— (*see* Nagamani et al.), 674
McFee, John (*see* Haverkamp et al.), 399
McGeary, Heather M. (*see* Clague and McGeary), 229
MacKenna, Jarlath (*see* Powell, Melville, and MacKenna), 36
— (*see* Pupkin et al.), 281
Magrina, Javier F., Webb, Maurice J., Gaffey, Thomas A., and Symmonds, Richard E. Stage I squamous cell cancer of the vulva, 453
Mahesh, Virendra B. (*see* Nagamani et al.), 674
Mahoney, Maurice J. (*see* Hobbins et al.), 331
Majmudar, Bhagirath, Ross, Robert Jeoffrey, and Gorelkin, Leo. Benign blue nevus of the uterine cervix, 600 (Comm. in brief)
Maltau, J. M., Eielsen, O. V., and Stokke, K. T. Effect of stress during labor on the concentration of cortisol and estriol in maternal plasma, 681
Mandal, Ashis K. (*see* Morris et al.), 120
Mandel, Fred (*see* Drutz and Mandel), 789
Mangan, C. E., Giuntoli, R. L., Sedlacek, T. V., Rocereto, T., Rubin, E., Burtnett, M., and Mikuta, J. J. Six years' experience with screening of a diethylstilbestrol-exposed population, 860
Manganiello, Paul D., Byrd, J. Rogers., Tho, Phung T., and McDonough, Paul G. A report of the safety and accuracy of midtrimester aminocentesis at the Medical College of Georgia: Eight and one half years' experience, 911
Mann, Leon I., and Gallant, Janice M. Modern management of the breech delivery, 611
March, Charles M., Mishell, Daniel R., Jr., Kletzky, Oscar A., Israel, Robert, Davajan, Val, and Nakamura, Robert M. Galactorrhea and pituitary tumors in postpill and non-postpill secondary amenorrhea, 45
Martin, Alice O. (*see* Strauss et al.), 260
Martin, Benjamin J., Jr. (*see* Haynes and Martin), 393
Maruyama, Y. (*see* van Nagell et al.), 551
Medearis, Arnold L., Jonas, Harry S., Stockbauer, Joseph W., and Domke, Herbert R. Perinatal deaths in twin pregnancy, 413
Melville, Arlene (*see* Powell, Melville, and MacKenna), 36
Menon, K. M. J. (*see* Lorenz, Work, and Menon), 471
Metcalf, Wanda (*see* Rothchild et al.), 772
Mikuta, J. J. (*see* Mangan et al.), 860
Milano, Charles M. (*see* Sandler et al.), 348
Miller, C. Eugene (*see* Lavery and Miller), 366
Miller, M. C., III (*see* Underwood et al.), 889
Miller, Tim C. (*see* Powers and Miller), 23
Milliez, Jacques M. (*see* Morishima et al.), 289
Mills, John (*see* Sweet et al.), 68
Mishell, Daniel R., Jr. (*see* March et al.), 45
— (*see* Roy et al.), 568
Mitchell, George W. (*see* Kappy et al.), 655
Mitchell, George W., Jr. (*see* Farber and Mitchell), 881
Moltz, L., Römmler, A., Schwartz, U., Bidlingmaier, F., and Hammerstein, J. Peripheral steroid-gonadotropin interactions and diagnostic significance of double-stimulation tests with luteinizing hormone–releasing hormone in polycystic ovarian disease, 813
Moncure, Charles W. (*see* Board et al.), 936
Monroe, Scott E. (*see* Keye et al.), 360
Moore, J. George, Hibbard, Lester T., Growdon, William A., and Schifrin, Barry S. Urinary tract endometriosis: Enigmas in diagnosis and management, 162
Moore, Orrin A., Waxman, Marian, and Udoffia, Camillus. Leiomyoma of the fallopian tube: A cause of tubal pregnancy, 101 (Comm. in brief)
Mori, Takahide (*see* Kobayashi et al.), 255
Morishima, Hisayo O., Gutsche, Brett G., Stark, Raymond I., Milliez, Jacques M., James, L. Stanley, Barkus, John C., and Covino, Benjamin G. Relationship of fetal bradycardia to maternal administration of lidocaine in sheep, 289
—, Yeh, Ming-Neng, and James, L. Stanley. Reduced uterine blood flow and fetal hypoxemia with acute maternal stress: Experimental observation in the pregnant baboon, 270
Morley, J. E., Bashore, R. A., Reed, A., Carlson, H. E., and Hershman, J. M. Thyrotropin-releasing hormone and thyroid hormones in amniotic fluid, 581 (Current investigation)
Morris, John A., O'Grady, John P., Toapanta, Patricia, Sandoval, Emily, and Mandal, Ashis K. Endotoxin shock in the beagle dog, 120
Murphy, Edmund (*see* Underwood et al.), 889
Murphy, James (*see* Haverkamp et al.), 399
Myers, Martin (*see* Ekwo, Wong, and Myers), 102

N

Nagamani, Manubai, McDonough, Paul G., Ellegood, James O., and Mahesh, Virendra B. Material and amniotic fluid steroids throughout human pregnancy, 674
Nagey, David A. (*see* Pupkin et al.), 281
Nakagawa, Sachiko (*see* Nitowsky et al.), 642
Nakamura, Robert M. (*see* March et al.), 45
— (*see* diZerega et al.), 238
Nakayama, Roy T. (*see* Hale et al.), 213
Nascimento, Lusia (*see* Coutinho et al.), 801
Naso, Ann Marie (*see* Bierenbaum et al.), 638
Nath, Mahendra, Vivian, John M., and Cherny, Walter B. Autonomic hyperreflexia in pregnancy and labor: A case report, 390
Nathanielsz, P. W. (*see* Jansen et al.), 776
Nelson, Ronald M. Bilateral internal iliac artery ligation in cervical pregnancy: Conservation of reproductive function, 145
Newton, Michael. Quality of life for the gynecologic oncology patient, 866
Nichols, Ervin E. Health care: An enigma, 187
Nieberg, Roberta K. (*see* Ostergard and Nieberg), 756
Niebyl, Jennifer R., Bell, William R., Schaaf, Mary E., Blake, David A., Dubin, Norman H., and King, Theodore M. The effect of chlorotrianisene as postpartum lactation suppression on blood coagulation factors, 518
Nijs, P. (*see* Renaer et al.), 75
Nishi, N. (*see* Kumasaka et al.), 39
Nishimoto, Hirohumi (*see* Kobayashi et al.), 255
Nishimura, Toshio (*see* Kobayashi et al.), 255
Nitowsky, Harold M., Davis, Joyce, Nakagawa, Sachiko, and Fox, David. Human hexosaminidase isozymes. IV. Effects of oral contraceptive steroids on serum hexosaminidase activity, 642
Nunley, Wallace C., Jr. (*see* Kitchin et al.), 870

O

O'Connor, Margaret (*see* Aladjem et al.), 276
Odell, W. D. (*see* Yoshimoto et al.), 729
O'Dorisio, Thomas M. (*see* Goodnough et al.), 579
O'Grady, John P. (*see* Morris et al.), 120
Okayasu, I. (*see* Kumasaka et al.), 39
O'Keeffe, Daniel F. (*see* Elliott et al.), 717
Oliver, Joseph A., Jr. Severe dysplasia and carcinoma in situ of the vagina, 133
Orleans, Miriam (*see* Haverkamp et al.), 399
Orloff, V. S., Yamamoto, S., Greenwood, F. C., and Bryant-Greenwood, G. D. Human chorionic gonadotropin β-subunit–like immunoreactive material in the plasma of women wearing an intrauterine progesterone contraceptive system, 632
Ortiz, Maria Elena (*see* Guiloff et al.), 321
Ortiz-Pérez, Hector E., Fuertes-de la Haba, Abelardo, Bangdiwala, Ishver S., and Roure, Carlos A. AbnormalA. Abnormalities among offspring of oral and nonoral contraceptive users, 512
Ostergard, Donald R. The effect of pregnancy on the cervical squamocolumnar junction in patients with abnormal cervical cytology, 759
—, and Nieberg, Roberta K. Evaluation of abnormal cervical cytology during pregnancy with colposcopy, 756

OSTERMAN, JENNIFER J. (*see* LAWSON ET AL.), 315
O'TOOLE, BRIAN (*see* STENCHEVER, O'TOOLE, AND IRBY), 235
OTTERSON, WARREN (*see* STRAUSS ET AL.), 260

P

PARR, M. (*see* JANSEN ET AL.), 776
PARVEZ, SIMONE, RAZA-BUKHARI, ABID, AND ISMAHAN, GÜL. The influence of hypophysectomy, adrenalectomy, progesterone, oxytocin, and estradiol on the metabolic fate of ^{3}H-epinephrine in central and peripheral regions during late pregnancy, 13
PASQUALE, SAMUEL A. (*see* LAWSON ET AL.), 315
PAUL, RICHARD H. (*see* HUEY ET AL.), 691
— (*see* WONG AND PAUL), 602
PAXSON, CHARLES L., JR. Collection and use of autologous fetal blood, 708
PENT, DAVID. Vasa previa, 151
PERKINS, RICHARD P. Sexual behavior and response in relation to complications of pregnancy, 498
PERSELLIN, ROBERT H., AND THOI, LINDA L. Human polymorphonuclear leukocyte phagocytosis in pregnancy, 250
PETRIE, ROY H. (*see* QUIRK ET AL.), 768
PHIBBS, RODERIC H. (*see* SCHLUETER ET AL.), 761
PHILLIPS, CHARLES A. (*see* BAKER AND PHILLIPS), 227
PITKIN, ROY M. (*see* CRUIKSHANK ET AL.), 243
POGOLOFF, DONALD D. (*see* TURNER, HAYASHI, AND POGOLOFF), 83
POLO, ANDRES A. IBARRA (*see* GUILOFF ET AL.), 321
POWELL, D. F. (*see* VAN NAGELL ET AL.), 551
POWELL, O. HENDERSON, MELVILLE, ARLENE, AND MACKENNA, JARLATH. Fetal heart rate acceleration in labor: Excellent prognostic indicator, 36
POWERS, WILLIAM F., AND MILLER, TIM C. Bed rest in twin pregnancy: Identification of a critical period and its cost implications, 23
PRINGLE, JOHN F. (*see* DEMBO ET AL.), 793
PULEO, ELLEN A. THALMAN, HAAGENSEN, DARYL E., JR., DAWSON, JEFFREY R., AND GALL, STANLEY A. Study of secretory component in patients with metastatic breast cancer, 899
PUPKIN, MARCOS J., NAGEY, DAVID A., SCHOMBERG, DAVID W., MACKENNA, JARLATH, AND CRENSHAW, CARLYLE, JR. The dehydroepiandrosterone loading test. III. A possible placental function test, 281
PUUKKA, MATTI (*see* KAUPPILA, PUUKKA, AND TUIMALA), 752

Q

QUIRK, J. GERALD, JR., RAKER, RICHARD K., PETRIE, ROY H., WILLIAMS, ATHANASIA M. The role of glucocorticoids, unstressful labor, and atraumatic delivery in the prevention of respiratory distress syndrome, 768

R

RAKER, RICHARD K. (*see* QUIRK ET AL.), 768
RANTA, T., UNNÉRUS, H.-A., ROSSI, J., AND SEPPÄLÄ, M. Elevated plasma prolactin concentration in cholestasis of pregnancy, 1
RAZA-BUKHARI, ABID (*see* PARVEZ, RAZA-BUKHARI, AND ISMAHAN), 13
REDWINE, FAY O. (*see* BOARD ET AL.), 936
REED, A. (*see* MORLEY ET AL.), 581
REID, JOAN G. (*see* DEMBO ET AL.), 793
RENAER, M., VERTOMMEN, H., NIJS, P., WAGEMANS, L., AND VAN HEMELRIJCK, T. Psychological aspects of chronic pelvic pain in women, 75
RESCH, BELA A. (*see* CSAPO AND RESCH), 823
REST, JONATHAN (*see* ALADJEM ET AL.), 276
REYNOLDS, W. ANN (*see* CRUIKSHANK ET AL.), 243
RICHART, RALPH M. (*see* CANTOR, FENOGLIO, AND RICHART), 846
ROBBIE, MARILYN O. (*see* SWEET ET AL.), 68
ROBINSON, D. M. (*see* BUCHANAN ET AL.), 648
ROBINSON, H. P. (*see* WITTMANN ET AL.), 30
ROCERETO, T. (*see* MANGAN ET AL.), 860
RÖMMLER, A. (*see* MOLTZ ET AL.), 813
ROSEN, SAUL W., KAMINSKA, JANINA, CALVERT, IDA S., AND AARONSON, STUART A. Human fibroblasts produce "pregnancy-specific" beta-1 glycoprotein in vitro, 734
ROSENFIELD, ROBERT L. (*see* KIM ET AL.), 445
ROSS, ROBERT JEOFFREY (*see* MAJMUDAR, ROSS, AND GORELKIN), 600
ROSSI, J. (*see* RANTA ET AL.), 1
ROTHCHILD, SUZANNE B., TULCHINSKY, DAN, FENCL, MONTSERRAT DEM., METCALF, WANDA, AND FRIGOLETTO, FREDRIC D., JR. Estriol determinations in diabetic pregnancies complicated by nephropathy, 772
ROURE, CARLOS A. (*see* ORTIZ-PÉREZ ET AL.), 512
ROY, SUBIR, CASAGRANDE, JOHN, COOPER, DONNA L., AND MISHELL, DANIEL R., JR. Comparison of three different models of the Cooper T intrauterine contraceptive device, 568
— (*see* DIZEREGA ET AL.), 238
RUBIN, E. (*see* MANGAN ET AL.), 860
RUSSELL, MARCIA, AND BIGLER, LEWIS. Screening for alcohol-related problems in an outpatient obstetric-gynecologic clinic, 4
RYAN, GEORGE M., JR. (*see* SYVERSON ET AL.), 624
RYAN, KENNETH J. (*see* WILSON ET AL.), 56

S

SACK, ROBERT A. The value of intravenous urography prior to abdominal hysterectomy for gynecologic disease, 208
SAITO, M. (*see* KUMASAKA ET AL.), 39
SALVATIERRA, ANA MARIA (*see* GUILOFF ET AL.), 321
SANDLER, RAYMOND Z., KNUTZEN, VICTOR K., MILANO, CHARLES M., AND GLEICHER, NORBERT. Uterine rupture with the use of vaginal prostaglandin E_2 suppositories, 348 (Comm. in brief)
SANDOVAL, EMILY (*see* MORRIS ET AL.), 120
SAWANO, S. (*see* KUMASAKA ET AL.), 39
SBARRA, ANTHONY J. (*see* KAPPY ET AL.), 655
SCERBO, JOSE C. (*see* KAPPY ET AL.), 655
SCHAAF, MARY E. (*see* NIEBYL ET AL.), 518
SCHACHTER, JULIUS (*see* SWEET ET AL.), 68
SCHIFRIN, BARRY S. (*see* MOORE ET AL.), 162
SCHLUETER, MUREEN A., PHIBBS, RODERIC H., CREASY, ROBERT K., CLEMENTS, JOHN A., AND TOOLEY, WILLIAM H. Antenatal prediction of graduated risk of hyaline membrane disease by amniotic fluid foam test for surfactant, 761
SCHNEIR, HARVEY G. (*see* KIM ET AL.), 445
SCHOMBERG, DAVID W. (*see* PUPKIN ET AL.), 281
SCHWARTZ, U. (*see* MOLTZ ET AL.), 813
SEDLACEK, T. V. (*see* MANGAN ET AL.), 860
SENEVIRATNE, H. R. (*see* LEWIS AND SENEVIRATNE), 615
SEPPÄLÄ, M. (*see* RANTA ET AL.), 1
SHARF, MORDECHAI (*see* GRANAT ET AL.), 696
SHARMA, SANTOSH D. (*see* HALE ET AL.), 213
SHER, G. Correction of postpartum uterine inversion by the application of intravaginal hydrostatic pressure, 601 (Comm. in brief)
—. Induction of labor following intrauterine death with intra-amniotic hyperosmolar urea and prostaglandin $F_{2\alpha}$: Evaluation of placental endocrine function and changes in coagulation parameters, 493
SHER, GEOFFREY, STATLAND, BERNARD E., FREER, DENNIS E., AND HISLEY, JOHN C. Performance of the amniotic fluid foam stability–50 percent test, 705
SHIMIZU, K. (*see* KUMASAKA ET AL.), 39
SILVERMAN, ROSAMUND (*see* HOBBINS ET AL.), 331
SMALE, LEROY E. (*see* EWING, SMALE, AND ELLIOTT), 173
SOLISH, GEORGE I. (*see* GEMZELL AND SOLISH), 599
SOMOL, HELEN (*see* BIERENBAUM ET AL.), 638
SOUMA, MICKI L. Maternal transport: Behind the drama, 904
SOWERS, JAMES R., AND FAYEZ, JAMIL. Effect of dexamethasone on gonadotropin responsiveness to luteinizing hormone–releasing hormone and clomiphene in women with secondary amenorrhea, 325
SPELLACY, W. N., BUHI, W. C., CRUZ, A. C., GELMAN, S. R., KELLNER, K. R., AND BIRK, S. A. Assessment of fetal lung maturity: A comparison of the lecithin/sphingomyelin ratio and the tests of optical density at 400 and 650 nm, 528
STARK, RAYMOND I. (*see* MORISHIMA ET AL.), 289
STATLAND, BERNARD E. (*see* SHER ET AL.), 705
STEINBRECHER, M. (*see* FOX, INGLIS, AND STEINBRECHER), 544
STENCHEVER, MORTON A., O'TOOLE, BRIAN, AND IRBY, DAVID. Evaluating student performance in an obstetrics and gynecology clerkship, 235
STIER, ARLEANE (*see* BIERENBAUM ET AL.), 638
STOCKBAUER, JOSEPH W. (*see* MEDEARIS ET AL.), 413
STOKKE, K. T. (*see* MALTAU, EIELSEN, AND STOKKE), 681
STONE, SERGIO C., AND SWARTZ, WILLIAM J. A syndrome characterized by recurrent symptomatic functional ovarian cysts in young women, 310
STRAUSS, JOHN H., WILSON, MILES, CALDWELL, DAVID, OTTERSON, WARREN, AND MARTIN, ALICE O. Laminaria use in midtrimester abortions induced by intra-amniotic prostaglandin $F_{2\alpha}$ with urea and intravenous oxytocin, 260
STREMPLE, JOHN F. (*see* VAN THIEL, GAVALER, AND STREMPLE), 64
STURGEON, JEREMY (*see* DEMBO ET AL.), 793
SUTLIFF, GAIL (*see* KNOX, HUDDLESTON, AND FLOWERS), 376
SUZUKI, AKIRA (*see* KOBAYASHI ET AL.), 255

SWARTZ, WILLIAM J. (*see* STONE AND SWARTZ), 310
SWEET, RICHARD L., MILLS, JOHN, HADLEY, KEITH W., BLUMENSTOCK, EDWARD, SCHACHTER, JULIUS, ROBBIE, MARILYN O., AND DRAPER, DEBORAH L. Use of laparoscopy to determine the microbiologic etiology of acute salpingitis, 68
SYMMONDS, RICHARD E. (*see* MAGRINA ET AL.), 453
SYVERSON, RAE ELLEN, BUCKLEY, HELEN, GIBIAN, JUDITH, AND RYAN, GEORGE M., JR. Cellular and humoral immune status in women with chronic *Candida* vaginitis, 624

T

TAFURI, C. P. (*see* BAMBIRRA AND TAFURI), 346
TAYLOR, JOHN R. (*see* BOARD ET AL.), 936
TAYLOR, RONALD W. Female sex hormone receptors and their importance in clinical practice, 385
THIAGARAJAH, SIVA (*see* KITCHIN ET AL.), 870
THO, PHUNG T. (*see* MANGANIELLO ET AL.), 911
THOI, LINDA L. (*see* PERSELLIN AND THOI), 250
THOMAS, A. L. (*see* JANSEN ET AL.), 776
THOMPSON, HORACE E. (*see* HAVERKAMP ET AL.), 399
THORNTON, W. NORMAN, JR. (*see* KITCHIN ET AL.), 870
TOAPANTA, PATRICIA (*see* MORRIS ET AL.), 120
TOOLEY, WILLIAM H. (*see* SCHLUETER ET AL.), 761
TREDWAY, D. R. (*see* BUCHANAN ET AL.), 648
TRELFORD, JOHN D., AND TRELFORD-SAUDER, MARILYN. The amnion in surgery, past and present, 833
TRELFORD-SAUDER, MARILYN (*see* TRELFORD AND TRELFORD-SAUDER), 833
TSUEI, JULIA J. (*see* HALE ET AL.), 213
TUIMALA, RISTO (*see* KAUPPILA, PUUKKA, AND TUIMALA), 752
TULCHINSKY, DAN (*see* ROTHCHILD ET AL.), 772
— (*see* WILSON ET AL.), 56
TURKO, M. (*see* BENEDET ET AL.), 201
TURNER, J. HOWARD, HAYASHI, T. TERRY, AND POGOLOFF, DONALD D. Legal and social issues in medical genetics, 83

U

UDOFFIA, CAMILLUS (*see* MOORE, WAXMAN, AND UDOFFIA), 101
UNDERWOOD, PAUL B., JR., WILSON, WILLIAM C., KREUTNER, ALBERT, MILLER, M. C., III, AND MURPHY, EDMUND. Radical hysterectomy: A critical review of twenty-two years' experience, 889
UNNÉRUS, H.-A. (*see* RANTA ET AL.), 1
URICCHIO, WILLIAM A. (*see* WADE ET AL.), 628

V

VAN HEMELRIJCK, T. (*see* RENAER ET AL.), 75
VAN KESSEL, PIET H. (*see* WALLENBURG AND VAN KESSEL), 739
VAN NAGELL, J. R., JR., KIELAR, R., DONALDSON, E. S., GAY, E. C., POWELL, D. F., MARUYAMA, Y., AND YONEDA, J. Correlation between retinal and pelvic vascular status: A determinant factor in patients undergoing pelvic irradiation for gynecologic malignancy, 551
VAN PETTEN, G. R., AND BRIDGES, R. The effects of prolactin on pulmonary maturation in the fetal rabbit, 711
VAN THIEL, DAVID H', GAVALER, JUDITH S., AND STREMPLE, JOHN F. Lower esophageal sphincter pressure during the normal menstrual cycle, 64
VERTOMMEN, H. (*see* RENAER ET AL.), 75
VIVIAN, JOHN M. (*see* NATH, VIVIAN, AND CHERNY), 390

W

WADE, MACLYN E., MCCARTHY, PHYLLIS, ABERNATHY, JAMES R., HARRIS, GEORGE S., DANZER, HAL C., AND URICCHIO, WILLIAM A. A randomized prospective study of the use-effectiveness of two methods of natural family planning: An interim report, 628
WAGEMANS, L. (*see* RENAER ET AL.), 75
WALKER, ADRIAN (*see* WOOD, WALKER, AND YARDLEY), 523
WALLENBURG, HENK C. S., AND VAN KESSEL, PIET H. Platelet life span in pregnancies resulting in small-for-gestational age infants, 739
WATRING, WATSON G. (*see* LAGASSE ET AL.), 219
WATSON, PORTIA (*see* BIERENBAUM ET AL.), 638
WAXMAN, MARIAN (*see* MOORE, WAXMAN, AND UDOFFIA), 101
WEBB, MAURICE J. (*see* MAGRINA ET AL.), 453
WEIN, ROBERT M. (*see* KITCHIN ET AL.), 870
WHITAKER, CECIL F., JR. Tubal ligation by colpotomy incision, 885
WIEBE, R. HERBERT, KRAMER, RICHARD S., AND HAMMOND, CHARLES B. Surgical treatment of prolactin-secreting microadenomas, 49
— (*see* HANEY ET AL.), 917
WILLIAMS, ATHANASIA M. (*see* QUIRK ET AL.), 768
WILLIAMS, GERALD A. (*see* CRUIKSHANK ET AL.), 243
WILSON, CHARLES B. (*see* KEYE ET AL.), 360
WILSON, EMERY A., ERICKSON, GREGORY F., ZARUTSKI, PAUL, FINN, ANN E., TULCHINSKY, DAN, AND RYAN, KENNETH J. Endocrine studies of normal and polycystic ovarian tissues in vitro, 56
vitro, 56
WILSON, MILES (*see* STRAUSS ET AL.), 260
WILSON, WILLIAM C. (*see* UNDERWOOD ET AL.), 889
WITTMANN, B. K., ROBINSON, H. P., AITCHISON, T., AND FLEMING, J. E. E. The value of diagnostic ultrasound as a screening test for intrauterine growth retardation: Comparison of nine parameters, 30
WOLFSEN, ADA R. (*see* YOSHIMOTO ET AL.), 729
WONG, RICHARD, AND PAUL, RICHARD H. Methergine-induced uterine tetany treated with epinephrine: Case report, 602 (Comm. in brief)
WONG, YAU WAI (*see* EKWO, WONG, AND MYERS), 102
WOOD, CARL, WALKER, ADRIAN, AND YARDLEY, ROBERT. Acceleration of the fetal heart rate, 523
WORK, BRUCE A. (*aee* LORENZ, WORK, AND MENON), 471
WYNN, RALPH J., AND SCHREINER, RICHARD L. Spurious elevation of amniotic fluid bilirubin in acute hydramnios with fetal intestinal obstruction, 105 (Comm. in brief)

Y

YAMAGUCHI, DEAN T., AND LEE, FREDERICK, Y. L. Ultrasonic evaluation of the fetal heart, 422
YAMAMOTO, S. (*see* ORLOFF ET AL.), 632
YAOI, Y. (*see* KUMASAKA ET AL.), 39
YARDLEY, ROBERT (*see* WOOD, WALKER, AND YARDLEY), 523
YEH, MING-NENG (*see* MORISHIMA, YEH, AND JAMES), 270
YEN, SAMUEL S. C. (*see* LUCAS AND YEN), 180
YONEDA, J. (*see* VAN NAGELL ET AL.), 551
YONEKURA, LYNN (*see* DIZEREGA ET AL.), 238
YOSHIMOTO, YOSHIO, WOLFSEN, ADA R., HIROSE, FRANK, AND ODELL, W. D. Human chorionic gonadotropin–like material: Presence in normal human tissues, 729
YOUNG, BRUCE K., KATZ, MIRIAM, AND KLEIN, STEVEN A. The relationship of heart rate patterns and tissue pH in the human fetus, 685
YULIANO, S. EUGENE (*see* LAWSON ET AL.), 315

Z

ZARUTSKI, PAUL (*see* WILSON ET AL.), 56
ZERVOUDAKIS, IOANNIS A. (*see* CEDERQVIST ET AL.), 784

Subject index*

A

Abdominal endometriosis, extensive, case of (Cantor, Fenoglio, and Richart), 846 (Comm. in brief)
hysterectomy for gynecologic disease, value of intravenous urography prior to (Sack), 208
Abdominopelvic irradiation, improved survival following, in patients with completed pelvic operation: Ovarian carcinoma (Dembo et al.), 793
Abortions, midtrimester, induced by intra-amniotic prostaglandin $F_{2\alpha}$ with urea and intravenous oxytocin, laminaria use in (Strauss et al.), 260
Acceleration/constant ratio: Nonstress test, II. Antepartum fetal testing (Barrada, Edwards, and Hakanson), 538
of fetal heart rate (Wood, Walker, and Yardley), 523
in labor: Excellent prognostic indicator (Powell, Melville, and MacKenna), 36
Accuracy and safety of midtrimester amniocentesis, report of, at Medical College of Georgia; Eight and one half years' experience (Manganiello et al.), 911
Acid, amniotic fluid uric, study of: Pregnancy in women with xanthinuria (Curiel and Bandinelli), 721 (Comm. in brief)
Activity, fetal, effect of maternal glucose load on (Aladjem et al.), 276
Adenomas, prolactin-secreting pituitary, in women. II. Menstrual function, pituitary reserves, and prolactin production following microsurgical removal (Keye et al.), 360
Adoption, does affect subsequent fertility (Lamb and Leurgans), 138
Adrenalectomy, progesterone, oxytocin, estradiol, and hypophysectomy, influence of, on metabolic fate of ^{3}H-epinephrine in central and peripheral regions during late pregnancy (Parvez, Raza-Bukhari, and Ismahan), 13
Age, gestational, relationship to, I. Fetal breathing movements in uncomplicated pregnancies (Fox, Inglis, and Steinbrecher), 544
infants, small–for–gestational, platelet life span in pregnancies resulting in (Wallenburg and van Kessel), 739
Aggregation, increased platelet, and decreased high-density lipoprotein cholesterol in women on oral contraceptives (Bierenbaum et al.), 638
Alcohol-related problems, screening for, in outpatient obstetric-gynecologic clinic (Russell and Bigler), 4
Amenorrhea, postpill and non-postpill secondary, galactorrhea and pituitary tumors in (March et al.), 45
secondary, effect of dexamethasone on gonadotropin responsiveness to luteinizing hormone–releasing hormone and clomiphene in women with (Sowers and Fayez), 325
Amniocentesis, midtrimester, report of safety and accuracy of, at Medical College of Georgia: Eight and one half years' experience (Manganiello et al.), 911
Amnion in surgery, past and present (Trelford and Trelford-Sauder), 833 (Current developments)
Amniotic fluid bilirubin, spurious elevation of, in acute hydramnios with fetal intestinal obstruction (Wynn and Schreiner), 105 (Comm. in brief)
foam stability–50 percent test, performance of (Sher et al.), 705
test for surfactant, antenatal prediction of graduated risk of hyaline membrane disease by (Schlueter et al.), 761
human plasma and, 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ concentrations in (Ghodgaonkar et al.), 265
steroids, maternal and, throughout human pregnancy (Nagamani et al.), 674
studies on reliability of hexosaminidase levels in: Prenatal diagnosis of Tay-Sachs disease (Grebner and Jackson), 547
thyrotropin-releasing hormone and thyroid hormones in (Morley et al.), 581 (Current investigation)
uric acid, study of: Pregnancy in women with xanthinuria (Curiel and Bandinelli), 721 (Comm. in brief)
Anomalies, congenital, ultrasound in diagnosis of (Hobbins et al.), 331 (Current developments)
Antenatal prediction of graduated risk of hyaline membrane disease by amniotic fluid foam test for surfactant (Schlueter et al.), 761
screening program, results of: Thalassemia and pregnancy (Alger, Golbus, and Laros), 662
Antepartum assessment of fetal reserve, nonstress test for (Lee and Drukker), 460
fetal testing. I. Oxytocin challenge test (Barrada, Edwards, and Hakanson), 538
II. Acceleration/constant ratio: Nonstress test (Barrada, Edwards, and Hakanson), 538
Antibiotics, prophylactic, efficacy of, in cesarean section (Gall), 506
Antiprogesterone, induction of preterm labor in rat by (Csapo and Resch), 823 (Current investigation)
Artery ligation, bilateral internal iliac, in cervical pregnancy: Conservation of reproductive function (Nelson), 145
Aspiration, menstrual, office termination of pregnancy by (Hale et al.), 213
Assay, radioreceptor, for human chorionic gonadotropin in normal and abnormal pregnancies: Clinical evaluation (Lorenz, Work, and Menon), 471
Atraumatic delivery, glucocorticoids, and unstressful labor, role of, in prevention of respiratory distress syndrome (Quirk et al.), 768
Atresia, partial, of fallopian tube, and bicornuate uterus (Farber and Mitchell), 881
Autologous fetal blood, collection and use of (Paxson), 708
Automated assessment, approach to: Fetal heart rate variability (Huey et al.), 691
Autonomic hyperreflexia in pregnancy and labor: Case report (Nath, Vivian, and Cherny), 390

B

Bed rest in twin pregnancy: Identification of critical period and its cost implications (Powers and Miller), 23
Behavior, sexual, and response in relation to complications of pregnancy (Perkins), 498
Benign blue nevus of uterine cervix (Majmudar, Ross, and Gorelkin), 600 (Comm. in brief)
cystic teratoma, twisted, of ovary, identical twins with (Brown), 879
obstructive myxometra: Report of case (Honoré), 847 (Comm. in brief)
Beta, 17-, estradiol-, progesterone and, suppression of mixed lymphocyte reaction by (Kobayashi et al.), 255
-1 glycoprotein, "pregnancy-specific," human fibroblasts produce, in vitro (Rosen et al.), 734
lipotropin, endorphin residues of, in hormone, do reinforce reproductive functions (Kimball), 127
-subunit–like immunoreactive material, human chorionic gonadotropin, in plasma of women wearing intrauterine progesterone contraceptive system (Orloff et al.), 632
Betamethasone and magnesium sulfate administration, pulmonary edema associated with (Elliott et al.), 717 (Comm. in brief)
Bicornuate uterus and partial atresia of fallopian tube (Farber and Mitchell), 881
Big renin concentrations, renin and, maternal and fetal renin activity and, in second-trimester pregnancy (Franks and Hayashi), 20
Bilirubin, amniotic fluid, spurious elevation of, in acute hydramnios with fetal intestinal obstruction (Wynn and Schreiner), 105 (Comm. in brief)
Blood, autologous fetal, collection and use of (Paxson), 708
coagulation factors, effect of chlorotrianisene as postpartum lactation suppression on (Niebyl et al.), 518
and plasma fibrinolytic enzyme function, influence of pregnancy upon (Fletcher, Alkjaersig, and Burstein), 743
flow, reduced uterine, and fetal hypoxemia with acute maternal stress: Experimental observation in pregnant baboon (Morishima, Yeh, and James), 270

*May 1, 1-114; May 15, 115-234; June 1, 235-354; June 15, 355-492; July 1, 493-610; July 15, 611-728; August 1, 729-850; August 15, 851-964.

Blue nevus, benign, of uterine cervix (Majmudar, Ross, and Gorelkin), 600 (Comm. in brief)
Books received, 234
Bradycardia, fetal, relationship of, to maternal administration of lidocaine in sheep (Morishima et al.), 289
Breast cancer, metastatic, study of secretory component in patients with (Puleo et al.), 899
Breathing, fetal: Review (Lewis and Boylan), 587 (Current developments)
movements, fetal, in uncomplicated pregnancies. I. Relationship to gestational age (Fox, Inglis, and Steinbrecher), 544
Breech delivery, modern management of (Mann and Gallant), 611 (Clinical opinion)
vaginal, or cesarean section (Lewis and Seneviratne), 615 (Clinical opinion)

C

Calcium metabolism, perinatal, effects of magnesium sulfate treatment on. I. Maternal and fetal responses (Cruikshank et al.), 243
Cancer, metastatic breast, study of secretory component in patients with (Puleo et al.), 899
Stage I squamous cell, of vulva (Magrina et al.), 453
Candida vaginitis, chronic, cellular and humoral immune status in women with (Syverson et al.), 624
Carcinoma of cervix, pretreatment lymphangiography and operative evaluation in (Lagasse et al.), 219
endometrial, study of endocrine and metabolic variables in postmenopausal women with (Lucas and Yen), 180
ovarian: Improved survival following abdominopelvic irradiation in patients with completed pelvic operation (Dembo et al.), 793
in situ, severe dysplasia and, of vagina (Oliver), 133
squamous, of vulva: Results of treatment, 1938 to 1976 (Benedet et al.), 201
Cardioversion, attempted pharmacologic—Fetal tachycardia prior to development of hydrops: Case report (Klein, Holzman, and Austin), 347 (Comm. in brief)
Care, health: Enigma (Nichols), 187
Catheterized fetal sheep, chronically, continuous variability of fetal Po_2 in (Jansen et al.), 776
Cell cancer, Stage I squamous, of vulva (Magrina et al.), 453
disease patients, pregnant sickle, transfusion therapy in, 851 (Editorial)
Cellular and humoral immune status in women with chronic *Candida* vaginitis (Syverson et al.), 624
Central Association of Obstetricians and Gynecologists, transactions, forty-sixth annual meeting, 355-492
Cephalosporin prophylaxis, perioperative, in cesarean section: Effect of endometritis in high-risk patient (Kreutner et al.), 925
Cervical cytology, abnormal, evaluation of, during pregnancy, with colposcopy (Ostergard and Nieberg), 756
mucus, early studies on rheology of (Clift), 829 (Classic pages)
pregnancy, bilateral internal iliac artery ligation in: Conservation of reproductive function (Nelson), 145
squamocolumnar junction, effect of pregnancy on, in patients with abnormal cervical cytology (Ostergard), 759
Cervicovaginal shedding, asymptomatic, of herpes simplex virus (Ekwo, Wong, and Myers), 102 (Comm. in brief)
Cervix, carcinoma of, pretreatment lymphangiography and operative evaluation in (Lagasse et al.), 219
unripe, preinduction use of laminaria for (Lackritz, Gibson, and Frigoletto), 349 (Comm. in brief)
uterine, benign blue nevus of (Majmudar, Ross, and Gorelkin), 600 (Comm. in brief)
Cesarean hysterectomy: Twenty-five–year review (Haynes and Martin), 393
section, efficacy of prophylactic antibiotics in (Gall), 506
perioperative cephalosporin prophylaxis in: Effect on endometritis in high-risk patient (Kreutner et al.), 925
post–, endomyometritis, comparison of clindamycin-gentamicin and penicillin-gentamicin in treatment of (diZerega et al.), 238
vaginal breech delivery or (Lewis and Seneviratne), 615 (Clinical opinion)
Challenge test, oxytocin, I. Antepartum fetal testing (Barrada, Edwards, and Hakanson), 532
Chlorotrianisene, effect of, as postpartum lactation suppression on blood coagulation factors (Niebyl et al.), 518
Cholesterol, decreased high-density lipoprotein, increased platelet aggregation and, in women on oral contraceptives (Bierenbaum et al.), 638
Chorioamniotic sac, human, deformation and creep in (Lavery and Miller), 366
Chorionic gonadotropin, human, β-subunit–like immunoreactive material in plasma of women wearing intrauterine progesterone contraceptive system (Orloff et al.), 632
–like material: Presence in normal human tissues (Yoshimoto et al.), 729
in normal and abnormal pregnancies, radioreceptor assay for: Clinical evaluation (Lorenz, Work, and Menon), 471
Chromosomal mosaicism 45,X/46,XX/47,XXX, sex. induction of ovulation and pregnancy in woman with (Greenzell and Solish), 599 (Comm. in brief)
Chronically catheterized fetal sheep, continuous variability of fetal Po_2 in (Jansen et al.), 776
Classic pages, 81-82, 225-226, 329-330, 585-586, 715-716, 828-832
Clerkship, obstetrics and gynecology, evaluating student performance in (Stenchever, O'Toole, and Irby), 235
Clindamycin-gentamicin and penicillin-gentamicin, comparison of, in treatment of post–cesarean section endomyometritis (diZerega et al.), 238
Clinic, outpatient obstetric-gynecologic, screening for alcohol-related problems in (Russell and Bigler), 4
private obstetrics and gynecology, social problems of women patients in (Barton, Harvey, and Barton), 477
Clinical evaluation: Radioreceptor assay for human chorionic gonadotropin in normal and abnormal pregnancies (Lorenz, Work, and Menon), 471
opinion, 611-618
practice, female sex hormone receptors and their importance in (Taylor), 385
trends, current: Ectopic pregnancy (Kitchin et al.), 870
Clinically diagnosed premature menopause, identification of differing etiologies of (Board et al.), 936
Clomiphene, luteinizing hormone–releasing hormone and, effect of dexamethasone on gonadotropin responsiveness to, in women with secondary amenorrhea (Sowers and Fayez), 325
Coagulation, blood, and plasma fibrinolytic enzyme function, influence of pregnancy upon (Fletcher, Alkjaersig, and Burstein), 743
factors, blood, effect of chlorotrianisene as postpartum lactation suppression on (Niebyl et al.), 518
parameters, changes in, evaluation of placental endocrine function and: Induction of labor following intrauterine death with intra-amniotic hyperosmolar urea and prostaglandin $F_{2\alpha}$ (Sher), 493
Collection and use of autologous fetal blood (Paxson), 708
Colposcopy, evaluation of abnormal cervical cytology during pregnancy with (Ostergard and Nieberg), 756
Colpotomy incision, tubal ligation by (Whitaker), 885
Combined pregnancies, ultrasonic detection of (Kurzel), 100 (Comm. in brief)
Communications in brief, 100-106, 227-230, 346-350, 599-603, 717-722, 846-849
Compass, Osler's, points of (Lippard), 854
Complicated, pregnancy, by diabetes mellitus in private practice: Review of ten years (Corwin), 156
Complications of pregnancy, sexual behavior and response in relation to (Perkins), 498
Concentration(s) of cortisol and estriol in maternal plasma, effect of stress during labor on (Maltau, Eielsen, and Stokke), 681
13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$, in human plasma and amniotic fluid (Ghodgaonkar et al.), 265
elevated plasma prolactin, in cholestasis of pregnancy (Ranta et al.), 1
high, of gonadal steroids, hypothalamic-pituitary responses to, in three-month-old infant with feminizing gonadal stromal tumor (Buchanan et al.), 648
renin and big renin, maternal and fetal renin activity and, in second-trimester pregnancy (Franks and Hayashi), 20
Congenital anomalies, ultrasound in diagnosis of (Hobbins et al.), 331 (Current developments)
Constant, acceleration/ratio: Nonstress test, II. Antepartum fetal testing (Barrada, Edwards, and Hakanson), 538
Contraceptive(s) device, Copper T intrauterine, comparison of three different models of (Roy et al.), 568

Contraceptive(s) device—Cont'd
insertion, intrauterine, naproxen sodium in uterine pain following (Buttram, Izu, and Henzl), 575
oral, increased platelet aggregation and decreased high-density lipoprotein cholesterol in women on (Bierenbaum et al.), 638
optimun dosage of (Lawson et al.), 315
steroids, oral, effects of, on serum hexosaminidase activity, IV. Human hexosaminidase isozymes (Nitowsky et al.), 642
system, intrauterine progesterone, human chorionic gonadotropin β-subunit–like immunoreactive material in plasma of women wearing (Orloff et al.), 632
users, oral and nonoral, abnormalities among offspring of (Ortiz-Pérez et al.), 512
Copper T intrauterine contraceptive device, comparison of three different models of (Roy et al.), 568
Correspondence, 231-233, 723-728
Cortisol and estriol in maternal plasma, effect of stress during labor on concentration of (Maltau, Eielsen, and Stokke), 681
Cost implications, its, identification of critical period and: Bed rest in twin pregnancy (Powers and Miller), 23
Creep, deformation and, in human chorioamniotic sac (Lavery and Miller), 366
Current developments, 83-99, 331-345, 587-598, 833-845
investigation, 579-584, 819-827
Cycle(s), normal menstrual, lower esophageal sphincter pressure during (Van Thiel, Gavaler, and Stremple), 64
short-term, in human fetal activity. I. Normal pregnancies (Granat et al.), 696
Cystic teratoma, twisted benign, of ovary, identical twins with (Brown), 879
Cysts, ovarian, recurrent symptomatic functional, syndrome characterized by, in young women (Stone and Swartz), 310
Cytodynamics of human endometrial regeneration, studies on. III. In vitro short-term incubation historadioautography (Ferenczy, Bertrand, and Gelfand), 297
Cytology, abnormal cervical, effect of pregnancy on cervical squamocolumnar junction in patients with (Ostergard), 759
evaluation of, during pregnancy, with colposcopy (Ostergard and Nieberg), 756

D

Death(s), fetal, at term due to lightning (Guha-Ray), 103 (Comm. in brief)
intrauterine, induction of labor following, with intra-amniotic hyperosmolar urea and prostaglandin $F_{2\alpha}$: Evaluation of placental endocrine function and changes in coagulation parameters (Sher), 493
maternal, associated with postpartum vulvar edema (Ewing, Smale, and Elliott), 173
perinatal, in twin pregnancy (Medearis et al.), 413
Decidua, villi and, in early pregnancy, demonstration of immunoreactive somatostatin-like substance in (Kumasaka et al.), 39
Deformation and creep in human chorioamniotic sac (Lavery and Miller), 366
Dehydroepiandrosterone loading test. III. Possible placental function test (Pupkin et al.), 281
Delivery, atraumatic, glucocorticoids, and unstressful labor, role of, in prevention of respiratory distress syndrome (Quirk et al.), 768
breech, modern management of (Mann and Gallant), 611 (Clinical opinion)
of tiny newborn (Haesslein and Goodlin), 192
vaginal breech, or cesarean section (Lewis and Seneviratne), 615 (Clinical opinion)
Density, high-, lipoprotein cholesterol, decreased, increased platelet aggregation and, in women on oral contraceptives (Bierenbaum et al.), 638
optical, at 400 and 650 nm, tests of, comparison of lecithin/ sphingomyelin ratio and: Assessment of fetal lung maturity (Spellacy et al.), 528
Device, Copper T intrauterine contraceptive, comparison of three different models of (Roy et al.), 568
insertion, intrauterine contraceptive, naproxen sodium in uterine pain following (Buttram, Izu, and Henzl), 575
Dexamethasone, effect of, on gonadotropin responsiveness to luteinizing hormone–releasing hormone and clomiphene in women with secondary amenorrhea (Sowers and Fayez), 325
on prolactin secretion in late pregnancy (Kauppila, Puukka, and Tuimala), 752
Diabetes mellitus, pregnancy complicated by, in private practice: Review of ten years (Corwin), 156
value of lecithin/sphingomyelin ratios in: Critical review (Lowensohn and Gabbe), 702
Diabetic pregnancies complicated by nephropathy, estriol determinations in (Rothchild et al.), 772
Diagnosed premature menopause, identification of differing etiologies of (Board et al.), 936
Diagnosis of congenital anomalies, ultrasound in (Hobbins et al.), 331 (Current developments)
and management, enigmas in: Urinary tract endometriosis (Moore et al.), 162
prenatal, of sacrococcygeal teratoma (Horger and McCarter), 228 (Comm. in brief)
of Tay-Sachs disease: Studies on reliability of hexosaminidase levels in amniotic fluid (Grebner and Jackson), 547
Diagnostic significance of double-stimulation tests with luteinizing hormone–releasing hormone and peripheral steroid-gonadotropin interactions in polycystic ovarian disease (Moltz et al.), 813
ultrasound, value of, as screening test for intrauterine growth retardation: Comparison of nine parameters (Wittmann et al.), 30
Diethylstilbestrol-exposed population, six years' experience with screening of (Mangan et al.), 860
13,14-Dihydro-15-keto-prostaglandin $F_{2\alpha}$ concentrations in human plasma and amniotic fluid (Ghodgaonkar et al.), 265
Disease, bilateral Paget's, of nipple: Case report (Anderson), 877
gynecologic, value of intravenous urography prior to abdominal hysterectomy for (Sack), 208
hyaline membrane, antenatal prediction of graduated risk of, by amniotic fluid foam test for surfactant (Schlueter et al.), 761
Legionnaires', and pregnancy, association of (Baker and Philips), 227 (Comm. in brief)
patients, pregnant sickle cell, transfusion therapy in, 851 (Editorial)
polycystic ovarian, peripheral steroid-gonadotropin interactions and diagnostic significance of double-stimulation tests with luteinizing hormone–releasing hormone in (Moltz et al.), 813
Tay-Sachs, prenatal diagnosis of: Studies on reliability of hexosaminidase levels in amniotic fluid (Grebner and Jackson), 547
vulvar, further observations on effect of topical progesterone on (Jasionowski and Jasionowski), 565
Distress syndrome, respiratory, role of glucocorticoids, unstressful labor, and atraumatic delivery in prevention of (Quirk et al.), 768
Dosage, optimum, of oral contraceptive (Lawson et al.), 315
Dysplasia, severe, and carcinoma in situ of vagina (Oliver), 133

E

E_2, prostaglandin, suppositories, vaginal, uterine rupture with use of (Sandler et al.), 348 (Comm. in brief)
Ectopic pregnancy: Current clinical trends (Kitchin et al.), 870
Edema, postpartum vulvar, maternal deaths associated with (Ewing, Smale, and Elliott), 173
pulmonary, associated with magnesium sulfate and betamethasone administration (Elliott et al.), 717 (Comm. in brief)
Editorial, 851
Endocrine function, placental, evaluation of, and changes in coagulation parameters: Induction of labor following intrauterine death with intra-amniotic hyperosmolar urea and prostaglandin $F_{2\alpha}$ (Sher), 493
and metabolic variables in postmenopausal women with endometrial carcinoma, study of (Lucas and Yen), 180
studies of normal and polycystic ovarian tissues in vitro (Wilson et al.), 56
Endometrial carcinoma, study of endocrine and metabolic variables in postmenopausal women with (Lucas and Yen), 180
regeneration, human, studies on cytodynamics of. III. In vitro short-term incubation historadioautography (Ferenczy, Bertrand, and Gelfand), 297

Endometriosis, extensive abdominal, case of (Cantor, Fenoglio, and Richart), 846 (Comm. in brief)
urinary tract: Enigmas in diagnosis and management (Moore et al.), 162
Endometritis in high-risk patient, effect on: Perioperative cephalosporin prophylaxis in cesarean section (Kreutner et al.), 925
and peritonitis, tuberculous, mimicking "frozen pelvis" (Freedman, Coleman, and Blasco), 719 (Comm. in brief)
Endometrium, baboon as primate model for study of (Dollar et al.), 305
Endomyometritis, post–cesarean section, comparison of clindamycin-gentamicin and penicillin-gentamicin in treatment of (di-Zerega et al.), 238
Endorphin residues of beta lipotropin in hormone, do reinforce reproductive functions (Kimball), 127
Endotoxin shock in beagle dog (Morris et al.), 120
Enzyme function, plasma fibrinolytic, and blood coagulation, influence of pregnancy upon (Fletcher, Alkjaersig, and Burstein), 743
Epinephrine, ^{3}H-, metabolic fate of, in central and peripheral regions during late pregnancy, influence of hypophysectomy, adrenalectomy, progesterone, oxytocin, and estradiol on (Parvez, Raza-Bukhari, and Ismahan), 13
methergine-induced uterine tetany treated with: Case report (Wong and Paul), 602 (Comm. in brief)
Ergonovine, methyl, ovum transport in women treated with (Guiloff et al.), 321
Esophageal sphincter pressure, lower, during normal menstrual cycle (Van Thiel, Gavaler, and Stremple), 64
Estradiol-17β, progesterone and, suppression of mixed lymphocyte reaction by (Kobayashi et al.), 255
hypophysectomy, adrenalectomy, progesterone, and oxytocin, influence of, on metabolic fate of ^{3}H-epinephrine in central and peripheral regions during late pregnancy (Parvez, Raza-Bukhari, and Ismahan), 13
Estriol, cortisol and, in maternal plasma, effect of stress during labor on concentration of (Maltau, Eielsen, and Stokke), 681
determination in diabetic pregnancies complicated by nephropathy (Rothchild et al.), 772
Etiology(ies), differing, of clinically diagnosed premature menopause, identification of (Board et al.), 936
microbiologic, of acute salpingitis, use of laparoscopy to determine (Sweet et al.), 68
Experimental observation in pregnant baboon: Reduced uterine blood flow and fetal hypoxemia with acute maternal stress (Morishima, Yeh, and James), 270
Exposed population, diethylstilbestrol-, six years' experience with screening of (Mangan et al.), 860

F

$F_{2\alpha}$, prostaglandin, 13,14-dihydro-15-keto-, concentrations in human plasma and amniotic fluid (Ghodgaonkar et al.), 265
intra-amniotic hyperosmolar urea and, induction of labor following intrauterine death with: Evaluation of placental endocrine function and changes in coagulation parameters (Sher), 493
with urea and intravenous oxytocin, laminaria use in midtrimester abortions induced by (Strauss et al.), 260
Factors, blood coagulation, effect of chlorotrianisene as postpartum lactation suppression on (Niebyl et al.), 518
Fallopian tube, leiomyoma of: Cause of tubal pregnancy (Moore, Waxman, and Udoffia), 101 (Comm. in brief)
partial atresia of, and bicornuate uterus (Farber and Mitchell), 881
Family planning, natural, randomized prospective study of use-effectiveness of two methods of: Interim report (Wade et al.), 628
Female sex hormone receptors and their importance in clinical practice (Taylor), 385
Feminizing gonadal stromal tumor, hypothalamic-pituitary responses to high concentrations of gonadal steroids in three-month-old infant with (Buchanan et al.), 648
Fertility, subsequent, does adoption affect (Lamb and Leurgans), 138
Fetal activity, effect of maternal glucose load on (Aladjem et al.), 276
blood, autologous, collection and use of (Paxson), 708
bradycardia, relationship of, to maternal administration of lidocaine in sheep (Morishima et al.), 289
breathing movements in uncomplicated pregnancies. I. Relationship to gestational age (Fox, Inglis, and Steinbrecher), 544
human, short-term cycles in. I. Normal pregnancies (Granat et al.), 696
Fetal breathing—Cont'd
Review (Lewis and Boylan), 587 (Current developments)
death at term due to lightning (Guha-Ray), 103 (Comm. in brief)
heart rate, acceleration of (Wood, Walker, and Yardley), 523
in labor: Excellent prognostic indicator (Powell, Melville, and MacKenna), 36
variability: Approach to automated assessment (Huey et al.), 691
ultrasonic evaluation of (Yamaguchi and Lee), 422
hypoxemia, reduced uterine blood flow and, with acute maternal stress: Experimental observation in pregnant baboon (Morishima, Yeh, and James), 270
immunoglobulin production and prematurely ruptured membranes, relationship between (Cederqvist et al.), 784
intestinal obstruction, spurious elevation of amniotic fluid bilirubin in acute hydramnios with (Wynn and Schreiner), 105 (Comm. in brief)
lung maturity, assessment of: Comparison of lecithin/sphingomyelin ratio and tests of optical density at 400 and 650 nm (Spellacy et al.), 528
monitoring, intrapartum, controlled trial of differential effects of (Haverkamp et al.), 399
Po_2, continuous variability of, in chronically catheterized fetal sheep (Jansen et al.), 776
rabbit, effects of prolactin on pulmonary maturation in (Van Petten and Bridges), 711
renin activity and renin and big renin concentrations, maternal and, in second-trimester pregnancy (Franks and Hayashi), 20
reserve, nonstress test for antepartum assessment of (Lee and Drukker), 460
responses, maternal and, I. Effects of magnesium sulfate treatment on perinatal calcium metabolism (Cruikshank et al.), 254
sheep, chronically catheterized, continuous variability of fetal Po_2 in (Jansen et al.), 776
tachycardia prior to development of hydrops—Attempted pharmacologic cardioversion: Case report (Klein, Holzman, and Austin), 347 (Comm. in brief)
testing, antepartum. I. Oxytocin challenge test (Barrada, Edwards, and Hakanson), 538
II. Acceleration/constant ratio: Nonstress test (Barrada, Edwards, and Hakanson), 538
Fetus, human, relationship of heart rate patterns and tissue pH in (Young, Katz, and Klein), 685
Fibrinolytic enzyme function, plasma, and blood coagulation, influence of pregnancy upon (Fletcher, Alkjaersig, and Burstein), 743
Fibroblasts, human, produce "pregnancy-specific" beta-1 glycoprotein in vitro (Rosen et al.), 734
Flow, reduced uterine blood, and fetal hypoxemia with acute maternal stress: Experimental observation in pregnant baboon (Morishima, Yeh, and James), 270
Fluid, amniotic, human plasma and, 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ concentrations in (Ghodgaonkar et al.), 265
studies on reliability of hexosaminidase levels in: Prenatal diagnosis of Tay-Sachs disease (Grebner and Jackson), 547
thyrotropin-releasing hormone and thyroid hormones in (Morley et al.), 581 (Current investigation)
bilirubin, amniotic, spurious elevation of, in acute hydramnios with fetal intestinal obstruction (Wynn and Schreiner), 105 (Comm. in brief)
foam stability, amniotic, –50 percent test, performance of (Sher et al.), 705
test, amniotic, for surfactant, antenatal prediction of graduated risk of hyaline membrane disease by (Schlueter et al.), 761
steroids, amniotic, maternal and, throughout human pregnancy (Nagamani et al.), 674
uric acid, amniotic, study of: Pregnancy in woman with xanthinuria (Curiel and Bandinelli), 721 (Comm. in brief)
Foam stability, amniotic fluid, –50 percent test, performance of (Sher et al.), 705
test, amniotic fluid, for surfactant, antenatal prediction of graduated risk of hyaline membrane disease by (Schlueter et al.), 761
"Frozen pelvis," tuberculous peritonitis and endometritis mimicking (Freedman, Coleman, and Blasco), 719 (Comm. in brief)
Function, hypothalamic-ppituitary, and radiographic evaluation of women with hyperprolactinemia and "empty" sella turcica (Haney et al.), 917
plasma fibrinolytic enzyme, and blood coagulation, influence of pregnancy upon (Fletcher, Alkjaersig, and Burstein), 743

G

Galactorrhea and pituitary tumors in postpill and non-postpill secondary amenorrhea (March et al.), 45
Genetics, medical, legal and social issues in (Turner, Hayashi, and Pogoloff), 83
Gentamicin, clindamycin-, and penicillin-gentamicin, comparison of, in treatment of post–cesarean section endomyometritis (diZerega et al.), 238
Georgia, Medical College of, report of safety and accuracy of midtrimester amniocentesis at: Eight and one half years' experience (Manganiello et al.), 911
Gestational age infants, small–for–, platelet life span in pregnancies resulting in (Wallenburg and van Kessel), 739
relationship to, I. Fetal breathing movements in uncomplicated pregnancies (Fox, Inglis, and Steinbrecher), 544
Glucocorticoids, unstressful labor, and atraumatic delivery, role of, in prevention of respiratory distress syndrome (Quirk et al.), 768
Glucose load, maternal, effect of, on fetal activity (Aladjem et al.), 276
Glycoprotein, "pregnancy-specific" beta-1, human fibroblasts produce, in vitro (Rosen et al.), 734
Gonadal steroids, hypothalamic-pituitary responses to high concentrations of, in three-month-old infant with feminizing gonadal stromal tumor (Buchanan et al.), 648
Gonadotropin, human chorionic, β-subunit–like immunoreactive material in plasma of women wearing intrauterine progesterone contraceptive system (Orloff et al.), 632
–like material: Presence in normal human tissues (Yoshiomoto et al.), 729
in normal and abnormal pregnancies, radioreceptor assay for: Clinical evaluation (Lorenz, Work, and Menon), 471
pregnancy-associated ovarian refractoriness to: Myth (diZerega and Hodgen), 819 (Current investigation)
responsiveness to luteinizing hormone–releasing hormone and clomiphene, effect of dexamethasone on, in women with secondary amenorrhea (Sowers and Fayez), 325
-steroid interactions, peripheral, and diagnostic significance of double-stimulation tests with luteinizing hormone–releasing hormone in polycystic ovarian disease (Moltz et al.), 813
Growth retardation, intrauterine, value of diagnostic ultrasound as screening test for: Comparison of nine parameters (Wittmann et al.), 30
Gynecologic disease, value of intravenous urography prior to abdominal hysterectomy for (Sack), 208
malignancy, determinant factor in patients undergoing pelvic irradiation for: Correlation between retinal and pelvic vascular status (van Nagell et al.), 551
obstetric-, clinic, outpatient, screening for alcohol-related problems in (Russell and Bigler), 4
oncology patient, quality of life for (Newton), 866
Gynecology clerkship, obstetrics and, evaluating student performance in (Stenchever, O'Toole, and Irby), 235
obstetrics and, clinic, private, social problems of women patients in (Barton, Harvey, and Barton), 477

H

^{3}H-epinephrine, metabolic fate of, in central and peripheral regions during late pregnancy, influence of hypophysectomy, adrenalectomy, progesterone, oxytocin, and estradiol on (Parvez, Baza-Bukhari, and Ismahan), 13
Health care: Enigma (Nichols), 187
Heart, fetal, ultrasonic evaluation of (Yamaguchi and Lee), 422
rate acceleration, fetal, in labor: Excellent prognostic indicator (Powell, Melville, and MacKenna), 36
fetal, acceleration of (Wood, Walker, and Yardley), 523
patterns and tissue pH, relationship of, in human fetus (Young, Katz, and Klein), 685
variability, fetal: Approach to automated assessment (Huey et al.), 691
Herpes simplex virus, asymptomatic cervicovaginal shedding of (Ekwo, Wong, and Myers), 102 (Comm. in brief)
Hexosaminidase isozymes, human. IV. Effects of oral contraceptive steroids on serum hexosaminidase activity (Nitowsky et al.), 642
levels in amniotic fluid, studies on reliability of: Prenatal diagnosis of Tay-Sachs disease (Grebner and Jackson), 547
Histologic findings, normal and abnormal, of ovaries, ovarian hyperandrogenism with (Kim et al.), 445
Historadioautography, in vitro short-term incubation, III. Studies on cytodynamics of human endometrial regeneration (Ferenczy, Bertrand, and Gelfand), 297
Hormone(s), endorphin residues of beta lipotropin in, do reinforce reproductive functions (Kimball), 127
luteinizing, –releasing hormone and clomiphene, effect of dexamethasone on gonadotropin responsiveness to, in women with secondary amenorrhea (Sowers and Fayez), 325
levels in human plasma: Radioimmunoassay method (Aksel and Glass), 619
receptors, female sex, and their importance in clinical practice (Taylor), 385
–releasing hormone, luteinizing, diagnostic significance of double-stimulation tests with, and peripheral steroid-gonadotropin interactions in polycystic ovarian disease (Moltz et al.), 813
thyroid, thyrotropin-releasing hormone and, in amniotic fluid (Morley et al.), 581 (Current investigation)
thyrotropin-releasing, and thyroid hormones in amniotic fluid (Morley et al.), 581 (Current investigation)
Human chorionic gonadotropin β-subunit–like immunoreactive material in plasma of women wearing intrauterine progesterone contraceptive system (Orloff et al.), 632
–like material: Presence in normal human tissues (Yoshimoto et al.), 729
in normal and abnormal pregnancies, radioreceptor assay for: Clinical evaluation (Lorenz, Work, and Menon), 471
Humoral immune status, cellular and, in women with chronic *Candida* vaginitis (Syverson et al.), 624
Hyaline membrane disease, antenatal prediction of graduated risk of, by amniotic fluid foam test for surfactant (Schlueter et al.), 761
Hydramnios, acute, spurious elevation of amniotic fluid bilirubin in, with fetal intestinal obstruction (Wynn and Schreiner), 105 (Comm. in brief)
Hydrops, fetal tachycardia prior to development of—Attempted pharmacologic cardioversion: Case report (Klein, Holzman, and Austin), 347 (Comm. in brief)
Hydrostatic pressure, intravaginal, correction of postpartum uterine inversion by application of (Sher), 601 (Comm. in brief)
Hyperandrogenism, ovarian, with normal and abnormal histologic findings of ovaries (Kim et al.), 445
Hyperosmolar urea, intra-amniotic, and prostaglandin $F_{2\alpha}$, induction of labor following intrauterine death with: Evaluation of placental endocrine function and changes in coagulation parameters (Sher), 493
Hyperprolactinemia and "empty" sella turcica, hypothalamic-pituitary function and radiographic evaluation of women with (Haney et al.), 917
Hyperreflexia, autonomic, in pregnancy and labor: Case report (Nath, Vivian, and Cherny), 390
Hypophysectomy, adrenalectomy, progesterone, oxytocin, and estradiol, influence of, on metabolic fate of ^{3}H-epinephrine in central and peripheral regions during late pregnancy (Parvez, Raza-Bukhari, and Ismahan), 13
Hypothalamic-pituitary function and radiographic evaluation of women with hyperprolactinemia and "empty" sella turcica (Haney et al.), 917
responses to high concentrations of gonadal steroids in three-month-old infant with feminizing gonadal stromal tumor (Buchanan et al.), 648
Hypoxemia, fetal, reduced uterine blood flow and, with acute maternal stress: Experimental observation in pregnant baboon (Morishima, Yeh, and James), 270
Hysterectomy(ies), abdominal, for gynecologic disease, value of intravenous urography prior to (Sack), 208
cesarean: Twenty-five–year review (Haynes and Martin), 393
radical: Critical review of twenty-two years' experience (Underwood et al.), 889
ten-year review of: Trends, indications, and risks (Amirikia and Evans), 431

I

Identification of differing etiologies of clinically diagnosed premature menopause (Board et al.), 936
Iliac artery ligation, bilateral internal, in cervical pregnancy: Conservation of reproductive function (Nelson), 145
Immune status, cellular and humoral, in women with chronic *Candida* vaginitis (Syverson et al.), 624

Immunoglobulin production, fetal, and prematurely ruptured membranes, relationship between (Cederqvist et al.), 784
Immunoreactive material, human chorionic gonadotropin β-subunit–like, in plasma of women wearing intrauterine progesterone contraceptive system (Orloff et al.), 632
somatostatin-like substance in villi and decidua, demonstration of, in early pregnancy (Kumasaka et al.), 39
Incision, colpotomy, tubal ligation by (Whitaker), 885
Incontinence symptoms, urinary, in women, urodynamic analysis of (Drutz and Mandel), 789
Incubation historadioautography, in vitro short-term, III. Studies on cytodynamics of human endometrial regeneration (Ferenczy, Bertrand, and Gelfand), 297
Induced, methergine-, uterine tetany treated with epinephrine: Case report (Wong and Paul), 602 (Comm. in brief)
midtrimester abortions, by intra-amniotic prostaglandin $F_{2\alpha}$ with urea and intravenous oxytocin, laminaria use in (Strauss et al.), 260
Induction of labor following intrauterine death with intra-amniotic hyperosmolar urea and prostaglandin $F_{2\alpha}$: Evaluation of placental endocrine function and changes in coagulation parameters (Sher), 493
of ovulation and pregnancy in woman with sex chromosomal mosaicism 45,X/46,XX/47,XXX (Gemzell and Solish), 599 (Comm. in brief)
Infant(s), small–for–gestational age, platelet life span in pregnancies resulting in (Wallenburg and van Kessel), 739
three-month-old, with feminizing gonadal stromal tumor, hypothalamic-pituitary responses to high concentrations of gonadal steroids in (Buchanan et al.), 648
Interactions, peripheral steroid-gonadotropin, and diagnostic significance of double-stimulation tests with luteinizing hormone–releasing hormone in polycystic ovarian disease (Moltz et al.), 813
Intestinal obstructitn, fetal, spurious elevation of amniotic fluid bilirubin in acute hydramnios with (Wynn and Schreiner), 105 (Comm. in brief)
polypeptide, vasoactive, in tissues of human female reproductive tract (Goodnough et al.), 579 (Current investigation)
Intra-amniotic hyperosmolar urea and prostaglandin $F_{2\alpha}$, induction of labor following intrauterine death with: Evaluation of placental endocrine function and changes in coagulation parameters (Sher), 493
prostaglandin $F_{2\alpha}$ with urea and intravenous oxytocin, laminaria use in midtrimester abortions induced by (Strauss et al.), 260
Intramural versus transcervical recording: Motility of human myometrium in vivo (Coutinho et al.), 801
Intrapartum fetal monitoring, controlled trial of differential effects of (Haverkamp et al.), 399
Intrauterine contraceptive device, Copper T, comparison of three different models of (Roy et al.), 568
insertion, naproxen sodium in uterine pain following (Buttram, Izu, and Henzl), 575
death, induction of labor following, with intra-amniotic hyperosmolar urea and prostaglandin $F_{2\alpha}$: Evaluation of placental endocrine function and changes in coagulation parameters (Sher), 493
growth retardation, value of diagnostic ultrasound as screening test for: Comparison of nine parameters (Wittmann et al.), 30
progesterone contraceptive system, human chorionic gonadotropin β-subunit–like immunoreactive material in plasma of women wearing (Orloff et al.), 632
Intravaginal hydrostatic pressure, correction of postpartum uterine inversion by application of (Sher), 601 (Comm. in brief)
Intravenous oxytocin, urea and, laminaria use in midtrimester abortions induced by intra-amniotic prostaglandin $F_{2\alpha}$ with (Strauss et al.), 260
urography prior to abdominal hysterectomy for gynecologic disease, value of (Sack), 208
Inversion, postpartum uterine, correction of, by application of intravaginal hydrostatic pressure (Sher), 601 (Comm. in brief)
Irradiation, abdominopelvic, improved survival following, in patients with completed pelvic operation: Ovarian carcinoma (Dembo et al.), 793
pelvic, for gynecologic malignancy, determinant factor in patients undergoing: Correlation between retinal and pelvic vascular status (van Nagell et al.), 551
Isozymes, human hexosaminidase. IV. Effects of oral contraceptive steroids on serum hexosaminidase activity (Nitowsky et al.), 642
Items, 107-114, 351-354, 604-610, 850

J

Junction, cervical squamocolumnar, effect of pregnancy on, in patients with abnormal cervical cytology (Ostergard), 759

L

Labor, effect of stress during, on concentration of cortisol and estriol in maternal plasma (Maltau, Eielsen, and Stokke), 681
fetal heart rate acceleration in: Excellent prognostic indicator (Powell, Melville, and MacKenna), 36
induction of, following intrauterine death with intra-amniotic hyperosmolar urea and prostaglandin $F_{2\alpha}$: Evaluation of placental endocrine function and changes in coagulation parameters (Sher), 493
pregnancy and, autonomic hyperreflexia in: Case report (Nath, Vivian, and Cherny), 390
preterm, induction of, in rat by antiprogesterone (Csapo and Resch), 823 (Current investigation)
unstressful, glucocorticoids, and atraumatic delivery, role of, in prevention of respiratory distress syndrome (Quirk et al.), 768
Lactation suppression, postpartum, effect of chlorotrianisene as, on blood coagulation factors (Niebyl et al.), 518
Laminaria, preinduction use of, for unripe cervix (Lackritz, Gibson, and Frigoletto), 349 (Comm. in brief)
use in midtrimester abortions induced by intra-amniotic prostaglandin $F_{2\alpha}$ with urea and intravenous oxytocin (Strauss et al.), 260
Laparoscopy, use of, to determine microbiologic etiology of acute salpingitis (Sweet et al.), 68
Lecithin/sphingomyelin ratio(s), lidocaine interference in (Clague and McGeary), 229 (Comm. in brief)
and tests of optical density at 400 and 650 nm, comparison of: Assessment of fetal lung maturity (Spellacy et al.), 528
value of, in diabetes: Critical review (Lowensohn and Gabbe), 702
Legal and social issues in medical genetics (Turner, Hayashi, and Pogoloff), 83 (Current developments)
Legionnaires' disease and pregnancy, association of (Baker and Philips), 227 (Comm. in brief)
Leiomyoma of fallopian tube: Cause of tubal pregnancy (Moore, Waxman, and Udoffia), 101 (Comm. in brief)
Leiomyosarcoma, uterine (Hannigan and Gomez), 557
Leukocyte phagocytosis, human polymorphonuclear, in pregnancy (Persellin and Thoi), 250
Lidocaine interference in lecithin/sphingomyelin ratios (Clague and McGeary), 229 (Comm. in brief)
relationship of fetal bradycardia to maternal administration of, in sheep (Morishima et al.), 289
Life, quality of, for gynecologic oncology patient (Newton), 866
span, platelet, in pregnancies resulting in small–for–gestational age infants (Wallenburg and van Kessel), 739
Ligation, bilateral internal iliac artery, in cervical pregnancy: Conservation of reproductive function (Nelson), 145
tubal, by colpotomy incision (Whitaker), 885
Lightning, fetal death at term due to (Guha-Ray), 103 (Comm. in brief)
Lipotropin, beta, endorphin residues of, in hormone, do reinforce reproductive functions (Kimball), 127
cholesterol, decreased high-density, increased platelet aggregation and, in women on oral contraceptives (Bierenbaum et al.), 638
Load, maternal glucose, effect of, on fetal activity (Aladjem et al.), 276
Loading test, dehydroepiandrosterone. III. Possible placental function test (Pupkin et al.), 281
Lung maturity, fetal, assessment of: Comparison of lecithin/sphingomyelin ratio and tests of optical density at 400 and 650 nm (Spellacy et al.), 528
Luteal phase defects, unsuspected subclinical pregnancies in patients with (Cline), 438
Luteinizing hormone–releasing hormone and clomiphene, effect of dexamethasone on gonadotropin responsiveness to, in women with secondary amenorrhea (Sowers and Fayez), 325
diagnostic significance of double-stimulation tests with, and peripheral steroid-gonadotropin interactions in polycystic ovarian disease (Moltz et al.), 813
levels in human plasma: Radioimmunoassay method (Aksel and Glass), 619
Lymphangiography, pretreatment, and operative evaluation in carcinoma of cervix (Lagasse et al.), 219

Lymphocyte reaction, mixed, suppression of, by progesterone and estradiol-17β (Kobayashi et al.), 255

M

Magnesium sulfate and betamethasone administration, pulmonary edema associated with (Elliott et al.), 717 (Comm. in brief)
treatment, effects of, on perinatal calcium metabolism. I. Maternal and fetal responses (Cruikshank et al.), 243
Malignancy, gynecologic, determinant factor in patients undergoing pelvic irradiation for: Correlation between retinal and pelvic vascular status (van Nagell et al.), 551
Maternal administration of lidocaine, relationship of fetal bradycardia to, in sheep (Morishima et al.), 289
and amniotic fluid steroids throughout human pregnancy (Nagamani et al.), 674
deaths associated with postpartum vulvar edema (Ewing, Smale, and Elliott), 173
and fetal renin activity and renin and big renin concentrations in second-trimester pregnancy (Franks and Hayashi), 20
responses, I. Effects of magnesium sulfate treatment on perinatal calcium metabolism (Cruikshank et al.), 243
glucose load, effect of, on fetal activity (Aladjem et al.), 276
plasma, effect of stress during labor on concentration of cortisol and estriol in (Maltau, Eielsen, and Stokke), 681
stress, acute, reduced uterine blood flow and fetal hypoxemia with: Experimental observation in pregnant baboon (Morishima, Yeh, and James), 270
transport: Behind drama (Souma), 904
one-way: Evolving concept (Boehm and Haire), 484
Maturation, pulmonary, in fetal rabbit, effects of prolactin on (van Petten and Bridges), 711
Maturity, fetal lung, assessment of: Comparison of lecithin/sphingomyelin ratio and tests of optical density at 400 and 650 nm (Spellacy et al.), 528
Medical College of Georgia, report of safety and accuracy of midtrimester amniocentesis at: Eight and one half years' experience (Manganiello et al.), 911
genetics, legal and social issues in (Turner, Hayashi, and Pogoloff), 83
Mellitus, diabetes, pregnancy complicated by, in private practice: Review of ten years (Corwin), 156
Membrane(s) disease, hyaline, antenatal prediction of graduated risk of, by amniotic fluid foam test for surfactant (Schlueter et al.), 761
premature rupture of: Conservative approach (Kappy et al.), 655
prematurely ruptured, and fetal immunoglobulin production, relationship between (Cederqvist et al.), 784
Menopause, clinically diagnosed premature, identification of differing etiologies of (Board et al.), 936
Menstrual aspiration, office termination of pregnancy by (Hale et al.), 213
cycle, normal, lower esophageal sphincter pressure during (Van Thiel, Gavaler, and Stremple), 64
function, pituitary reserves, and prolactin production following microsurgical removal, II. Prolactin-secreting pituitary adenomas in women (Keye et al.), 360
Metabolic fate of ^{3}H-epinephrine in central and peripheral regions during late pregnancy, influence of hypophysectomy, adrenalectomy, progesterone, oxytocin, and estradiol on (Parvez, Raza-Bukhari, and Ismahan), 13
variables, endocrine and, in postmenopausal women with endometrial carcinoma, study of (Lucas and Yen), 180
Metabolism, perinatal calcium, effects of magnesium sulfate treatment on. I. Maternal and fetal responses (Cruikshank et al.), 243
Metastatic breast cancer, study of secretory component in patients with (Puleo et al.), 899
Methergine-induced uterine tetany treated with epinephrine: Case report (Wong and Paul), 602 (Comm. in brief)
Methyl ergonovine, ovum transport in women treated with (Guiloff et al.), 321
Microadenomas, prolactin-secreting, surgical treatment of (Wiebe, Kramer, and Hammond), 49
Microbiologic etiology of acute salpingitis, use of laparoscopy to determine (Sweet et al.), 68
Microsurgical removal, menstrual function, pituitary reserves, and prolactin production following, II. Prolactin-secreting pituitary adenomas in women (Keye et al.), 360
Midtrimester abortions induced by intra-amniotic prostaglandin $F_{2\alpha}$ with urea and intravenous oxytocin, laminaria use in (Strauss et al.), 260
Midtrimester—Cont'd
amniocentesis, report of safety and accuracy of, at Medical College of Georgia: Eight and one half years' experience (Manganiello et al.), 911
Mixed lymphocyte reaction, suppression of, by progesterone and estradiol-17β (Kobayashi et al.), 255
Model, primate, for study of endometrium, baboon as (Dollar et al.), 305
Monitoring intrapartum fetal, controlled trial of differential effects of (Haverkamp et al.), 399
Mosaicism 45,X/46,XX/47,XXX, sex chromosomal, induction of ovulation and pregnancy in woman with (Gemzell and Solish), 599 (Comm. in brief)
Motility of human myometrium in vivo: Intramural versus transcervical recording (Coutinho et al.), 801
Movements, fetal breathing, in uncomplicated pregnancies. I. Relationship to gestational age (Fox, Inglis, and Steinbrecher), 544
Mucus, cervical, early studies on rheology of (Clift), 829 (Classic pages)
Myometrium, human, motility of, in vivo: Intramural versus transcervical recording (Coutinho et al.), 801
Myxometra, benign obstructive: Report of case (Honoré), 847 (Comm. in brief)

N

Naproxen sodium in uterine pain following intrauterine contraceptive device insertion (Buttram, Izu, and Henzl), 575
Natural family planning, randomized prospective study of use-effectiveness of two methods of: Interim report (Wade et al.), 628
Nephropathy, estriol determinations in diabetic pregnancies complicated by (Rothchild et al.), 772
Nevus, benign blue, of uterine cervix (Majmudar, Ross, and Gorelkin), 600 (Comm. in brief)
Newborn, tiny, delivery of (Haesslein and Goodlin), 192
Nipple, bilateral Paget's disease of: Case report (Anderson), 877
Nonoral contraceptive users, oral and, abnormalities among offspring of (Ortiz-Pérez et al.), 512
Nonstress test: Acceleration/constant ratio, II. Antepartum fetal testing (Barrada, Edwards, and Hakanson), 538
for antepartum assessment of fetal reserve (Lee and Drukker), 460

O

Obstetric(s)-gynecologic clinic, outpatient, screening for alcohol-related problems in (Russell and Bigler), 4
and gynecology clerkship, evaluating student performance in (Stenchever, O'Toole, and Irby), 235
clinic, private, social problems of women patients in (Barton, Harvey, and Barton), 477
Obstruction, fetal intestinal, spurious elevation of amniotic fluid bilirubin in acute hydramnios with (Wynn and Schreiner), 105 (Comm. in brief
Obstructive myxometra, benign: Report of case (Honoré), 847 (Comm. in brief)
Office termination of pregnancy by "menstrual aspiration" (Hale et al.), 213
Offspring of oral and nonoral contraceptive users, abnormalities among (Ortiz-Pérez et al.), 512
Oncology patient, gynecologic, quality of life for (Newton), 866
Operation, completed pelvic, improved survival following abdominopelvic irradiation in patients with: Ovarian carcinoma (Dembo et al.), 793
Operative evaluation, pretreatment lymphangiography and, in carcinoma of cervix (Lagasse et al.), 219
Optical density at 400 and 650 nm, tests of, comparison of lecithin/sphingomyelin ratio and: Assessment of fetal lung maturity (Spellacy et al.), 528
Oral contraceptive(s), increased platelet aggregation and decreased high-density lipoprotein cholesterol in women on (Bierenbaum et al.), 638
optimum dosage of (Lawson et al.), 315
steroids, effects of, on serum hexosaminidase activity, IV. Human hexosaminidase isozymes (Nitowsky et al.), 642
and nonoral contraceptive users, abnormalities among offspring of (Ortiz-Pérez et al.), 512
Osler's compass, points of (Lippard), 854
Outpatient obstetric-gynecologic clinic, screening for alcohol-related problems in (Russell and Bigler), 4

Ovarian carcinoma: Improved survival following abdominopelvic irradiation in patients with completed pelvic operation (Dembo et al.), 793
cysts, recurrent symptomatic functional, syndrome characterized by, in young women (Stone and Swartz), 310
disease, polycystic, peripheral steroid-gonadotropin interactions and diagnostic significance of double-stimulation tests with luteinizing hormone–releasing hormone in (Moltz et al.), 813
hyperandrogenism with normal and abnormal histologic findings of ovaries (Kim et al.), 445
refractoriness to gonadotropin, pregnancy-associated: Myth (diZerega and Hodgen), 819 (Current investigation)
tissues, normal and polycystic, endocrine studies of, in vitro (Wilson et al.), 56
tumor, unusual case of (Bambirra and Tafuri), 346 (Comm. in brief)
Ovary(ies), identical twins with twisted benign cystic teratoma of ovary (Brown), 879
ovarian hyperandrogenism with normal and abnormal histologic findings of (Kim et al.), 445
Ovulation, induction of, and pregnancy in woman with sex chromosomal mosaicism 45,X/46,XX/47,XXX (Gemzell and Solish), 599 (Comm. in brief)
Ovum transport in women treated with methyl ergonovine (Guiloff et al.), 321
Oxytocin challenge test, I. Antepartum fetal testing (Barrada, Edwards, and Hakanson), 532
estradiol, hypophysectomy, adrenalectomy, and progesterone, influence of, on metabolic fate of ^{3}H-epinephrine in central and peripheral regions during late pregnancy (Parvez, Raza-Bukhari, and Ismahan), 13
intravenous, urea and, laminaria use in midtrimester abortions induced by intra-amniotic prostaglandin $F_{2\alpha}$ with (Strauss et al.), 260

P

Pacific Coast Obstetrical and Gynecological Society, transactions, forty-fifth annual meeting, 115-224
Paget's disease, bilateral, of nipple: Case report (Anderson), 877
Pain, chronic pelvic, psychological aspects of, in women (Renaer et al.), 75
uterine, following intrauterine contraceptive device insertion, naproxen sodium in (Buttram, Izu, and Henzl), 575
Patterns, heart rate, and tissue pH, relationship of, in human fetus (Young, Katz, and Klein), 685
Pelvic operation, completed, improved survival following abdominopelvic irradiation in patients with: Ovarian carcinoma (Dembo et al.), 793
pain, chronic, psychological aspects of, in women (Renaer et al.), 75
vascular status, retinal and, correlation between: Determinant factor in patients undergoing pelvic irradiation for gynecologic malignancy (van Nagell et al.), 551
"Pelvis, frozen," tuberculous peritonitis and endometritis mimicking (Freedman, Coleman, and Blasco), 719 (Comm. in brief)
Penicillin-gentamicin, comparison of clindamycin-gentamicin and, in treatment of post–cesarean section endomyometritis (diZerega et al.), 238
Perinatal calcium metabolism, effects of magnesium sulfate treatment on, I. Maternal and fetal responses (Cruikshank et al.), 243
deaths in twin pregnancy (Medearis et al.), 413
Peritonitis and endometritis, tuberculosis, mimicking "frozen pelvis" (Freedman, Coleman, and Blasco), 719 (Comm. in brief)
pH, tissue, heart rate patterns and, relationship of, in human fetus (Young, Katz, and Klein), 685
Phagocytosis, human polymorphonuclear leukocyte. in pregnancy (Persellin and Thoi), 250
Pharmacologic cardioversion, attempted—Fetal tachycardia prior to development of hydrops: Case report (Klein, Holzman, and Austin), 347 (Comm. in brief)
Pituitary adenomas, prolactin-secreting, in women. II. Menstrual function, pituitary reserves, and prolactin production following microsurgical removal (Keye et al.), 360
-hypothalamic function and radiographic evaluation of women with hyperprolactinemia and "empty" sella turcica (Haney et al.), 917
responses to high concentrations of gonadal steroids in three-month-old infant with feminizing gonadal stromal tumor (Buchanan et al.), 648
Pituitary—Cont'd
tumors, galactorrhea and, in postpill and non-postpill secondary amenorrhea (March et al.). 45
Placental endocrine function, evaluation of, and changes in coagulation parameters: Induction of labor following intrauterine death with intra-amniotic hyperosmolar urea and prostaglandin $F_{2\alpha}$ (Sher), 493
function test, possible, III. Dehydroepiandrosterone loading test (Pupkin et al.), 281
Planning, natural family, randomized prospective study of use-effectiveness of two methods of: Interim report (Wade et al.), 628
Plasma fibrinolytic enzyme function and blood coagulation, influence of pregnancy upon (Fletcher, Alkjaersig, and Burstein), 743
human, and amniotic fluid, 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ concentrations in (Ghodgaonkar et al.), 265
luteinizing hormone–releasing hormone levels in: Radioimmunoassay method (Aksel and Glass), 619
maternal, effect of stress during labor on concentration of cortisol and estriol in (Maltau, Eielsen, and Stokke), 681
prolactin concentration, elevated, in cholestasis of pregnancy (Ranta et al.), 1
of women wearing intrauterine progesterone contraceptive system, human chorionic gonadotropin β-subunit–like immunoreactive material in (Orloff et al.), 632
Platelet aggregation, increased, and decreased high-density lipoprotein cholesterol in women on oral contraceptives (Bierenbaum et al.), 638
life span in pregnancies resulting in small–for–gestational age infants (Wallenburg and van Kessel), 739
Po_2, fetal, continuous variability of, in chronically catheterized fetal sheep (Jansen et al.), 776
Points of Osler's compass (Lippard), 854
Polycystic ovarian disease, peripheral steroid-gonadotropin interactions and diagnostic significance of double-stimulation tests with luteinizing hormone–releasing hormone in (Moltz et al.), 813
tissues, normal and, endocrine studies of, in vitro (Wilson et al.), 56
Polymorphonuclear leukocyte phagocytosis, human, in pregnancy (Persellin and Thoi), 250
Polypeptide, vasoactive intestinal, in tissues of human female reproductive tract (Goodnough et al.), 579 (Current investigation)
Postmenopausal women with endometrial carcinoma, study of endocrine and metabolic variables in (Lucas and Yen), 180
Postpartum lactation suppression, effect of chlorotrianisene as, on blood coagulation factors (Niebyl et al.), 518
uterine inversion, correction of, by application of intravaginal hydrostatic pressure (Sher), 601 (Comm. in brief)
vulvar edema, maternal deaths associated with (Ewing, Smale, and Elliott), 173
Postpill and non-postpill secondary amenorrhea, galactorrhea and pituitary tumors in (March et al.), 45
Prediction, antenatal, of graduated risk of hyaline membrane disease by amniotic fluid foam test for surfactant (Schlueter et al.), 761
Pregnancy(ies)-associated ovarian refractoriness to gonadotropin: Myth (diZerega and Hodgen), 819 (Current investigation)
association of Legionnaires' disease and (Baker and Philips), 227 (Comm. in brief)
cervical, bilateral internal iliac artery ligation in: Conservation of reproductive function (Nelson), 145
combined, ultrasonic detection of (Kurzel), 100 (Comm. in brief)
complicated by diabetes mellitus in private practice: Review of ten years (Corwin), 156
complications of, sexual behavior and response in relation to (Perkins), 498
diabetic, complicated by nephropathy, estriol determinations in Rothchild et al.), 772
early, demonstration of immunoreactive somatostatin-like substance in villi and decidua in (Kumasaka et al.), 39
ectopic: Current clinical trends (Kitchin et al.), 870
effect of, on cervical squamocolumnar junction in patients with abnormal cervical cytology (Ostergard), 759
evaluation of abnormal cervical cytology during, with colposcopy (Ostergard and Nieberg), 756
human, maternal and amniotic fluid steroids throughout (Nagamani et al.), 674

Pregnancy (pregnancies)—Cont'd
polymorphonuclear leukocyte phagocytosis in (Persellin and Thoi), 250
induction of ovulation and, in woman with sex chromosomal mosaicism 45,X/46,XX/47,XXX (Gemzell and Solish), 599 (Comm. in brief)
influence of, upon blood coaqulation and plasma fibrinolytic enzyme function (Fletcher, Alkjaersig, and Burstein), 743
and labor, autonomic hyperreflexia in: Case report (Nath, Vivian, and Cherny), 390
late, effect of dexamethasone on prolactin secretion in (Kauppila, Puukka, and Tuimala), 752
influence of hypophysectomy, adrenalectomy, progesterone, oxytocin, and estradiol on metabolic fate of ^{3}H-epinephrine in central and peripheral regions during (Parvez, Raza-Bukhari, and Ismahan), 13
normal and abnormal, radioreceptor assay for human chorionic gonadotropin in: Clinical evaluation (Lorenz, Work, and Menon), 471
I. Short-term cycles in human fetal activity (Granat et al.), 696
office termination of, by "menstrual aspiration" (Hale et al.), 213
prolonged, management of: Results of prospective randomized trial (Knox, Huddleston, and Flowers), 376
resulting in small–for–gestational age infants, platelet life span in (Wallenburg and van Kessel), 739
second-trimester, maternal and fetal renin activity and renin and big renin concentrations in (Franks and Hayashi), 20
-specific" beta-1 glycoprotein, human fibroblasts produce, in vitro (Rosen et al.), 734
thalassemia and: Results of antenatal screening program (Alger, Golbus, and Laros), 662
tubal, cause of: Leiomyoma of fallopian tube (Moore, Waxman, and Udoffia), 101 (Comm. in brief)
twin, bed rest in: Identification of critical period and its cost implications (Powers and Miller), 23
perinatal deaths in (Medearis et al.), 413
uncomplicated, fetal breathing movements in. I. Relationship to gestational age (Fox, Inglis, and Steinbrecher), 544
unsuspected subclinical, in patients with luteal phase defects (Cline), 438
in woman with xanthinuria: Study of amniotic fluid uric acid (Curiel and Bandinelli), 721 (Comm. in brief)
Pregnant baboon, experimental observation in: Reduced uterine blood flow and fetal hypoxemia with acute maternal stress (Morishima, Yeh, and James), 270
sickle cell disease patients, transfusion therapy in, 851 (Editorial)
Preinduction use of laminaria for unripe cervix (Lackritz, Gibson, and Frigoletto), 349 (Comm. in brief)
Premature menopause, clinically diagnosed, identification of differing etiologies of (Board et al.), 936
rupture of membranes: Conservative approach (Kappy et al.), 655
Prematurely ruptured membranes and fetal immunoglobulin production, relationship between (Cederqvist et al.), 784
Prenatal diagnosis of sacrococcygeal teratoma (Horger and McCarter), 228 (Comm. in brief)
of Tay-Sachs disease: Studies on reliability of hexosaminidase levels in amniotic fluid (Grebner and Jackson), 547
Pressure, intravaginal hydrostatic, correction of postpartum uterine inversion by application of (Sher), 601 (Communication in brief)
lower esophageal sphincter, during normal menstrual cycle (Van Thiel, Gavaler, and Stremple), 64
Preterm labor, induction of, in rat by antiprogesterone (Csapo and Resch), 823 (Current investigation)
Pretreatment lymphangiography and operative evaluation in carcinoma of cervix (Lagasse et al.), 219
Prevention of respiratory distress syndrome, role of glucocorticoids, unstressful labor, and atraumatic delivery in (Quirk et al.), 768
Previa, vasa (Pent), 151
Private obstetrics and gynecology clinic, social problems of women patients in (Barton, Harvey, and Barton), 477
practice, pregnancy complicated by diabetes mellitus in: Review of ten years (Corwin), 156
Progesterone contraceptive system, intrauterine, human chorionic gonadotropin β-subunit–like immunoreactive material in plasma of women wearing (Orloff et al.), 632
and estradiol-17β, suppression of mixed lymphocyte reaction by (Kobayashi et al.), 255
Progesterone—Cont'd
oxytocin, estradiol, hypophysectomy, and adrenalectomy, influence of, on metabolic fate of ^{3}H-epinephrine in central and peripheral regions during late pregnancy (Parvez, Raza-Bukhari, and Ismahan), 13
topical, further observations on effect of, on vulvar disease (Jasionowski and Jasionowski), 565
Prolactin concentration, elevated plasma, in cholestasis of pregnancy (Ranta et al.), 1
effects of, on pulmonary maturation in fetal rabbit (Van Petten and Bridges), 711
-secreting microadenomas, surgical treatment of (Wiebe, Kramer, and Hammond), 49
pituitary adenomas in women. II. Menstrual function, pituitary reserves, and prolactin production following microsurgical removal (Keye et al.), 360
secretion in late pregnancy, effect of dexamethasone on (Kauppila, Puukka, and Tuimala), 752
Prolonged pregnancy, management of: Results of prospective randomized trial (Knox, Huddleston, and Flowers), 376
Prophylactic antibiotics, efficacy of, in cesarean section (Gall), 506
Prophylaxis, perioperative cephalosporin, in cesarean section: Effect of endometritis in high-risk patient (Kreutner et al.), 925
Prostaglandin E_2 suppositories, vaginal, uterine rupture with use of (Sandler et al.), 348 (Comm. in brief)
$F_{2\alpha}$, 13,14-dihydro-15-keto-, concentrations in human plasma and amniotic fluid (Ghodgaonkar et al.), 265
intra-amniotic hyperosmolar urea and, induction of labor following intrauterine death with: Evaluation of placental endocrine function and changes in coagulation parameters (Sher), 493
with urea and intravenous oxytocin, laminaria use in midtrimester abortions induced by (Strauss et al.), 260
Psychological aspects of chronic pelvic pain in women (Renaer et al.), 75
Pulmonary edema associated with magnesium sulfate and betamethasone administration (Elliott et al.), 717 (Comm. in brief)
maturation in fetal rabbit, effects of prolactin on (Van Petten and Bridges), 711

Q

Quality of life for gynecologic oncology patient (Newton), 866

R

Radical hysterectomy: Critical review of twenty-two years' experience (Underwood et al.), 889
Radiographic evaluation and hypothalamic-pituitary function of women with hyperprolactinemia and "empty" sella turcica (Haney et al.), 917
Radioimmunoassay method: Luteinizing hormone–releasing hormone levels in human plasma (Aksel and Glass), 619
Radioreceptor assay for human chorionic gonadotropin in normal and abnormal pregnancies: Clinical evaluation (Lorenz, Work, and Menon), 471
Rate acceleration, fetal heart, in labor: Excellent prognostic indicator (Powell, Melville, and MacKenna), 36
fetal heart, acceleration of (Wood, Walker, and Yardley), 523
patterns, heart, and tissue pH, relationship of, in human fetus (Young, Katz, and Klein), 685
variability, fetal heart: Approach to automated assessment (Huey et al.), 691
Ratio(s), acceleration/constant: Nonstress test, II. Antepartum fetal testing (Barrada, Edwards, and Hakanson), 538
lecithin/sphingomyelin, lidocaine interference in (Clague and McGeary), 229 (Comm. in brief)
and tests of optical density at 400 and 650 nm, comparison of: Assessment of fetal lung maturity (Spellacy et al.), 528
value of, in diabetes: Critical review (Lowensohn and Gabbe), 702
Receptors, female sex hormone, and their importance in clinical practice (Taylor), 385
Recording, intramural versus transcervical: Motility of human myometrium in vivo (Coutinho et al.), 801
Recurrent symptomatic functional ovarian cysts, syndrome characterized by, in young women (Stone and Swartz), 310
Refractoriness, ovarian, to gonadotropin, pregnancy-associated: Myth (diZerega and Hodgen), 819 (Current investigation)

Regeneration, human endometrial, studies on cytodynamics of. III. In vitro short-term incubation historadioautography (Ferenczy, Bertrand, and Gelfand), 297
Releasing hormone, luteinizing hormone–, and clomiphene, effect of dexamethasone on gonadotropin responsiveness to, in women with secondary amenorrhea (Sowers and Fayez), 325
diagnostic significance of double-stimulation tests with, and peripheral steroid-gonadotropin interactions in polycystic ovarian disease (Moltz et al.), 813
levels in human plasma: Radioimmunoassay method (Aksel and Glass), 619
thyrotropin-, and thyroid hormones in amniotic fluid (Morley et al.), 581 (Current investigation)
Renin activity and renin and big renin concentrations, maternal and fetal, in second-trimester pregnancy (Franks and Hayashi), 20
Reproductive function(s), conservation of: Bilateral internal iliac artery ligation in cervical pregnancy (Nelson), 145
do endorphin residues of beta lipotropin in hormone reinforce (Kimball), 127
tract, human female, vasoactive intestinal polypeptide in tissues of (Goodnough et al.), 579 (Current investigation)
Reserve, fetal, nonstress test for antepartum assessment of (Lee and Drukker), 460
Respiratory distress syndrome, role of glucocorticoids, unstressful labor, and atraumatic delivery in prevention of (Quirk et al.), 768
Retardation, intrauterine growth, value of diagnostic ultrasound as screening test for: Comparison of nine parameters (Wittmann et al.), 30
Retinal and pelvic vascular status, correlation between: Determinant factor in patients undergoing pelvic irradiation for gynecologic malignancy (van Nagell et al.), 551
Rheology of cervical mucus, early studies on (Clift), 829 (Classic pages)
Risk(s), graduated, of hyaline membrane disease, antenatal prediction of, by amniotic fluid foam test for surfactant (Schlueter et al.), 761
high-, patient, effect of endometritis in: Perioperative cephalosporin prophylaxis in cesarean section (Kreutner et al.), 925
trends, and indications: Ten-year review of hysterectomies (Amirikia and Evans), 431
Rupture, premature, of membranes: Conservative approach (Kappy et al.), 655
uterine, with use of vaginal prostaglandin E_2 suppositories (Sandler et al.), 348 (Comm. in brief)
Ruptured membranes, prematurely, and fetal immunoglobulin production, relationship between (Cederqvist et al.), 784

S

Sac, human chorioamniotic, deformation and creep in (Lavery and Miller), 366
Sachs, Tay-, disease, prenatal diagnosis of: Studies on reliability of hexosaminidase levels in amniotic fluid (Grebner and Jackson), 547
Sacrococcygeal teratoma, prenatal diagnosis of (Horger and McCarter), 228 (Comm. in brief)
Safety and accuracy of midtrimester amniocentesis, report of, at Medical College of Georgia: Eight and one half years' experience (Manganiello et al.), 911
Salpingitis, acute, use of laparoscopy to determine microbiologic etiology of (Sweet et al.), 68
Screening for alcohol-related problems in outpatient obstetric-gynecologic clinic (Russell and Bigler), 4
of diethylstilbestrol-exposed population, six years' experience with (Mangan et al.), 860
program, antenatal, results of: Thalassemia and pregnancy (Alger, Golbus, and Laros), 662
test for intrauterine growth retardation, value of diagnostic ultrasound as: Comparison of nine parameters (Wittmann et al.), 30
Second-trimester pregnancy, maternal and fetal renin activity and renin and big renin concentrations in (Franks and Hayashi), 20
Secondary amenorrhea, effect of dexamethasone on gonadotropin responsiveness to luteinizing hormone–releasing hormone and clomiphene in women with (Sowers and Fayez), 325
postpill and non-postpill, galactorrhea and pituitary tumors in (March et al.), 45
Secreting, prolactin-, microadenomas, surgical treatment of (Wiebe, Kramer, and Hammond), 49
pituitary adenomas in women. II. Menstrual function, pituitary reserves, and prolactin production following microsurgical removal (Keye et al.) 360
Secretion, prolactin, in late pregnancy, effect of dexamethasone on (Kauppila, Puukka, and Tuimala), 752
Secretory component, study of, in patients with metastatic breast cancer (Puleo et al.), 899
Section, cesarean, efficacy of prophylactic antibiotics in (Gall), 506
perioperative cephalosporin prophylaxis in: Effect on endometritis in high-risk patient (Kreutner et al.), 925
vaginal breech delivery or (Lewis and Seneviratne), 615 (Clinical opinion)
post–cesarean, endomyometritis, comparison of clindamycin-gentamicin and penicillin-gentamicin in treatment of (diZerega et al.), 238
Sella turcica, "empty," and hyperprolactinemia, hypothalamic-pituitary function and radiographic evaluation of women with (Haney et al.), 917
Serum hexosaminidase activity, effects of oral contraceptive steroids on, IV. Human hexosaminidase isozymes (Nitowsky et al.), 642
Sex chromosomal mosaicism 45,X/46,XX/47,XXX, induction of ovulation and pregnancy in women with (Gemzell and Solish), 599 (Comm. in brief)
hormone receptors, female, and their importance in clinical practice (Taylor), 385
Sexual behavior and response in relation to complications of pregnancy (Perkins), 498
Shedding, asymptomatic cervicovaginal, of herpes simplex virus (Ekwo, Wong, and Myers), 102 (Comm. in brief)
Shock, endotoxin, in beagle dog (Morris et al.) 120
Sickle cell disease patients, pregnant, transfusion therapy in, 851 (Editorial)
Simplex virus, herpes, asymptomatic cervicovaginal shedding of (Ekwo, Wong, and Myers), 102 (Comm. in brief)
Situ, carcinoma in, severe dysplasia and, of vagina (Oliver), 133
Small–for–gestational age infants, platelet life span in pregnancies resulting in (Wallenburg and van Kessel), 739
Social issues, legal and, in medical genetics (Turner, Hayashi, and Pogoloff), 83 (Current developments)
problems of women patients in private obstetrics and gynecology clinic (Barton, Harvey, and Barton), 477
Sodium, naproxen, in uterine pain following intrauterine contraceptive device insertion (Buttram, Izu, and Henzl), 575
Somatostatin-like substance, immunoreactive, in villi and decidua, demonstration of, in early pregnancy (Kumasaka et al.), 39
Sphincter pressure, lower esophageal, during normal menstrual cycle (Van Thiel, Gavaler, and Stremple), 64
Sphingomyelin, lecithin/, ratio(s), lidocaine interference in (Clague and McGeary), 229 (Comm. in brief)
and tests of optical density at 400 and 650 nm, comparison of: Assessment of fetal lung maturity (Spellacy et al.), 528
value of, in diabetes: Critical review (Lowensohn and Gabbe), 702
Squamocolumnar junction, cervical, effect of pregnancy on, in patients with abnormal cervical cytology (Ostergard), 759
Squamous carcinoma of vulva: Results of treatment, 1938 to 1976 (Benedet et al.), 201
cell cancer, Stage I, of vulva (Magrina et al.), 453
Stability, amniotic fluid foam, –50 percent test, performance of (Sher et al.), 705
Stage I squamous cell cancer of vulva (Magrina et al.), 453
Steroid(s), gonadal, hypothalamic-pituitary responses to high concentrations of, in three-month-old infant with feminizing gonadal stromal tumor (Buchanan et al.), 648
-gonadotropin interactions, peripheral, and diagnostic significance of double-stimulation tests with luteinizing hormone–releasing hormone in polycystic ovarian disease (Moltz et al.), 813
maternal and amniotic fluid, throughout human pregnancy (Nagamani et al.), 674
oral contraceptive, effects of, on serum hexosaminidase activity, IV. Human hexosaminidase isozymes (Nitowsky et al.), 642
Stimulation tests, double-, with luteinizing hormone–releasing hormone, diagnostic significance of, and peripheral steroid-gonadotropin interactions in polycystic ovarian disease (Moltz et al.), 813

Stress, acute maternal, reduced uterine blood flow and fetal hypoxemia with: Experimental observation in pregnant baboon (Morishima, Yeh. and James), 270
during labor, effect of, on concentration of cortisol and estriol in maternal plasma (Maltau, Eielsen, and Stokke), 681
Stromal tumor, feminizing gonadal, hypothalamic-pituitary responses to high concentrations of gonadal steroids in three-month-old infant with (Buchanan et al.), 648
Student performance in obstetrics and gynecology clerkship, evaluating (Stenchever, O'Toole, and Irby), 235
Subclinical pregnancies, unsuspected, in patients with luteal phase defects (Cline), 438
Subunit, β-, –like immunoreactive material, human chorionic gonadotropin, in plasma of women wearing intrauterine progesterone contraceptive system (Orloff et al.), 632
Successors, our (Dignam), 115
Sulfate, magnesium, and betamethasone administration, pulmonary edema associated with (Elliott et al.), 717 (Comm. in brief)
treatment, effects of, on perinatal calcium metabolism. I. Maternal and fetal responses (Cruikshank et al.), 243
Suppositories, vaginal prostaglandin E_2, uterine rupture with use of (Sandler et al.), 348 (Comm. in brief)
Surfactant, amniotic fluid foam test for, antenatal prediction of graduated risk of hyaline membrane disease by (Schlueter et al.), 761
Surgery, amnion in, past and present (Trelford and Trelford-Sauder), 833 (Current developments)
Surgical treatment of prolactin-secreting microadenomas (Wiebe, Kramer, and Hammond), 49
Survival, improved, following abdominopelvic irradiation in patients with completed pelvic operation: Ovarian carcinoma (Dembo et al.), 793
Symptoms, urinary incontinence, in women, urodynamic analysis of (Drutz and Mandel), 789
Syndrome characterized by recurrent symptomatic functional ovarian cysts in young women (Stone and Swartz), 310
respiratory distress, role of glucocorticoids, unstressful labor, and atraumatic delivery in prevention of (Quirk et al.), 768

T

T, Copper, intrauterine contraceptive device, comparison of three different models of (Roy et al.), 568
Tachycardia, fetal, prior to development of hydrops—Attempted pharmacologic cardioversion: Case report (Klein, Holzman, and Austin), 347 (Comm. in brief)
Tay-Sachs disease, prenatal diagnosis of: Studies on reliability of hexosaminidase levels in amniotic fluid (Grebner and Jackson), 547
Teratoma, sacrococcygeal, prenatal diagnosis of (Horger and McCarter), 228 (Comm. in brief)
twisted benign cystic, of ovary, identical twins with (Brown), 879
Term, fetal death at, due to lightning (Guha-Ray), 103 (Comm. in brief)
Termination, office, of pregnancy by "menstrual aspiration" (Hale et al.), 213
Test(s), amniotic fluid foam stability–50 percent, performance of (Sher et al.), 705
for surfactant, antenatal prediction of graduated risk of hyaline membrane disease by (Schlueter et al.), 761
dehydroepiandrosterone loading. III. Possible placental function test (Pupkin et al.), 281
double-stimulation, with luteinizing hormone–releasing hormone, diagnostic significance of, and peripheral steroid-gonadotropin interactions in polycystic ovarian disease (Moltz et al.), 813
nonstress: Acceleration/constant ratio, II. Antepartum fetal testing (Barrada, Edwards, and Hakanson), 538
for antepartum assessment of fetal reserve (Lee and Drukker), 460
of optical density at 400 and 650 nm, comparison of lecithin/ sphingomyelin ratio and: Assessment of fetal lung maturity (Spellacy et al.), 528
oxytocin challenge, I. Antepartum fetal testing (Barrada, Edwards, and Hakanson), 532
screening, for intrauterine growth retardation, value of diagnostic ultrasound as: Comparison of nine parameters (Wittmann et al.), 30
Testing, antepartum fetal. I. Oxytocin challenge test (Barrada, Edwards, and Hakanson), 538
Testing, antepartum fetal—Cont'd
II. Acceleration/constant ratio: Nonstress test (Barrada, Edwards, and Hakanson), 538
Tetany, methergine-induced uterine, treated with epinephrine: Case report (Wong and Paul), 602 (Comm. in brief)
Thalassemia and pregnancy: Results of antenatal screening program (Alger, Golbus, and Laros), 662
Therapy, transfusion, in pregnant sickle cell disease patients, 851 (Editorial)
Thyroid hormones, thyrotropin-releasing hormone and, in amniotic fluid (Morley et al.), 581 (Current investigation)
Thyrotropin-releasing hormone and thyroid hormones in amniotic fluid (Morley et al.), 581 (Current investigation)
Time (Goddard), 355
Tiny newborn, delivery of (Haesslein and Goodlin), 192
Tissue(s) of human female reproductive tract, vasoactive intestinal polypeptide in (Goodnough et al.), 579 (Current investigation)
normal human, presence in: Human chorionic gonadotropin–like material (Yoshimoto et al.), 729
and polycystic ovarian, endocrine studies of, in vitro (Wilson et al.), 56
pH, heart rate patterns and, relationship of, in human fetus (Young, Katz, and Klein), 685
Topical progesterone, further observations on effect of, on vulvar disease (Jasionowski and Jasionowski), 565
Transactions, forty-fifth annual meeting, Pacific Coast Obstetrical and Gynecological Society, 115-224
forty-sixth annual meeting, Central Association of Obstetricians and Gynecologists, 355-492
Transcervical versus intramural recording: Motility of human myometrium in vivo (Coutinho et al.), 801
Transfusion therapy in pregnant sickle cell disease patients, 851 (Editorial)
Transport, maternal: Behind drama (Souma), 904
one-way maternal: Evolving concept (Boehm and Haire), 484
Treated with epinephrine, methergine-induced uterine tetany: Case report (Wong and Paul), 602 (Comm. in brief)
with methyl ergonovine, ovum transport in women (Guiloff et al.), 321
Treatment, magnesium sulfate, effects of, on perinatal calcium metabolism. I. Maternal and fetal responses (Cruikshank et al.), 243
of post–cesarean section endomyometritis, comparison of clindamycin-gentamicin and penicillin-gentamicin in (diZerega et al.), 238
results of, 1938 to 1976: Squamous carcinoma of vulva (Benedet et al.), 201
surgical, of prolactin-secreting microadenomas (Wiebe, Kramer, and Hammond), 49
Trends, current clinical: Ectopic pregnancy (Kitchin et al.), 870
Trimester, second-, pregnancy, maternal and fetal renin activity and renin and big renin concentrations in (Franks and Hayashi), 20
Tubal ligation by colpotomy incision (Whitaker), 885
pregnancy, cause of: Leiomyoma of fallopian tube (Moore, Waxman, and Udoffia), 101 (Comm. in brief)
Tube, fallopian, leiomyoma of: Cause of tubal pregnancy (Moore, Waxman, and Udoffia), 101 (Comm. in brief)
partial atresia of, and bicornuate uterus (Farber and Mitchell), 881
Tuberculous peritonitis and endometritis mimicking "frozen pelvis" (Freedman, Coleman, and Blasco), 719 (Comm. in brief)
Tumor(s), feminizing gonadal stromal, hypothalamic-pituitary responses to high concentrations of gonadal steroids in three-month-old infant with (Buchanan et al.), 648
ovarian, unusual case of (Bambirra and Tafuri), 346 (Comm. in brief)
pituitary, galactorrhea and, in postpill and non-postpill secondary amenorrhea (March et al.), 45
Twin(s), identical, with twisted benign cystic teratoma of ovary (Brown), 879
pregnancy, bed rest in: Identification of critical period and its cost implications (Powers and Miller), 23
perinatal deaths in (Medearis et al.), 413

U

Ultrasonic detection of combined pregnancies (Kurzel), 100 (Comm. in brief)
evaluation of fetal heart (Yamaguchi and Lee), 422

Ultrasound in diagnosis of congenital anomalies (Hobbins et al.) , 331 (Current developments)
diagnostic, value of, as screening test for intrauterine growth retardation: Comparison of nine parameters (Wittmann et al.), 30
Unripe cervix, preinduction use of laminaria for (Lackritz, Gibson, and Frigoletto), 349 (Comm. in brief)
Urea, intra-amniotic hyperosmolar, and prostaglandin $F_{2\alpha}$, induction of labor following intrauterine death with: Evaluation of placental endocrine function and changes in coagulation parameters (Sher), 493
and intravenous oxytocin, laminaria use in midtrimester abortions induced by intra-amniotic prostaglandin $F_{2\alpha}$ with (Strauss et al.), 260
Uric acid, amniotic fluid, study of: Pregnancy in women with xanthinuria (Curiel and Bandinelli), 721 (Comm. in brief)
Urinary incontinence symptoms in women, urodynamic analysis of (Drutz and Mandel), 789
tract endometriosis: Enigmas in diagnosis and management (Moore et al.), 162
Urodynamic analysis of urinary incontinence symptoms in women (Drutz and Mandel), 789
Urography, intravenous, prior to abdominal hysterectomy for gynecologic disease, value of (Sack), 208
Uterine blood flow, reduced, and fetal hypoxemia with acute maternal stress: Experimental observation in pregnant baboon (Morishima, Yeh, and James), 270
cervix, benign blue nevus of (Majmudar, Ross, and Gorelkin), 600 (Comm. in brief)
inversion, postpartum, correction of, by application of intravaginal hydrostatic pressure (Sher), 601 (Comm. in brief)
leiomyosarcoma (Hannigan and Gomez), 557
pain following intrauterine contraceptive device insertion, naproxen sodium in (Buttram, Izu, and Henzl), 575
rupture with use of vaginal prostaglandin E_2 suppositories (Sandler et al.), 348 (Comm. in brief)
tetany, methergine-induced, treated with epinephrine: Case report (Wong and Paul), 602 (Comm. in brief)
Uterus, bicornuate, and partial atresia of fallopian tube (Farber and Mitchell), 881

V

Vagina, severe dysplasia and carcinoma in situ of (Oliver), 133
Vaginal breech delivery or cesarean section (Lewis and Seneviratne), 615 (Clinical opinion)
prostaglandin E_2 suppositories, uterine rupture with use of (Sandler et al.), 348 (Comm. in brief)
Vaginitis, chronic *Candida*, cellular and humoral immune status in women with (Syverson et al.), 624
Vasa previa (Pent), 151
Vascular status, retinal and pelvic, correlation between: Determinant factor in patients undergoing pelvic irradiation for gynecologic malignancy (van Nagell et al.), 551
Vasoactive intestinal polypeptide in tissues of human female reproductive tract (Goodnough et al.), 579 (Current investigation)
Villi and decidua in early pregnancy, demonstration of immunoreactive somatostatin-like substance in (Kumasaka et al.), 39
Virus, herpes simplex, asymptomatic cervicovaginal shedding of (Ekwo, Wong, and Myers), 102 (Comm. in brief)
Vulva, squamous carcinoma of: Results of treatment, 1938 to 1976 (Benedet et al.), 201
Stage I squamous cell cancer of (Magrina et al.), 453
Vulvar disease, further observations on effect of topical progesterone on (Jasionowski and Jasionowski), 565
edema, postpartum, maternal deaths associated with (Ewing, Smale, and Elliott), 173

X

Xanthinuria, pregnancy in women with: Study of amniotic fluid uric acid (Curiel and Bandinelli), 721 (Comm. in brief)

Y

Young women, syndrome characterized by recurrent symptomatic functional ovarian cysts in (Stone and Swartz), 310

Editors

Editors

JOHN I. BREWER, *Editor in Chief*

FREDERICK P. ZUSPAN, E. J. QUILLIGAN, *Editors*

ALBERT B. GERBIE, *Associate Editor*

HOWARD C. TAYLOR, JR., ALLAN C. BARNES, *Emeritus Editors*

Advisory committee on policy

David G. Anderson
C. D. Christian
Leo J. Dunn
David Figge
Fred T. Given
A. Brian Little
Lawrence D. Longo
Edgar L. Makowski
Roy T. Parker
J. C. G. Whetham

Board of corresponding editors

Oscar Aguero, *Caracas*
Frederick Kubli, *Heidelberg*
Pierre O. Hubinont, *Brussels*
Malcolm Symonds, *Nottingham*
Ichiro Taki, *Fukuoka*

Volume 135
September-December, 1979
The C. V. Mosby Company
St. Louis
1979

in addition to those listed on the front cover
the Journal is the official publication
of the following societies

NEW YORK OBSTETRICAL SOCIETY
OBSTETRICAL SOCIETY OF PHILADELPHIA
BROOKLYN GYNECOLOGICAL SOCIETY
ST. LOUIS GYNECOLOGICAL SOCIETY
NEW ORLEANS GYNECOLOGICAL AND OBSTETRICAL SOCIETY
THE OBSTETRICAL AND GYNECOLOGICAL SOCIETY OF MARYLAND
CHICAGO GYNECOLOGICAL SOCIETY
CINCINNATI OBSTETRICAL AND GYNECOLOGICAL SOCIETY
WASHINGTON GYNECOLOGICAL SOCIETY
PITTSBURGH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
BOSTON OBSTETRICAL SOCIETY
LOUISVILLE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SEATTLE GYNECOLOGICAL SOCIETY
ALABAMA ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
AKRON OBSTETRICAL AND GYNECOLOGICAL SOCIETY
KANSAS CITY GYNECOLOGICAL SOCIETY
CENTRAL NEW YORK ASSOCIATION OF GYNECOLOGISTS
AND OBSTETRICIANS
NEW JERSEY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
IOWA OBSTETRIC AND GYNECOLOGIC SOCIETY
THE TEXAS ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
OKLAHOMA CITY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
MEMPHIS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
UTAH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ROCHESTER OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ARKANSAS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
TENNESSEE STATE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
NEW YORK GYNECOLOGICAL SOCIETY
PACIFIC NORTHWEST OBSTETRICAL AND GYNECOLOGICAL ASSOCIATION
BUFFALO OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SAN FRANCISCO GYNECOLOGICAL SOCIETY
JACKSON GYNECIC SOCIETY
INDIANA OBSTETRICAL AND GYNECOLOGICAL SOCIETY
THE MINNESOTA OBSTETRICAL AND GYNECOLOGICAL SOCIETY

Volume 135
Copyright © 1979 by The C. V. Mosby Company
(All rights reserved)

Printed in the United States of America

Index to volume 135

Author index*

A

ABDEL-RAHMAN, HANY A. (*see* MOTOHASHI ET AL.), 89
ABELL, DAVID A. (*see* LONG, ABELL, and BEISCHER), 344
ADAM, A. H. (*see* HACKELÖER ET AL.), 122
ADCOCK, EUGENE W., III (*see* MORRISS ET AL.), 601
ADDISON, W. ALLEN (*see* PARKER, ADDISON, and WILSON), 843
AEDO A. R. (*see* LANGREN ET AL.), 480
AHOKAS, ROBERT A. (*see* DILTS and AHOKAS), 940
— and DILTS, P. V., JR. Cadmium uptake by the rat embryo as a function of gestational age, 219
AKSEL, SEZER. Luteinizing hormone–releasing hormone and the human menstrual cycle, 96
ALLEN, JOHN W. (*see* KOH ET AL.), 352
ALM, PER (*see* THORBERT ET AL.), 223
ALTMILLER, DALE H. (*see* ALTSHULER ET AL.), 261
ALTON, IRENE R. (*see* EDWARDS ET AL.), 297
ALTSHULER, GEOFFREY, KROUS, HENRY F., ALTMILLER, DALE H., and SHARPE, GEORGE L. Premature onset of labor, neonatal patent ductus arteriosus, and prostaglandin synthetase antagonists—A rat model of a human problem, 261
ANDERSON, DENNIS (*see* WHITTLE ET AL.), 764
ANDREASSEN, B., HUTH, J., and TYSON, J. E. Plasma thyrotropin-releasing hormone, prolactin, thyrotropin, and thyroxine concentrations following the intravenous or oral administration of thyrotropin-releasing hormone, 737
APPELBAUM, PETER C., ROSS, SAMUEL M., DHUPELIA, INDIRA, and NAEYE, RICHARD L. The effect of diet supplementation and addition of zinc in vitro on the growth-supporting property of amniotic fluid in African women, 82
APUZZIO, JOSEPH (*see* PELOSI ET AL.), 1009
ARAKI, TSUNEO (*see* YAMASHITA ET AL.), 597
ARIAS, FERNANDO (*see* DIAZ-ZAGOYA, WIEST, and ARIAS), 809
ARTAL, RAUL, GLATZ, THEODORE H., LAM, ROBERT, NATHANIELSZ, PETER W., and HOBEL, CALVIN J. The effect of acute maternal hemorrhage on the release of catecholamines in the pregnant ewe and the fetus, 818
ASCH, RICARDO H., FERNANDEZ, EMILIO O., SILER-KHODR, THERESA M., and PAUERSTEIN, CARL J. Presence of a human chorionic gonadotropin–like substance in human sperm, 1041
ATIENZA, MILAGROS F. (*see* COHEN ET AL.), 452
AYCOCK, NANCY R., and JOLLIE, WILLIAM P. Ultrastructural effects of estrogen replacement on postmenopausal endometrium, 461

B

BAHR, JOHN P. (*see* FRIEDRICH, BURCH, and BAHR), 1036
BAILEY, PENHRYN (*see* HUSZAR and BAILEY), 707, 718
BAKER, DAVID A. (*see* GUMP, HORTON, and BAKER), 429
BAKKETEIG, LEIV S., HOFFMAN, HOWARD J., and HARLEY, ERNEST E. The tendency to repeat gestational age and birth weight in successive births, 1086
BAMJI, MAHTAB S. (*see* RAM and BAMJI), 470
BARBARANI, V. (*see* ROVERSI ET AL.), 567
BARIAS, MAGDALENA (*see* SUSSMANN, BARIAS, and COLLI), 156
BARLOW, JOSEPH J. (*see* PIVER ET AL.), 377
BARRADA, M. ISMAIL (*see* EDWARDS ET AL.), 297
BARRIER, G. (*see* PREDINE ET AL.), 1104
BATES, HAMPTON R. Hydramnios and the fetal lung: A selective review, 154
BAXI, LAXMI V., PETRIE, ROY H., and JAMES, STANLEY L. Human fetal oxygenation following paracervical block, 1109 (Current investigation)
BEAN, J. A. (*see* WALLACE ET AL.), 1021
BECK, LEE R., COWSAR, DONALD R., LEWIS, DANNY H., GIBSON, JOHN W., and FLOWERS, CHARLES E., JR. New long-acting injectable microcapsule contraceptive system, 419
BECK, NEIL F. G. (*see* LOWE ET AL.), 773
BECK, PAUL (*see* KATZ, BECK, and TANCER), 544
BECKER, HENNING (*see* SIPPELL ET AL.), 530
BEIGGS, GERALD G. (*see* BODENDORFER, BEIGGS, and GUNNING), 490
BEISCHER, NORMAN A. (*see* LONG, ABELL, and BEISCHER), 344
BELL, M. E. ADELINE (*see* BURNS, CURRY, and BELL), 109
BENEDETTI, THOMAS J., and CARLSON, RICHARD W. Studies of colloid osmotic pressure in pregnancy-induced hypertension, 308
BENNETT, M. J., SOLYMAR, M., and TURNBULL, A. C. Pregnancies associated with low maternal serum alpha-fetoprotein concentrations, 545 (Comm. in brief)
BEREK, JONATHAN S., and STUBBLEFIELD, PHILLIP G. Anatomic and clinical correlates of uterine perforation, 181
— (*see* STUBBLEFIELD ET AL.), 199
BESCH, PAIGE K. (*see* GIBBONS ET AL.), 799
BIDLINGMATER, FRANK (*see* SIPPELL ET AL.), 530
BILLIAR, REINHART B. (*see* LITTLE ET AL.), 957
BIRK, S. A. (*see* SPELLACY, BIRK, and BUHI), 230
— (*see* SPELLACY ET AL.), 917
BISSONNETTE, JOHN M., JOHNSON, KATHERINE, and TOOMEY, CHRISTINE. The role of a trial of labor with a positive contraction stress test, 292
BJELLIN, LIEF (*see* MÅRTENSSON ET AL.), 318
BJÖRKLUND, ANDERS B. (*see* THORBERT ET AL.), 223
BLAND, RICHARD D., BRESSACK, MICHAEL A., and MCMILLAN, DOUGLAS D. Labor decreases the lung water content of newborn rabbits, 364
BODENDORFER, THOMAS W., BEIGGS, GERALD G., and GUNNING, JOHN E. Obtaining drug exposure histories during pregnancy, 490
BOICE, CHARLES (*see* FLESH ET AL.), 402
BONGAARTS, JOHN (*see* DELGADO ET AL.), 303
BORTEN, MAX (*see* STUBBLEFIELD ET AL.), 199
BOWES, CHRISTINE (*see* BOWES ET AL.), 965
BOWES, WATSON A., JR., TAYLOR, E. STEWART, O'BRIEN, MILDRED, and BOWES, CHRISTINE. Breech delivery: Evaluation of the method of delivery on perinatal results and maternal morbidity, 965
BRACKEN, MICHAEL B. (*see* HACHAMOVITCH, BRACKEN, and SIMONS), 327
BRAUNSTEIN, GLENN D. (*see* REITER ET AL.), 227
BRAZZELL, JOHN W. (*see* TEGENKAMP ET AL.), 427
BRESSACK, MICHAEL A. (*see* BLAND, BRESSACK, and MCMILLAN), 364
BREWER, JOHN (*see* MACARON ET AL.), 499
BRINEMAN, ELENA (*see* DELGADO ET AL.), 303
BUCHANAN, G. C. (*see* PRUYN, PHELAN, and BUCHANAN), 485
BUHI, W. C. (*see* SPELLACY, BIRK, and BUHI), 230
— (*see* SPELLACY ET AL.), 917
BURCH, KIM (*see* FRIEDRICH, BURCH, and BAHR), 1036
BURKMAN, RONALD T. (*see* LONDON and BURKMAN), 1113
— (*see* COHEN ET AL.), 452
BURNS, BRUCE, CURRY, R. HUGH, and BELL, M. E. ADELINE. Morphologic features of prognostic significance in uterine smooth muscle tumors: A review of eighty-four cases, 109
BURRY, KENNETH (*see* HEINRICHS ET AL.), 974
BUTTRAM, VEASY C. (*see* GIBBONS ET AL.), 799

C

CALANOG, ANTONIO (*see* SALL ET AL.), 442
CARLSON, RICHARD W. (*see* BENEDETTI and CARLSON), 308
CARNEY, F. EDWARD, JR. (*see* HUDDLESTON ET AL.), 609
CARR, R. F. (*see* GOLDSTEIN ET AL.), 622
CARTER, ANTHONY M. (*see* MÅRTENSSON ET AL.), 318
CASPER, R. F., (*see* SHEEN, CASPER, and YEN), 759
CATES, WILLARD, JR. (*see* GRIMES ET AL.), 1030
CHALLIS, JOHN (*see* PATRICK ET AL.), 791
CHAN, K. K. (*see* THOM, CHAN, and STUDD), 495
CHAN, W. Y., DAWOOD, M. YUSOFF, and FUCHS, FRITZ. Relief of dysmenorrhea with the prostaglandin synthetase inhibitor ibuprofen: Effect on prostaglandin levels in menstrual fluid, 102
CHANG, R. JEFFREY (*see* MELDRUM ET AL), 713
CHASE, GWENDOLYN (*see* CUNNINGHAM and PRITCHARD), 994
CHENG, H. F. (*see* LARSEN, CHENG, and GALASK), 14
CHEZ, RONALD A. (*see* RAMSEY, CHEZ, and DOPPMAN), 247
CHI, I-CHENG, and COLE, LYNDA PAINTER. Incidence of pain among women undergoing laparoscopic sterilization by electrocoagulation, the spring-loaded clip, and the tubal ring, 397
CHIK, LAWRENCE (*see* HERTZ ET AL.), 152
CHUNG, A. F., PHILLIPS, L. L., and LEVINE, G. Coagulation studies of patients taking low-dose heparin during and after major gynecologic surgery, 1025
CLARK, DOROTHY J. (*see* GARDNER ET AL.), 1062
CLOGSTON, CURT P. (*see* SEITCHIK ET AL.), 562
COHEN, BARRY A., BURKMAN, RONALD T., ROSENSHEIN, NEIL B., ATIENZA, MILAGROS F., KING, THEODORE M., and PARMLEY, TIM H. Gestational trophoblastic disease within an elective abortion population, 452
COLE, LYNDA PAINTER (*see* CHI and COLE), 397
COLE, PHILIP (*see* HERBST ET AL.), 876
COLLI, WILLIAM (*see* SUSSMANN, BARIAS, and COLLI), 156

*September 1, 1-170; September 15, 171-286; October 1, 287-436; October 15, 437-552; November 1, 553-706; November 15, 707-822; December 1, 823-1004; December 15, 1005-1144.

COPANS, STUART A. (*see* STANDLEY, SOULE, and COPANS), 22
COPELAND, STEPHEN J. (*see* VAN GEIJN ET AL.), 743
COPELAND, WILLIAM, JR. Rapid assessment of fetal pulmonary maturity, 1048
CORLETT, ROBERT C., JR. (*see* FLESH ET AL.), 402
COUTTS, J. R. T. (*see* HACKELÖER ET AL.), 122
COWSAR, DONALD R. (*see* BECK ET AL.), 419
CREASMAN, WILLIAM (*see* SALL ET AL.), 647
CROFT, BARBARA Y. (*see* HARBERT, CROFT, and SPISSO), 828
CRUZ, A. C. (*see* SPELLACY ET AL.), 917
CRUZ, AMELIA (*see* KELLNER ET AL.), 507
CUNNINGHAM, F. GARY, and PRITCHARD, JACK A. Prophylactic transfusion of normal red blood cells during pregnancies complicated by sickle cell hemoglobinopathies, 994
CURET, LUIS B., OLSON, RONALD W., SCHNEIDER, JACK M., and ZACHMAN, RICHARD D. Effect of diabetes mellitus on amniotic fluid lecithin/sphingomyelin ratio and respiratory distress syndrome, 10
CURRY, R. HUGH (*see* BURNS, CURRY, and BELL), 109

D

DAIKOKU, NORMAN H., TYSON, JOHN E., GRAF, CLAUDIA, SCOTT, RACHEL, SMITH, BEVERLY, JOHNSON, JOHN W. C., and KING, THEODORE M. The relative significance of human placental lactogen in the diagnosis of retarded fetal growth, 516
DANZLER, GREG (*see* MANNING ET AL.), 71
DAVAJAN, VAL (*see* MARRS ET AL.), 467
DAVIS, NANCY (*see* ZUSPAN and DAVIS), 1012
DAWOOD, M. YUSOFF (*see* CHAN, DAWOOD, and FUCHS), 102
DAY, THOMAS G. (*see* SMITH and DAY), 984
DELGADO, HERNÁN, BRINEMAN, ELENA, LECHTIG, AARON, BONGAARTS, JOHN, MARTORELL, REYNALDO, and KLEIN, ROBERT E. Effect of maternal nutritional status and infant supplementation during lactation on postpartum amenorrhea, 303
DEPP, RICHARD (*see* ESCARCENA, MCKINNEY, and DEPP), 615
DEVOE, LAWRENCE D., and TAYLOR, ROGER L. Systemic lupus erythematosus in pregnancy, 473
DHUPELIA, INDIRA (*see* APPELBAUM ET AL.), 82
DIAZ-ZAGOYA, JUAN C., WIEST, WALTER G., and ARIAS, FERNANDO. Metabolism of progesterone by placentas from several mammalian species in vitro, 809
DICZFALUSY, E. (*see* LANGREN ET AL.), 480
DIERKER, LEROY J., JR. (*see* HERTZ ET AL.), 152
DILTS, PRESTON V., JR., and AHOKAS, ROBERT A. Effects of dietary lead and zinc on pregnancy, 940
— (*see* AHOKAS and DILTS), 219
DISAIA, PHILIP J., and RICH, WILLIAM M. Value of immune monitoring in gynecologic cancer patients receiving immunotherapy, 907
— (*see* SALL ET AL.), 647
DOPPMAN, JOHN L. (*see* RAMSEY, CHEZ, and DOPPMAN), 247
DÖRR, HELMUT G. (*see* SIPPELL ET AL.), 530
DOUGLAS, B. (*see* HAGER ET AL.), 680
DRUZIN, MAURICE L. (*see* PLATT ET AL.), 1115
DUENHOELTER, JOHANN H. (*see* LEVENO ET AL.), 727

E

EDWARDS, LAURA E., ALTON, IRENE R., BARRADA, M. ISMAIL, and HAKANSON, ERICK Y. Pregnancy in the underweight woman, 297
EL-DAMARAWY, H. (*see* TOPPOZADA ET AL.), 581
EL-ZIADI, L. (*see* TOPPOZADA ET AL.), 581
EMBREY, M. P. (*see* LAUERSEN, MACKENZIE, and EMBREY), 1057
ERHARD, PENNY (*see* KUHNERT ET AL.), 331
ERICSON, ANDERS, KÄLLÉN, BENGT, and WESTERHOLM, PETER. Cigarette smoking as an etiologic factor in cleft lip and palate, 348
ESCARCENA, LUIS, MCKINNEY, R. D., and DEPP, RICHARD. Fetal baseline heart rate variability estimation. I. Comparison of clinical and stochastic quantification techniques, 615
EVANS, TOMMY N. A prospectus, 823
EVERETT, R. B. (*see* PARKER ET AL.), 778
EVERTSON, LARRY R. (*see* PLATT ET AL.), 1115

F

FAMUYIWA, OLUFUNSHO (*see* MACARON ET AL.), 499
FELIX, A. (*see* GOLDSTEIN ET AL.), 622
FENOGLIO, CECILIA M. (*see* MARTIN ET AL.), 429
FERNANDEZ, EMILIO O. (*see* ASCH ET AL.), 1041
FINN, ANN E. (*see* WILSON ET AL.), 215
FLEMING, R. (*see* HACKELÖER ET AL.), 122
FLESH, GEORGE, WEINER, JOHN M., CORLETT, ROBERT C., JR., BOICE, CHARLES, MISHELL, DANIEL R., and WOLF, ROSALIE M. The intrauterine contraceptive device and acute salpingitis, 402
FLETCHER, JOHN C. Prenatal diagnosis of the hemoglobinopathies: Ethical issues, 53
FLOWERS, CHARLES E., JR. (*see* BECK ET AL.), 419
— (*see* HUDDLESTON ET AL.), 609
FOECKING, M. K. (*see* MINTON ET AL.), 157
FORSYTHE, ALAN (*see* HOBEL, YOUKELES, and FORSYTHE), 1051
FRANCO, JOSÉ GONÇALVES, JR. (*see* PARENTE ET AL.), 586
FREDERIKSEN, MARILYNN C. (*see* STUBBLEFIELD ET AL.), 199
FRICCHIONE, DONALD (*see* PELOSI ET AL.), 1009
FRIED, ANDREW M. Hydronephrosis of pregnancy: Ultrasonographic study and classification of asymptomatic women, 1066
FRIEDMAN, WILLIAM F. (*see* HOSKINS, KIRKPATRICK, and FRIEDMAN), 543
FRIEDRICH, EDUARD G., JR., BURCH, KIM, and BAHR, JOHN P. The Vulvar Clinic: An eight-year appraisal, 1036
FRUMAR, ANTHONY M. (*see* MELDRUM ET AL.), 713
FUCHS, FRITZ (*see* CHAN, DAWOOD, and FUCHS), 102

G

GALASK, R. P. (*see* LARSEN, CHENG, and GALASK), 14
GALLANT, JANICE (*see* MANN and GALLANT), 437
GALLERY, E. D. M., and GYÖRY, A. Z., with the technical assistance of LISSNER, DIANNE, and TIMBS, SISTER RUTH. Urinary concentration, white blood cell excretion, acid excretion, and acid-base status in normal pregnancy: Alterations in pregnancy-associated hypertension, 27
GALLION, H., VAN NAGELL, J. R., JR., POWELL, D. F., and HANSON, M. Therapy of endothermal sinus tumor of the ovary, 447
GAMARRA, MARIA (*see* PIVER ET AL.), 377
GANT, N. F. (*see* PARKER ET AL.), 778
GARDNER, HERMAN L. Herpes genitalis: Our most important venereal disease, 553 (Clinical opinion)
GARDNER, SUSAN E., YOW, MARTHA D., LEEDS, LEROY J., THOMPSON, PETER K., MASON, EDWARD O., JR., and CLARK, DOROTHY J. Failure of penicillin to eradicate group B streptococcal colonization in the pregnant woman, 1062
GARGIULO, M. (*see* ROVERSI ET AL.), 567
GATTER, MARY A. (*see* STUBBLEFIELD ET AL.), 199
GAUTHIER, ROBERT J. (*see* PLATT ET AL.), 1115
GAZIANO, EMANUEL P. A study of variable decelerations in association with other heart rate patterns during monitored labor, 360
GEDER, LASZLO (*see* GORODECKI ET AL.), 671
GHONEIM, A. (*see* TOPPOZADA ET AL.), 581
GIBBONS, WILLIAM E., BUTTRAM, VEASY C., BESCH, PAIGE K., and SMITH, ROY G. Estrogen-binding proteins in the human postmenopausal uterus, 799
GIBBS, C. E. (*see* SEITCHIK ET AL.), 562
GIBSON, JOHN W. (*see* BECK ET AL.), 419
GILSTRAP, LARRY C. (*see* LEVENO ET AL.), 853
GLATZ, THEODORE H. (*see* ARTAL ET AL.), 818
GLUCK, LOUIS (*see* KULOVICH, HALLMAN, and GLUCK), 57
— (*see* OBLADEN, MERRITT, and GLUCK), 1079
GLUCKMAN, PETER D. (*see* LOWE ET AL.), 773
GOEBELSMANN, UWE (*see* WHITTLE ET AL.), 764
GOLDE, STEVEN H. (*see* STRASSNER ET AL.), 804
GOLDSMITH, L. T. (*see* QUAGLIARELLO ET AL.), 43
GOLDSMITH, SADJA (*see* KALTREIDER, GOLDSMITH, and MARGOLIS), 235
GOLDSTEIN, P. J., KRUMHOLZ, A., FELIX, J. K., SHANNON, D., and CARR, R. F. Brain stem–evoked response in neonates, 622
GORDON, ALAN G. (*see* HULKA ET AL.), 1016
GORODECKI, JUSTINE, MORTEL, RODRIGUE, LADDA, ROGER L., WARD, SAMUEL P., GEDER, LASZLO, and RAPP, FRED. Establishment and characterization of a new endometrial cancer cell line (SCRC-1), 671
GOWDA, VIJAYA V. (*see* PELOSI ET AL.), 1009
GRAF, CLAUDIA (*see* DAIKOKU ET AL.), 516
GREELEY, WILLIAM J., JR. (*see* MORRISS ET AL.), 601
GREENBERG, HARVEY (*see* SALL ET AL.), 442
GREENE, LEWIS JOLL (*see* PARENTE ET AL.), 586
GREILING, H. (*see* MAILLOT ET AL.), 503
GRIMES, DAVID A., SCHULZ, KENNETH F., CATES, WILLARD, JR., and TYLER, CARL W., JR. Local versus general anesthesia: Which is safer for performing suction curettage abortions, 1030
GROSS, THOMAS L. (*see* KUHNERT ET AL.), 331
GRUBIN, LOUIS (*see* OSBORNE, WRIGHT, and GRUBIN), 195
GRUMBACH, MELVIN M. (*see* LOWE ET AL.), 773
GUMP, DIETER W., HORTON, ELIZABETH L., and BAKER, DAVID A. Genital mycoplasmas and inhibitory substances in amniotic fluid: A negative result, 429 (Comm. in brief)
GUNNING, JOHN E. (*see* BODENDORFER, BEIGGS, and GUNNING), 490
GYÖRY, A. Z. (*see* GALLERY and GYÖRY), 27

H

HABIB, Y. A. (*see* TOPPOZADA ET AL.), 581

Hachamovitch, Moshe, Bracken, Michael B., and Simons, Harriette. Saline-instillation abortion with laminaria and megadose oxytocin, 327
Hackelöer, B. J., Fleming, R., Robinson, H. P., Adam, A. H., and Coutts, J. R. T. Correlation of ultrasonic and endocrinologic assessment of human follicular development, 122
Hadjigeorgiou, E., Kitsiou, S., Psaroudakis, A., Segos, C., Nicolopoulos, D., and Kaskarelis, D. Antepartum aminophylline treatment for prevention of the respiratory distress syndrome in premature infants, 257
Hagenfeldt, K. (*see* Langren et al.), 480
Hager, W. D., Douglas, B., Majmudar, B., Naib, Z. M., Williams, O. J., Ramsey, C., and Thomas, J. Pelvic colonization with Actinomyces in women using intrauterine contraceptive devices, 680
Hahn, Lennart, and Petruson, Björn. The influence of acetylsalicylic acid and paracetamol on menstrual blood loss in women with and without an intrauterine contraceptive device, 393
Hakanson, Erick Y. (*see* Edwards et al.), 297
Hallman, Mikko B. (*see* Kulovich, Hallman, and Gluck, 57
Halpern, Bernard (*see* Macaron et al.), 499
Hammond, Charles B., Wiebe, R. Herbert, Haney, Arthur F., and Yancy, Susan G. Ovulation induction with luteinizing hormone–releasing hormone in amenorrheic, infertile women, 924
— (*see* Soules, Tyrey, and Hammond), 384
— (*see* Soules et al.), 651
Haney, Arthur F. (*see* Hammond et al.), 924
Haning, Ray V., Jr. (*see* Speroff et al.), 896
Hanson, M. (*see* Gallion et al.), 447
Harbert, Guy M., Jr., Croft, Barbara Y., and Spisso, Kenneth R. Effects of biorhythms on blood flow distribution in the pregnant uterus (*Macaca mulatta*), 828
Harley, Ernest E. (*see* Bakketeig, Hoffman, and Harley), 1086
Harris, Harry (*see* Mulivor, Mennuti, and Harris), 77
Hasson, H. M. Electrocoagulation of pelvic endometriotic lesions with laparoscopic control, 115
Hauth, John C. (*see* Leveno et al.), 853
Heinrichs, W. LeRoy, Tabei, Toru, Kuwabara, Yoshinori. Burry, Kenneth, Resko, John, Petra, Philip, Shiller, Harvey, and Namkung, Pearl. Differentiation and regulation of peripheral androgen metabolism in rats and rhesus monkeys, 974
Heller, Paul (*see* Sall et al.), 442
Henzl, Milan R., Ortega-Herrera, Eduardo, Rodriguez, Consuela, and Izu, Allen. Anaprox in dysmenorrhea: Reduction of pain and intrauterine pressure, 455
Herbst, Arthur L., Cole, Philip, Norusis, Marija J., Welch, William R., and Scully, Robert E. Epidemiologic aspects and factors related to survival in 384 Registry cases of clear cell adenocarcinoma of the vagina and cervix, 876
Hershey, Douglas W., and Protas, Jacob M. Endometritis-parametritis simulating sigmoid carcinoma, 150 (Comm. in brief)
Hertz, Roger H., Timor-Tritsch, Ilan, Dierker, LeRoy J., Jr., Chik, Lawrence, and Rosen, Mortimer G. Continuous ultrasound and fetal movement, 152 (Comm. in brief)
Hibbard, Lester T. Corpus luteum surgery, 666
Hill, Lyndon M., Platt, Lawrence D., and Manning, Frank A. Immediate effect of amniocentesis on fetal breathing and gross body movements, 689 (Current investigation)
— (*see* Strassner et al.), 804
Hilliard, George D., Massey, Fred M., and O'Toole, Robert V., Jr. Vulvar neoplasia in the young, 185
Hingorani, V. (*see* Singh et al.), 409
Hobel, Calvin J., Youkeles, Lee, and Forsythe, Alan. Prenatal and intrapartum high-risk screening. II. Risk factors reassessed, 1051
— (*see* Artal et al.), 818
Hoffman, Howard J. (*see* Bakketeig, Hoffman, and Harley), 1086
Hohman, Wayne R. (*see* Shaw, Macaulay, and Hohman), 202
Holzmann, Kurt (*see* Sippell et al.), 530
Hon, Edward H. (*see* Koh et al.), 352
Horton, Elizabeth L. (*see* Gump, Horton, and Baker), 429
Hoskins, Edward J., Kirkpatrick Stanley E., and Friedman, William F. Pulmonary-aortic pressure gradients as index of caliber of fetal patent ductus arteriosus, 543 (Comm. in brief)
Howard, Wilbur F. (*see* Marrs et al.), 731
Hsueh, Green S. C. (*see* Scott and Hsueh), 663
Huddleston, John F., Sutliff, Gail, Carney, F. Edward, Jr., and Flowers, Charles E., Jr. Oxytocin challenge test for antepartum fetal assessment, 609
Huey, James R., Jr., and Miller, Frank C. The evaluation of uterine activity: A comparative analysis, 252
Hulka, Jaroslav F., Omran, Khairia, Lieberman, Brian A., and Gordon, Alan G. Laparoscopic sterilization with the spring clip: Instrumentation development and current clinical experience, 1016
Huszar, Gabor, and Bailey, Penhryn. Isolation and characterization of myosin in the human term placenta, 707
— and —. Relationship between actin-myosin interaction and myosin light chain phosphorylation in human placental smooth muscle, 718
Huth, J. (*see* Andreassen, Huth, and Tyson), 737

I

Iams, Jay D., (*see* Zuspan et al.), 287
Ichinoe, Kihyoe (*see* Yamashita et al.), 597
Izu, Allen (*see* Henzl et al.), 455

J

James, L. Stanley (*see* Baxi, Petrie, and James), 1109
Jassani, Majida (*see* Little et al.), 957
Jawad, M. Joe (*see* Wilson et al.), 215
Jelovsek, Frederick R. (*see* Soules et al.), 651
Jha, P. (*see* Singh et al.), 409
Jilek, Jiri (*see* Koh et al.), 352
Jiminez, Marcia Houdek, and Newton, Niles. Activity and work during pregnancy and the postpartum period: A cross-cultural study of 202 societies, 171 (Clinical opinion)
Johnson, Garry N., Palahniuk, Richard J., Tweed, W. Arnold, Jones, Malcolm V., and Wade, John G. Regional cerebral blood flow changes during severe fetal asphyxia produced by slow partial umbilical cord compression, 48
Johnson, John W. C. (*see* Daikoku et al.), 516
Johnson, Katherine (*see* Bissonnette, Johnson, and Toomey), 292
Jollie, William P. (*see* Aycock and Jollie), 461
Jones, Georgeanna S. (*see* Katayama et al.), 207
Jones, Howard W., Jr. (*see* Katayama et al.), 207
Jones, M. Douglas, Jr. (*see* Peeters et al.), 637
— (*see* Sheldon et al.), 1071
Jones, Malcolm V. (*see* Johnson et al.), 48
Jovanovic, Lois (*see* Peterson et al.), 85
Jovanovic, Radoslav (*see* Peterson et al.), 85
Ju, Kap-Soon (*see* Katayama et al.), 207
Judd, Howard L. (*see* Meldrum et al.), 713

K

Kalan, Gary (*see* Peterson et al.), 85
Källén, Bengt (*see* Ericson, Källén, and Westerholm), 348
Kalra, P. S. (*see* Spellacy et al.), 917
Kaltreider, Nancy B., Goldsmith, Sadja, and Margolis, Alan J. The impact of midtrimester abortion techniques on patients and staff, 235
Kampmann, Else-Marie (*see* Nielsen, Pedersen, and Kampmann), 322
Kaplan, Mark (*see* Tejani, Klein, and Kaplan), 547
Kaplan, Selna L. (*see* Lowe et al.), 773
Kaskarelis, D. (*see* Hadjigeorgiou et al.), 257
Kase, Nathan G. (*see* Speroff et al.), 896
Katayama, K. Paul, Ju, Kap-Soon, Manuel, May, Jones, Georgeanna S., and Jones, Howard W., Jr. Computer analysis of etiology and pregnancy rate in 636 cases of primary infertility, 207
Katz, M. (*see* Ohel and Katz), 149
Katz, Michael, Beck, Paul, and Tancer, M. Leon. Major vessel injury during laparoscopy: Anatomy of two cases, 544 (Comm. in brief)
Katz, Miriam (*see* Young et al.), 45
Kawada, Kiyoya (*see* Yoshioka et al.), 372
Kayman, Deborah J. (*see* Stubblefield et al.), 199
Keegan, Kirk A., Jr. (*see* Manning et al.), 511
— (*see* Platt et al.), 1115
Kellner, Kenneth R., Nelson, Robert M., Jr., Cruz, Amelia, and Spellacy, William N. An evaluation of a continuous tissue pH monitor in the fetal and neonatal goat, 507
— (*see* Spellacy et al.), 917
King, Robert L. Herpes simplex encephalitis in pregnancy, 1114 (Comm. in brief)
King, Theodore M. (*see* Cohen et al.), 452
— (*see* Daikoku et al.), 516
Kirkpatrick, Stanley (*see* Hoskins, Kirkpatrick, and Friedman), 543
Kitsiou, S. (*see* Hadjigeorgiou et al.), 257
Kittinger, George W. (*see* Walsh, Kittinger, and Novy), 37
Klein, Robert E. (*see* Delgado et al.), 303
Klein, S. Wayne (*see* Tejani, Klein, and Kaplan), 547
Klein, Steven A. (*see* Young et al.), 45
Kletzky, Oscar A. (*see* Marrs et al.), 467, 731

KOEPCKE, E. (*see* SEIDENSCHNUR and KOEPCKE), 312
KOH, KEE S., MONFARED, AMIR M.,MASDRAKIS, GEORGE B., ALLEN, JOHN W., KOYAL, SANKAR N., JILEK, JIRI, HON, EDWARD H., and LAU, FRANK. R–pulse wave timing: A technique for continuous cardiovascular monitoring in obstetrics—Preliminary report, 352
KOYAL, SANKAR N. (*see* KOH ET AL.), 352
KROUS, HENRY F. (*see* ALTSHULER ET AL.), 261
KRUMHOLZ, A. (*see* GOLDSTEIN ET AL.), 622
KUHNERT, BETTY R. (*see* KUHNERT ET AL.), 331
KUHNERT, PAUL M., ERHARD, PENNY, KUHNERT, BETTY R., SOKOL, ROBERT J., and GROSS, THOMAS L. A modified lecithin/sphingomyelin ratio test for fetal maturity, 331
KULOVICH, MARIE V., HALLMAN, MIKKO B., and GLUCK, LOUIS. The lung profile. I. Normal pregnancy, 57
KUWABARA, YOSHINORI (*see* HEINRICHS ET AL.), 974
KYNCL, MILOSLAVA (*see* MACARON ET AL.), 499

L

LABIDI, F. (*see* TEGENKAMP ET AL.), 427
LADDA, ROGER L. (*see* GORODECKI ET AL.), 671
LAM, ROBERT (*see* ARTAL ET AL.), 818
LANCE, J. STANLEY (*see* OLIVER and LANCE), 431
LANGREN, B. M., AEDO, A. R., HAGENFELDT, K., and DICZFALUSY, E. Clinical effects of orally administered extracts of *Montanoa tomentosa* in early human pregnancy, 480
LARSEN, BRYAN, CHENG, H. F., and GALASK, R. P. Bacterial growth inhibition by amniotic fluid. VIII. Evaluation of a radiometric bioassay for rapid, in vitro demonstration of phosphate-sensitive bacterial growth inhibitor in amniotic fluid, 14
LATOUR, JEAN-GILLES, and LEGER-GAUTHIER, CLAUDETTE. Prostaglandins in the pathogenesis of the generalized Shwartzman reaction, 577
LAU, FRANK (*see* KOH ET AL.), 352
LAUERSEN, N. H., MACKENZIE, I. A., and EMBREY, M. P. Preinduction cervical priming with oral prostaglandin E_2, 1057
—, SEIDMAN, STEVEN, and WILSON, KATHLEEN H. Cervical priming prior to first-trimester suction abortion with a single 15-methyl-prostaglandin $F_{2\alpha}$ vaginal suppository, 1116 (Comm. in brief)
LAUMAS, K. R. (*see* SINGH ET AL.), 409
LECHTIG, AARON (*see* DELGADO ET AL.), 303
LEDGER, WILLIAM J. (*see* PLATT, YONEKURA, and LEDGER), 814
LEEDS, LEROY J. (*see* GARDNER ET AL.), 1062
LEGER-GAUTHIER, CLAUDETTE (*see* LATOUR and LEGER-GAUTHIER), 577
LEUNG, LIM S. (*see* SEEDS ET AL.), 887
LEVENO, KENNETH J., HAUTH, JOHN C., GILSTRAP, LARRY C., III, and WHALLEY, PEGGY J. Appraisal of "rigid" blood glucose control during pregnancy in the overtly diabetic woman, 853
—, SANTOS-RAMOS, RIGOBERTO, DUENHOELTER JOHANN H., REISCH, JOAN S., and WHALLEY, PEGGY J. Sonar cephalometry in twins: A table of biparietal diameters for normal twin fetuses and a comparison with singletons, 727
LEVIN, RICHARD M. (*see* SPEROFF ET AL.), 896
LEVINE, G. (*see* CHUNG, PHILLIPS, and LEVINE), 1025
LEWIS, DANNY H. (*see* BECK ET AL.), 419
LI, MIN C. The historical background of successful chemotherapy for advanced gestational trophoblastic tumors, 266 (Classic pages)
LIEBERMAN, BRIAN A. (*see* HULKA ET AL.), 1016
LISSNER, DIANNE (*see* GALLERY and GYÖRY), 27
LITTLE, BRIAN, BILLIAR, REINHART B., LONGCOPE, CHRISTOPHER, and JASSANI, MAJIDA. Uterine metabolism of gonadal steroids during the menstrual cycle, 957
LONDON, ANDREW M., and BURKMAN, RONALD T. Tuboovarian abscess with associated rupture and fistula formation into the urinary bladder: Report of two cases, 1113 (Comm. in brief)
LONG, PETER A., ABELL, DAVID A., and BEISCHER, NORMAN A. Fetal growth and placental function assessed by urinary estriol excretion before the onset of pre-eclampsia, 344
LONGCOPE, CHRISTOPHER (*see* LITTLE ET AL.), 957
LOWE, KENNETH C., BECK, NEIL F. G., MCNAUGHTON, DENISE C., GLUCKMAN, PETER D., KAPLAN, SELNA L., GRUMBACH, MELVIN M., and NATHANIELSZ, PETER W. Effect of long-term bromocriptine infusion on plasma prolactin and ovine chorionic somatomammotropin in the pregnant ewe and fetal sheep, 773
LOWENSOHN, RICHARD I. (*see* WHITTLE ET AL.), 764

M

MAASKANT, BARBARA A. (*see* SEITCHIK ET AL.), 562
MACARON, CHAMEL, KYNCL, MILOSLAVA, FAMUYIWA, OLUFUNSHO, HALPERN, BERNARD, and BREWER, JOHN. In vitro effect of dopamine and pimozide on human chorionic gonadotropin secretion, 499
MACAULAY, LINDA K. (*see* SHAW, MACAULAY, and HOHMAN), 202
MCCARTNEY, WILLIAM H. (*see* PHOTOPULOS ET AL.), 381
MACKENZIE, I. A. (*see* LAUERSEN, MACKENZIE, and EMBREY), 1057
MCKINNEY, R. D. (*see* ESCARCENA, MCKINNEY, and DEPP), 615
MCMILLAN, DOUGLAS D. (*see* BLAND, BRESSACK, and MCMILLAN), 364
MCNAUGHTON, DENISE C. (*see* LOWE ET AL.), 773
MAILLOT, K. V., STUHLSATZ, H. W., MOHANARADHAKRISHNAN, V., and GREILING, H. Changes in the glycosaminoglycans distribution pattern in the human uterine cervix during pregnancy and labor, 503
MAJMUDAR, B. (*see* HAGER ET AL.), 680
MAKOTO, KURODA (*see* YAMASHITA ET AL.), 597
MAKOWSKI, EDGAR L. (*see* PEETERS ET AL.), 637
— (*see* SHELDON ET AL.), 1071
MANN, LEON I., and GALLANT, JANICE. Modern indications for cesarean section, 437 (Clinical opinion)
MANNING, FRANK A., MARTIN, CHESTER B., JR., MURATA, YUJI, MIYAKI, KAURU, and DANZLER, GREG. Breathing movements before death in the primate fetus (*Macaca mulatta*), 71
—, PLATT, LAWRENCE D., SIPOS, LOUISE, and KEEGAN, KIRK A., JR. Fetal breathing movements and the nonstress test in high-risk pregnancies, 511
— (*see* HILL, PLATT, and MANNING), 689
— (*see* PLATT ET AL.), 1115
— (*see* STRASSNER ET AL.), 804
MANUEL, MAY (*see* KATAYAMA ET AL.), 207
MARCH, CHARLES (*see* MARRS ET AL.), 467
MARGOLIS, ALAN J. (*see* KALTREIDER, GOLDSMITH, and MARGOLIS), 235
MARINI, A. (*see* ROVERSI ET AL.), 567
MARRS, RICHARD P., KLETZKY, OSCAR A., HOWARD, WILBUR F., and MISHELL, DANIEL R., JR. Disappearance of human chorionic gonadotropin and resumption of ovulation following abortion, 731
—, —, TEAL, JAMES, DAVAJAN, VAL, MARCH, CHARLES, and MISHELL, DANIEL R., JR. Comparison of serum prolactin, plain radiography, and hypocycloidal tomography of the sella turcica in patients with galactorrhea, 467
MÅRTENSSON, LENA, SJÖQUIST, PER-OVE B., BJELLIN. LIEF, and CARTER, ANTHONY M. Myoendothelial and placental blood flow responses to ritodrine infusion in the guinea pig, 318
MARTIN, CHESTER B., JR. (*see* MANNING ET AL.), 71
MARTIN, EVA, SCHOLES, JOHN, RICHART, RALPH M., and FENOGLIO, CECILIA M. Benign cystic teratoma of the uterus, 429 (Comm. in brief)
MARTINEZ, ALBERTO RAUL (*see* PARENTE ET AL.), 586
MARTORELL, REYNALDO (*see* DELGADO ET AL.), 303
MARYMOR, NEIL (*see* MOTOHASHI ET AL.), 89
MASDRAKIS, GEORGE B. (*see* KOH ET AL.), 352
MASLAR, ILA A., and RIDDICK, DANIEL H. Prolactin production by human endometrium during the normal menstrual cycle, 751
MASON, EDWARD O., JR. (*see* GARDNER ET AL.), 1062
MASON, RUBLE (*see* CUNNINGHAM and PRITCHARD), 994
MASSEY, FRED M. (*see* HILLIARD, MASSEY, and O'TOOLE), 185
MATTHEWS, R. H. (*see* MINTON ET AL.), 157
MEIRELLES, ROBERTO SALLES (*see* PARENTE ET AL.), 586
MELDRUM, DAVID R., SHAMONKI, ISSA M., FRUMAR, ANTHONY M., TATARYN, IVANNA V., CHANG, R. JEFFREY, and JUDD, HOWARD L. Elevations in skin temperature of the finger as an objective index of postmenopausal hot flashes: Standardization of the technique, 713
MENNUTI, MICHAEL T. (*see* MULIVOR, MENNUTI, and HARRIS), 77
MERCERON, L. (*see* PREDINE ET AL.), 1104
MERRITT, T. ALLEN (*see* OBLADEN, MERRITT, and GLUCK), 1079
MESCHIA, GIACOMO (*see* PEETERS ET AL.), 637
— (*see* SHELDON ET AL.), 1071
MESTMAN, JORGE H. (*see* WHITTLE ET AL.), 764
MICKAN, HARALD (*see* SIPPELL ET AL.), 530
MIKHAIL, GEORGE (*see* MOTOHASHI ET AL.), 89
MILGROM, E. (*see* PREDINE ET AL.), 1104
MILLER, FRANK C. (*see* HUEY and MILLER), 252
MINTON, J. P., FOECKING, M. K., WEBSTER, D. J. T., and MATTHEWS, R. H. Response of fibrocystic disease to caffeine withdrawal and correlation of cyclic nucleotides with breast disease, 157
MISHELL, DANIEL R. (*see* FLESH ET AL.), 402
— (*see* MARRS ET AL.), 467, 731
MITCHELL, EILEEN (*see* ROSENFELD and MITCHELL), 177
MIYAKI, KAURU (*see* MANNING ET AL.), 71
MOHANARADHAKRISHNAN, V. (*see* MAILLOT ET AL.), 503
MONFARED, AMIR M. (*see* KOH ET AL.), 352
MORI, MARIKO (*see* YOSHIOKA ET AL.), 372
MORRISS, FRANK H., JR., ADCOCK, EUGENE W., III, PAXSON, CHARLES L., JR., and GREELEY, WILLIAM J., JR. Uterine uptake of amino acids throughout gestation in the unstressed ewe, 601

Morrow, C. Paul (*see* Twiggs, Morrow, and Schlaerth), 189
— (*see* Sall et al.), 647
Mortel, Rodrigue (*see* Gorodecki et al.), 671
Mortel, Rodrique (*see* Sall et al.), 647
Mosley, Janet D. (*see* Steel, Mosley, and Smith), 522
Motohashi, Toru, Wu, Chung H., Abdel-Rahman, Hany A., Marymor, Neil, and Mikhail, George. Estrogen/androgen balance in health and disease, 89
Mulivor, Richard A., Mennuti, Michael T., and Harris, Harry. Origin of the alkaline phosphatases in amniotic fluid, 77
Murata, Yuji (*see* Manning et al.), 71
Murugesan, K. (*see* Singh et al.), 409

N

Nadler, Henry L., and Simpson, Joe Leigh. Maternal serum alpha-fetoprotein screening: Promise not yet fulfilled, 1 (Editorial)
Naeye, Richard L. Weight gain and the outcome of pregnancy, 3
— (*see* Appelbaum et al.), 82
Naib, Z. M. (*see* Hager et al.), 680
Namkung, Pearl (*see* Heinrichs et al.), 974
Natale, Renato (*see* Patrick et al.), 791
Nathanielsz, Peter W. (*see* Artal et al.), 818
— (*see* Lowe et al.), 773
Navarro De Román, Lydia I. (*see* Román-Campos et al.), 158
Nelson, Robert M., Jr. (*see* Kellner et al.), 507
Newton, Niles (*see* Jiminez and Newton), 171
Nicolini, U. (*see* Roversi et al.), 567
Nicolopoulos, D. (*see* Hadjigeorgiou et al.), 257
Nielsen, Peter Vest, Pedersen, Henning, and Kampmann, Else-Marie. Absence of human placental lactogen in an otherwise uneventful pregnancy, 322
Noda, Kiichiro (*see* Yajima and Noda), 685
Norusis, Marija J. (*see* Herbst et al.), 876
Novendstern, Joel. Prolapse of fallopian tube after abdominal hysterectomy, 1120 (Comm. in brief)
Novy, Miles J. (*see* Walsh, Kittinger, and Novy), 37
Nuwayhid, B. Hemodynamic changes during pregnancy in the rabbit, 590

O

Obladen, Michael, Merritt, T. Allen, and Gluck, Louis. Acceleration of pulmonary surfactant maturation in stressed pregnancies: A study of neonatal lung effluent, 1079
O'Brien, Mildred (*see* Bowes et al.), 965
Ohel, G., and Katz, M. Lactic dehydrogenase measurement in chronic ectopic pregnancy, 149 (Comm. in brief)
Oliver, Joseph A., and Lance, J. Stanley. Selective embolization to control massive hemorrhage following pelvic surgery, 431 (Comm. in brief)
Olson, Ronald W. (*see* Curet et al.), 10
Omran, Khairia (*see* Hulka et al.), 1016
Ortega-Herrera, Eduardo (*see* Henzl et al.), 455
Osborne, Newton G., Wright, Ralph C., and Grubin, Louis. Genital bacteriology: A comparative study of premenopausal women with postmenopausal women, 195
O'Shaughnessy, Richard, Russ, John, and Zuspan, Frederick P. Glycosylated hemoglobins and diabetes mellitus in pregnancy, 783
O'Toole, Robert V., Jr. (*see* Hilliard, Massey, and O'Toole), 185
Oulton, Margaret. The role of centrifugation in the measurement of surfactant in amniotic fluid, 337
Owman, Christer (*see* Thorbert et al.), 223

P

Palahniuk, Richard J. (*see* Johnson et al.), 48
Parente, Joaquim Vaz, Franco, José Gonçalves, Jr., Greene, Lewis Joll, Meirelles, Roberto Salles, and Martinez, Alberto Raul. Angiotensin-converting enzyme: Serum levels during normal pregnancy, 586
Parker, C. R., Jr., Everett, R. B., Quirk, J. G., Jr., Whalley, P. J., and Gant, N. F. Hormone production during pregnancy in the primigravid patient. I. Plasma levels of progesterone and 5α-pregnane-3,20-dione throughout pregnancy of normal women and women who developed pregnancy-induced hypertension, 779
Parker, Roy T., Addison, W. Allen, and Wilson, Christopher J. Fascia lata urethrovesical suspension for recurrent stress urinary incontinence, 843
Parmley, Tim H. (*see* Cohen et al.), 452
Patrick, John, Challis, John, Natale, Renato, and Richardson, Bryan. Circadian rhythms in maternal plasma cortisol, estrone, estradiol, and estriol at 34 to 35 weeks' gestation, 791
Pauerstein, Carl J. (*see* Asch et al.), 1041
Paul, Richard H. (*see* Whittle et al.), 764
Paulson, David F. (*see* Soules et al.), 651
Paxson, Charles L., Jr. (*see* Morriss et al.), 601
Pedersen, Henning (*see* Nielsen, Pedersen, and Kampmann), 322
Pedretti, E. (*see* Roversi et al.), 567
Peeters, Louis L. H., Sheldon, Roger E., Jones, M. Douglas, Jr., Makowski, L., and Meschia, Giacomo. Blood flow to fetal organs as a function of arterial oxygen content, 637
— (*see* Sheldon et al.), 1071
Pelosi, Marco Antonio, Apuzzio, Joseph, Fricchione, Donald, and Gowda, Vijaya V. The "intra-abdominal version technique" for delivery of transverse lie by low-segment cesarean section, 1009 (Clinical opinion)
Peneff, P. (*see* Roversi et al.), 567
Peterson, Charles M., Kalan, Gary, Jovanovic, Lois, and Jovanovic, Radoslav. Use of the minor hemoglobin ratio for the determination of gestational age, 85
Petra, Philip (*see* Heinrichs et al.), 974
Petrie, Roy H. (*see* Baxi, Petrie, and James), 1109
Petruson, Björn (*see* Hahn and Petruson), 393
Phelan, J. P. (*see* Pruyn, Phelan, and Buchanan), 485
Phillips, L. L. (*see* Chung, Phillips, and Levine), 1025
Photopulos, Guy J., McCartney, William H., Walton, Leslie A., and Staab, Edward V. Computerized tomography applied to gynecologic oncology, 381
Pineda, Albert A. (*see* Sall et al.), 442
Piver, M. Steven, Barlow, Joseph J., Tsukada, Yoshiaki, Gamarra, Maria, and Sandecki, Anita. Postirradiation squamous cell carcinoma in situ of the vagina: Treatment by topical 20 percent 5-fluorouracil cream, 377
Platt, Lawrence D., Keegan, Kirk A., Druzin, Maurice L., Gauthier, Robert J., Evertson, Larry R., and Manning, Frank A. Intrauterine transfusion utilizing linear-array, real-time B scan: A preliminary report, 1115 (Comm. in brief)
—, Yonekura, M. Lynn, and Ledger, William J. The role of anaerobic bacteria in postpartum endomyometritis, 814
— (*see* Hill, Platt, and Manning), 689
— (*see* Manning et al.), 511
— (*see* Strassner et al.), 804
Plauché, Warren C. Myasthenia gravis in pregnancy: An update, 691 (Current developments)
Powell, D. F. (*see* Gallion et al.), 447
Predine, J., Merceron, L., Barrier, G., Sureau, C., and Milgrom, E. Unbound cortisol in umbilical cord plasma and maternal plasma: A reinvestigation, 1104
Prem, Konald (*see* Sall et al.), 647
Pritchard, Jack A. (*see* Cunningham and Pritchard), 994
Protas, Jacob M. (*see* Hershey and Protas), 150
Pruyn, S. C., Phelan, J. P., and Buchanan, G. C. Long-term propranolol therapy in pregnancy: Maternal and fetal outcome, 485
Psaroudakis, A. (*see* Hadjigeorgiou et al.), 257

Q

Quagliarello, J., Szlachter, N., Steinetz, B. G., Goldsmith, L. T., and Weiss, G. Serial relaxin concentrations in human pregnancy, 43
Quilligan, Edward J. (*see* Zalar and Quilligan), 239
— (*see* Zuspan et al.), 287
Quinlan, R. W. (*see* Spellacy et al.), 917
Quirk, J. G., Jr. (*see* Parker et al.), 778

R

Ram, M. Mohan, and Bamji, Mahtab S. Serum vitamin A and retinol-binding protein in malnourished women treated with oral contraceptives: Effects of estrogen dose and duration of treatment, 470
Ramsey, C. (*see* Hager et al.), 680
Ramsey, Elizabeth M., Chez, Ronald A., and Doppman, John L. Radioangiographic measurement of the internal diameters of the uteroplacental arteries in rhesus monkeys, 247
Rapp, Fred (*see* Gorodecki et al.), 671
Rasio, Eugenio (*see* Van Campenhout and Rasio), 863
Rayburn, William (*see* Wilson et al.), 215
Reddy, V. V., and Rose, L. I. Δ^4-3-Ketosteroid 5α-oxidoreductase in human uterine leiomyoma, 415
Reisch, Joan S. (*see* Leveno et al.), 727
Reiter, Edward O., Braunstein, Glenn D., Vargas, Alfonso, and Root, Allen W. Changes in 25-hydroxyvitamin D and 24,25-dihydroxyvitamin D during pregnancy, 227
Resko, John (*see* Heinrichs et al.), 974
Reuss, Lynn (*see* Saldana, Schulman, and Reuss), 555
Rich, William M. (*see* DiSaia and Rich), 907

Richardson, Bryan (*see* Patrick et al.), 791
Richart, Ralph M. (*see* Martin et al.), 429
Riddick, Daniel H. (*see* Maslar and Riddick), 751
Robinson, H. P. (*see* Hackelöer et al.), 122
Rodriguez, Consuela (*see* Henzl et al.), 455
Román-Campos, Gustavo, Navarro De Román, Lydia I., Toro, Gabriel, and Vergara, Ignacio. Herpes encephalitis in pregnancy, 158
Root, Allen W. (*see* Reiter et al.), 227
Rose, L. I. (*see* Reddy and Rose), 415
Rosen, Mortimer G. (*see* Hertz et al.), 152
Rosenfeld, David L., and Mitchell, Eileen. Treating the emotional aspects of infertility: Counseling services in an infertility clinic, 177 (Clinical opinion)
Rosenshein, Neil B. (*see* Cohen et al.), 452
Ross, Samuel M. (*see* Appelbaum et al.), 82
Roversi, G. D., Gargiulo, M., Nicolini, U., Pedretti, E., Marini, A., Barbarani, V., and Peneff, P. A new approach to the treatment of diabetic pregnant women, 567
Russ, John (*see* O'Shaughnessy, Russ, and Zuspan), 783
Russell, Paul T. (*see* Seeds et al.), 887

S

Saldana, Luis, Shulman, Harold, and Reuss, Lynn. Management of pregnancy after cesarean section, 555 (Clinical opinion)
Sall, Sanford, DiSaia, Philip, Morrow, C. Paul, Mortel, Rodrique, Prem, Konald, Thigpen, Tate, and Creasman, William. A comparison of medroxyprogesterone serum concentrations by the oral or intramuscular route in patients with persistent or recurrent endometrial carcinoma, 647
—, Pineda, Albert A., Calanog, Antonio, Heller, Paul, and Greenberg, Harvey. Surgical treatment of Stage IB and IIA invasive carcinoma of the cervix by radical abdominal hysterectomy, 442
Sandecki, Anita (*see* Piver et al.), 377
Santos-Ramos, Rigoberto (*see* Leveno et al.), 727
Schlabaugh, L. (*see* Wallace et al.), 1021
Schlaerth, John B. (*see* Twiggs, Morrow, and Schlaerth), 189
Schlesselman, James J. How does one assess the risk of abnormalities from human in vitro fertilization? 135 (Current developments)
Schneider, Jack M. (*see* Curet et al.), 10
Scholes, John (*see* Martin et al.), 429
Schulman, Harold (*see* Saldana, Schulman, and Reuss), 555
Schulz, Kenneth F. (*see* Grimes et al.), 1030
Scott, Gloria D. (*see* van Geijn et al.), 743
Scott, Rachel (*see* Daikoku et al.), 516
Scott, Robert S., and Hsueh, Green S. C. A clinical study of the effects of galvanic vaginal muscle stimulation in urinary stress incontinence and sexual dysfunction, 663
Scully, Robert E. (*see* Herbst et al.), 876
Seeds, A. Elmore, Leung, Lim S., Tabor, Wilson, and Russell, Paul T. Changes in amniotic fluid glucose, β-hydroxy-butyrate, glycerol, and lactate concentration in diabetic pregnancy, 887
Segos, C. (*see* Hadjigeorgiou et al.), 257
Seidenschnur, G., and Koepcke, E. Fetal risk in delivery with the Shute parallel forceps, 312
Seidman, Steven (*see* Lauersen, Seidman, and Wilson), 1116
Seitchik, Joseph, Gibbs, C. E., Maaskant, Barbara A., and Clogston, Curt P. A computer-based obstetric data retrieval system, 562
Sekiba, Kaoru, and Yoshioka, Tamotsu. Changes of lipid peroxidation and superoxide dismutase activity in the human placenta, 368
Shamonki, Issa M. (*see* Meldrum et al.), 713
Shannon, D. (*see* Goldstein et al.), 622
Sharpe, George L. (*see* Altshuler et al.), 261
Shaw, S. Thomas, Jr., Macaulay, Linda K., and Hohman, Wayne R. Vessel density in endometrium of women with and without intrauterine contraceptive devices: A morphometric evaluation, 202
Sheen, K. L., and Yen, S. S. C. Activation of pituitary gonadotropic function by an agonist of luteinizing hormone–releasing factor in the puerperium, 755
—, Casper, R. F., and Yen, S. S. C. Effects of a superactive luteinizing hormone–releasing factor agonist on gonadotropin and ovarian function during the menstrual cycle, 759
Sheldon, Roger E., Peeters, Louis L. H., Jones, M. Douglas, Jr., Makowski, Edgar L., and Meschia, Giacomo. Redistribution of cardiac output and oxygen delivery in the hypoxemic fetal lamb, 1071
— (*see* Peeters et al.), 637
Sherman, B. M. (*see* Wallace et al.), 1021
Shiller, Harvey (*see* Heinrichs et al.), 974
Shimada, Toshie (*see* Yoshioka et al.), 372
Shojania, A. Majid, and Wylie, Brent. The effect of oral contraceptives on vitamin B_{12} metabolism, 129
Siler-Khodr, Theresa M. (*see* Asch et al.), 1041
Silverman, Frank (*see* Young et al.), 45
Simons, Harriette (*see* Hachamovitch, Bracken, and Simons), 327
Simpson, Joe Leigh (*see* Nadler and Simpson), 1
Singh, Harbans, Uniyal, J. P., Jha, P., Murugesan,K., Takkar, D., Hingorani, V., and Laumas, K. R. Pharmacokinetics of norethindrone acetate in women, 409
Sipos, Louise (*see* Manning et al.), 511
Sippell, Wolfgang G., Dörr, Helmut G., Becker, Henning, Bidlingmater, Frank, Mickan, Harald, and Holzmann, Kurt. Simultaneous determination of seven unconjugated steroids in maternal venous and umbilical arterial and venous serum in elective and emergency cesarean section at term, 530
Sjöberg, Nils-Otto (*see* Thorbert et al.), 223
Sjöquist, Per-Ove B. (*see* Mårtensson et al.), 318
Smith, Beverly (*see* Daikoku et al.), 516
Smith, Carl H. (*see* Steel, Mosley, and Smith), 522
Smith, Julian P., and Day, Thomas G., Jr. Review of ovarian cancer at the University of Texas Systems Cancer Center, M. D. Anderson Hospital and Tumor Institute, 984
Smith, Roy G. (*see* Gibbons et al.), 799
Sokol, Robert J. (*see* Kuhnert et al.), 331
Solymar, M. (*see* Bennett, Solymar, and Turnbull), 545
Soule, Bradley (*see* Standley, Soule, and Copans), 22
Soules, Michael R., Jelovsek, Frederick R., Wiebe, R. Herbert, Tyrey, Lee, Paulson, David F., and Hammond, Charles B. Amenorrhea: Observations based on the analysis of luteinizing hormone–releasing hormone testing, 651
—, Tyrey, Lee, and Hammond, Charles B. The utility of a rapid assay for human chorionic gonadotropin in the management of trophoblastic disease, 384
Spellacy, W. N., Birk, S. A., and Buhi, W. C. 1977 National survey of support in space and dollars for departments of obstetrics and gynecology from their medical schools, 230
—, Cruz, A. C., Kalra, P. S., Kellner, K. R., Quinlan, R. W., Buhi, W. C., and Birk, S. A. Oxytocin challenge test results compared with simultaneously studied serum human placental lactogen and free estriol levels in high-risk pregnant women, 917
— (*see* Kellner et al.), 507
Speroff, Leon, Levin, Richard M., Haning, Ray V., Jr., Collins, William F., Jr., Donabedian, Richard K., and Kase, Nathan G. A practical approach for the evaluation of women with abnormal polytomography or elevated prolactin levels, 896
Spisso, Kenneth R. (*see* Harbert, Croft, and Spisso), 828
Staab, Edward V. (*see* Photopulos et al.), 381
Standley, Kay, Soule, Bradley, and Copans, Stuart A. Dimensions of prenatal anxiety and their influence on pregnancy outcome, 22
Steel, Richard B., Mosley, Janet D., and Smith, Carl H. Insulin and placenta: Degradation and stabilization, binding to microvillous membrane receptors, and amino acid uptake, 522
Steinetz, B. G. (*see* Quagliarello et al.), 43
Strassner, Howard T., Platt, Lawrence D., Whittle, Martin, Hill, Lyndon M., Yeh, Sze-Ya, Manning, Frank A., and Golde, Steven H. Amniotic fluid phosphatidylglycerol and real-time ultrasonic cephalometry, 804
Stubblefield, Phillip G., Frederiksen, Marilynn C., Berek, Jonathan S., Gatter, Mary A., Kayman, Deborah J., and Borten, Max. Evaluation of a balloon dilator before second-trimester abortion by vacuum curettage, 199
— (*see* Berek and Stubblefield), 181
Studd, J. W. W. (*see* Thom, Chan, and Studd), 495
Stuhlsatz, H. W. (*see* Maillot et al.), 503
Sureau, C. (*see* Predine et al.), 1104
Sussmann, Leon N., Barias, Magdalena, and Colli, William. Intensive plasmapheresis during pregnancy and spurious amniotic fluid bilirubin, 156
Sutliff, Gail (*see* Huddleston et al.), 609
Szlachter, N. (*see* Quagliarello et al.), 43

T

Tabei, Toru (*see* Heinrichs et al.), 974
Tabor, Wilson (*see* Seeds et al.), 887
Takkar, D. (*see* Singh et al.), 409
Tancer, M. Leon (*see* Katz, Beck, and Tancer), 544
Tataryn, Ivanna V. (*see* Meldrum et al.), 713
Taylor, E. Stewart (*see* Bowes et al.), 965

TAYLOR, ROGER L. (*see* DEVOE and TAYLOR), 473
TEAL, JAMES (*see* MARRS ET AL.), 467
TEGENKAMP, I. (*see* TEGENKAMP ET AL.), 427
TEGENKAMP, T. R., BRAZZELL, JOHN W., TEGENKAMP, I., and LABIDI, F. Pregnancy without benefit of reconstructive surgery in a bisexually active true hermaphrodite, 427 (Comm. in brief)
TEJANI, NERGESH, KLEIN, S. WAYNE, and KAPLAN, MARK. Subclinical herpes simplex genitalis infections in the perinatal period, 547 (Comm. in brief)
THIGPEN, TATE (*see* SALL ET AL.), 647
THOM, MARGARET H., CHAN, K. K., and STUDD, J. W. W. Outcome of normal and dysfunctional labor in different racial groups, 495
THOMAS, J. (*see* HAGER ET AL.), 680
THOMPSON, PETER K. (*see* GARDNER ET AL.), 1062
THORBERT, GUNNAR, ALM, PER, BJÖRKLUND, ANDERS B., OWMAN, CHRISTER, and SJÖBERG, NILS-OTTO. Adrenergic innervation of the human uterus, 223
TIMBS, SISTER RUTH (*see* GALLERY and GYÖRY), 27
TIMOR-TRITSCH, ILAN (*see* HERTZ ET AL.), 152
TOOMEY, CHRISTINE (*see* BISSONNETTE, JOHNSON, and TOOMEY), 292
TOPPOZADA, M., GHONEIM, A., HABIB, Y. A., EL-ZIADI, L., and EL-DAMARAWY, H. Effect of prostaglandin A_1 on renal hemodynamics in pregnancy toxemia, 581
TORO, GABRIEL (*see* ROMÁN-CAMPOS ET AL.), 158
TRELOAR, A. E. (*see* WALLACE ET AL.), 1021
TSOUTSOPLIDES, GEORGE C. Extensive condyloma acuminatum of the vulva treated by modified simple vulvectomy, 1118 (Comm. in brief)
TSUKADA, YOSHIAKI (*see* PIVER ET AL.), 377
TULENKO, THOMAS N. Regional sensitivity to vasoactive polypeptides in the human umbilicoplacental vasculature, 629
TURNBULL, A. C. (*see* BENNETT, SOLYMAR, and TURNBULL), 545
TWEED, W. ARNOLD (*see* JOHNSON ET AL.), 48
TWIGGS, LEO B., MORROW, C. PAUL, and SCHLAERTH, JOHN B. Acute pulmonary complications of molar pregnancy, 189
TYLER, CARL W., JR. (*see* GRIMES ET AL.), 1030
TYREY, LEE (*see* SOULES, TYREY, and HAMMOND), 384
— (*see* SOULES ET AL.), 651
TYSON, J. E. (*see* ANDREASSEN, HUTH, and TYSON), 737
— (*see* DAIKOKU ET AL.), 516

U

UNIYAL, J. P. (*see* SINGH ET AL.), 409

V

VAN CAMPENHOUT, JACQUES, and RASIO, EUGENIO. Carbohydrate tolerance in gonadal dysgenesis 863
VAN GEIJN, HERMAN P., ZUSPAN, FREDERICK P., COPELAND, STEPHEN J., VORYS, ANN S., ZUSPAN, MARK F., and SCOTT, GLORIA D. The effects of hydrocortisone on the development of the amine systems in the fetal brain, 743
— (*see* ZUSPAN ET AL.), 287
VAN NAGELL, J. R., JR. (*see* GALLION ET AL.), 447
VARGAS, ALFONSO (*see* REITER ET AL.), 227
VERGARA, IGNACIO (*see* ROMÁN-CAMPOS ET AL.), 158
VORYS, ANN S. (*see* VAN GEIJN ET AL.), 743

W

WADE, JOHN G. (*see* JOHNSON ET AL.), 48
WAKE, NORIO (*see* YAMASHITA ET AL.), 597
WALLACE, R. B., SHERMAN, B. M., BEAN, J. A., TRELOAR, A. E., and SCHLABAUGH, L. Probability of menopause with increasing duration of amenorrhea in middle-aged women, 1021
WALSH, SCOTT W., KITTINGER, GEORGE W., and NOVY, MILES J. Maternal peripheral concentrations of estradiol, estrone, cortisol, and progesterone during late pregnancy in rhesus monkeys (*Macaca mulatta*) and after experimental fetal anencephaly and fetal death, 37
WALTON, LESLIE A. (*see* PHOTOPULOS ET AL.), 381
WARD, SAMUEL P. (*see* GORODECKI ET AL.), 671
WEBSTER, D. J. T. (*see* MINTON ET AL.), 157
WEINER, JOHN M. (*see* FLESH ET AL.), 402
WEISS, G. (*see* QUAGLIARELLO ET AL.), 43
WELCH, WILLIAM R. (*see* HERBST ET AL.), 876
WESTERHOLM, PETER (*see* ERICSON, KÄLLÉN, and WESTERHOLM), 348
WHALLEY, PEGGY J. (*see* LEVENO ET AL.), 727, 853
— (*see* PARKER ET AL.), 778
WHITTLE, MARTIN J., ANDERSON, DENNIS, LOWENSOHN, RICHARD I., MESTMAN, JORGE H., PAUL, RICHARD H., and GOEBELSMANN, UWE. Estriol in pregnancy. VI. Experience with unconjugated plasma estriol assays and antepartum fetal heart rate testing in diabetic pregnancies, 764
— (*see* STRASSNER ET AL.), 804
WOLF, ROSALIE M. (*see* FLESH ET AL.), 402
WIEBE, R. HERBERT (*see* HAMMOND ET AL.), 924
— (*see* SOULES ET AL.), 651
WIEST, WALTER G. (*see* DIAZ-ZAGOYA, WIEST, and ARIAS), 809
WILLIAMS, O. J. (*see* HAGER ET AL.), 680
WILSON, CHRISTOPHER J. (*see* PARKER, ADDISON and WILSON), 843
WILSON, EMERY A., FINN, ANN E., RAYBURN, WILLIAM, and JAWAD, M. JOE. Corticosteroid-binding globulin and estrogens in maternal and cord blood, 215
WILSON, KATHLEEN H. (*see* LAUERSEN, SEIDMAN, and WILSON), 1116
WRIGHT, RALPH C. (*see* OSBORNE, WRIGHT, and GRUBIN), 195
WU, CHUNG H. (*see* MOTOHASHI ET AL.), 89
WYLIE, BRENT (*see* SHOJANIA and WYLIE), 129

Y

YAJIMA, AKIRA, and NODA, KIICHIRO. The results of treatment of microinvasive carcinoma (Stage IA) of the uterine cervix by means of simple and extended hysterectomy, 685
YAMASHITA, KOHKI, WAKE, NORIO, ARAKI, TSUNEO, ICHINOE, KIHYOE, and MAKOTO, KURODA. Human lymphocyte antigen expression in hydatidiform mole: Androgenesis following fertilization by a haploid sperm, 597
YANCY, SUSAN G. (*see* HAMMOND ET AL.), 924
YEH, SZE-YA (*see* STRASSNER ET AL.), 804
YEN, S. S. C. (*see* SHEEN and YEN), 755
— (*see* SHEEN, CASPER, and YEN), 759
YONEKURA, M. LYNN (*see* PLATT, YONEKURA, and LEDGER), 814
YOSHIOKA, TAMOTSU, KAWADA, KIYOYA, SHIMADA, TOSHIE, and MORI, MARIKO. Lipid peroxidation in maternal and cord blood and protective mechanism against activated-oxygen toxicity in the blood, 372
— (*see* SEKIBA and YOSHIOKA), 368
YOUKELES, LEE (*see* HOBEL, YOUKELES, and FORSYTHE), 1051
YOUNG, BRUCE K., KATZ, MIRIAM, KLEIN, STEVEN A., and SILVERMAN, FRANK. Fetal blood and tissue pH with moderate bradycardia, 45
YOW, MARTHA D. (*see* GARDNER ET AL.), 1062

Z

ZACHMAN, RICHARD D. (*see* CURET ET AL.), 10
ZALAR, RICHARD W., JR., and QUILLIGAN, EDWARD J. The influence of scalp sampling on the cesarean section rate for fetal distress, 239
ZUSPAN, FREDERICK, and DAVIS, NANCY. The effect of smoking and oral contraceptives on the urinary excretion of epinephrine and norepinephrine, 1012
—, QUILLIGAN, E. J., IAMS, JAY D., and VAN GEIJN, HERMAN P. Predictors of intrapartum fetal distress: The role of electronic fetal monitoring, 287 (Editorial)
— (*see* O'SHAUGHNESSY, RUSS, and ZUSPAN), 783
— (*see* VAN GEIJN ET AL.), 743
ZUSPAN, MARK F. (*see* VAN GEIJN ET AL.), 743

Subject index*

A

Abdominal hysterectomy, prolapse of fallopian tube after (Novendstern), 1120 (Comm. in brief)
intra-, version technique for delivery of transverse lie by low-segment cesarean section (Pelosi et al.), 1009 (Clinical opinion)
Abnormalities from human in vitro fertilization, how does one assess risk of (Schlesselman), 135 (Current developments)
Abortion(s), disappearance of human chorionic gonadotropin and resumption of ovulation following (Marrs et al.), 731

*September 1, 1-170; September 15, 171-286; October 1, 287-436; October 15, 437-552; November 1, 553-706; November 15, 707-822; December 1, 823-1004; December 15, 1005-1144.

Abortion(s)—Cont'd
first-trimester suction, cervical priming prior to, with single 15-methyl-prostaglandin $F_{2\alpha}$ vaginal suppository (Lauersen, Seidman, and Wilson), 1116 (Comm. in brief)
population, elective, gestational trophoblastic disease within (Cohen et al.), 452
saline-instillation, with laminaria and megadose oxytocin (Hachamovitch, Bracken, and Simons), 327
second-trimester, by vacuum curettage, evaluation of balloon dilator before (Stubblefield et al.), 199
suction curettage, which is safer for performing: Local versus general anesthesia (Grimes et al.), 1020
techniques, midtrimester, impact of, on patients and staff (Kaltreider, Goldsmith, and Margolis), 235
Abscess, tuboovarian, with associated rupture and fistula formation into urinary bladder: Report of two cases (London and Burkman), 1113 (Comm. in brief)
Acetylsalicylic acid and paracetamol, influence of, on menstrual blood loss in women with and without intrauterine contraceptive device (Hahn and Petruson), 393
Actin-myosin interaction and myosin light chain phosphorylation, relationship between, in human placental smooth muscle (Huszar and Bailey), 718
Actinomyces, pelvic colonization with, in women using intrauterine contraceptive devices (Hager et al.), 680
Adenocarcinoma, clear cell, of vagina and cervix, epidemiologic aspects and factors related to survival in 384 Registry cases of (Herbst et al.), 876
Adrenergic innervation of human uterus (Thorbert et al.), 223
African women, effect of diet supplementation and addition of zinc in vitro on growth-supporting property of amniotic fluid in (Appelbaum et al.), 82
Age, gestational, cadmium uptake by rat embryo as function of (Ahokas and Dilts), 219
use of minor hemoglobin ratio for determination of (Peterson et al.), 85
Alkaline phosphatases in amniotic fluid, origin of (Mulivor, Mennuti, and Harris), 77
Amenorrhea: Observations based on analysis of luteinizing hormone—releasing hormone testing (Soules et al.), 651
postpartum, effect of maternal nutritional status and infant supplementation during lactation on (Delgado et al.), 303
probability of menopause with increasing duration of, in middle-aged women (Wallace et al.), 1021
Amenorrheic, infertile women, ovulation induction with luteinizing hormone–releasing hormone in (Hammond et al.), 924
American Gynecological Soceity, transactions, one hundred and second annual meeting, 823-1003
Amine systems in fetal brain, effects of hydrocortisone on development of (van Geijn et al.), 743
Amino acid(s) uptake, degradation and stabilization, and binding to microvillous membrane receptors: Insulin and placenta (Steel, Mosley, and Smith), 522
uterine uptake of, throughout gestation in unstressed ewe (Morriss et al.), 601
Aminophylline treatment, antepartum, for prevention of respiratory distress syndrome in premature infants (Hadjigeorgiou et al.), 257
Amniocentesis, immediate effect of, on fetal breathing and gross body movements (Hill, Platt, and Manning), 689 (Current investigation)
Amniotic fluid, bacterial growth inhibition by. VIII. Evaluation of radiometric bioassay for rapid, in vitro demonstration of phosphate-sensitive bacterial growth inhibitor in amniotic fluid (Larsen, Cheng, and Galask), 14
bilirubin, spurious, intensive plasmapheresis during pregnancy and (Sussmann, Barias, and Colli), 156 (Comm. in brief)
effect of diet supplementation and addition of zinc in vitro on growth-supporting property of, in African women (Appelbaum et al.), 82
genital mycoplasmas and inhibitory substances in: Negative result (Gump, Horton, and Baker), 429 (Comm. in brief)
glucose, β-hydroxy-butyrate, glycerol, and lactate concentration, changes in, in diabetic pregnancy (Seeds et al.), 887
lecithin/sphingomyelin ratio and respiratory distress syndrome, effect of diabetes mellitus on (Curet et al.), 10
origin of alkaline phosphatases in (Mulivor, Mennuti, and Harris), 77
phosphatidylglycerol and real-time ultrasonic cephalometry (Strassner et al.), 804
role of centrifugation in measurement of surfactant in (Oulton), 337
Anaerobic bacteria, role of, in postpartum endomyometritis (Platt, Yonekura, and Ledger), 814
Anaprox in dysmenorrhea: Reduction of pain and intrauterine pressure (Henzl et al.), 455
Anatomic and clinical correlates of uterine perforation (Berek and Stubblefield), 181
Androgen, estrogen/, balance in health and disease (Motohashi et al.), 89
metabolism, peripheral, differentiation and regulation of, in rats and rhesus monkeys (Heinrichs et al.), 974
Androgenesis following fertilization by haploid sperm: Human lymphocyte antigen expression in hydatidiform mole (Yamashita et al.), 597
Anencephaly, experimental fetal, and fetal death, maternal peripheral concentrations of estradiol, estrone, cortisol, and progesterone during late pregnancy in rhesus monkeys *(Macaca mulatta)* and after (Walsh, Kittinger, and Novy), 37
Anesthesia, local versus general: Which is safer for performing suction curettage abortions (Grimes et al.), 1030
Angiotensin-converting enzyme: Serum levels during normal pregnancy (Parente et al.), 586
Antepartum aminophylline treatment for prevention of respiratory distress syndrome in premature infants (Hadjigeorgiou et al.), 257
fetal assessment, oxytocin challenge test for (Huddleston et al.), 609
Antigen expression, human lymphocyte, in hydatidiform mole: Androgenesis following fertilization by haploid sperm (Yamashita et al.), 597
Anxiety, prenatal, dimensions of, and their influence on pregnancy outcome (Standley, Soule, and Copans), 22
Aortic, pulmonary-, pressure gradients as index of caliber of fetal patent ductus arteriosus (Hoskins, Kirkpatrick, and Friedman), 543 (Comm. in brief)
Arterial oxygen content, blood flow to fetal organs as function of (Peeters et al.), 637
and venous serum, maternal venous and umbilical, simultaneous determination of seven unconjugated steroids in, in elective and emergency cesarean section at term (Sippell et al.), 530
Arteries, uteroplacental, radioangiographic measurement of internal diameters of, in rhesus monkeys (Ramsey, Chez, and Doppman), 247
Asphyxia, severe fetal, produced by slow partial umbilical cord compression, regional cerebral blood flow changes during (Johnson et al.), 48
Assay, rapid, for human chorionic gonadotropin, utility of, in management of trophoblastic disease (Soules, Tyrey, and Hammond), 384

B

Bacteria, anaerobic, role of, in postpartum endomyometritis (Platt, Yonekura, and Ledger), 814
Bacterial growth inhibition by amniotic fluid. VIII. Evaluation of radiometric bioassay for rapid, in vitro demonstration of phosphate-sensitive bacterial growth in inhibitor in amniotic fluid (Larsen, Cheng, and Galask), 14
Bacteriology, genital: Comparative study of premenopausal women with postmenopausal women (Osborne, Wright, and Grubin), 195
Balloon dilator before second-trimester abortion by vacuum curettage, evaluation of (Stubblefield et al.), 199
Bilirubin, spurious amniotic fluid, intensive plasmapheresis during pregnancy and (Sussmann, Barias, and Colli), 156 (Comm. in brief)
Bioassay, radiometric, for rapid, in vitro demonstration of phosphate-sensitive bacterial growth inhibitor in amniotic fluid, evaluation of, VIII. Bacterial growth inhibition by amniotic fluid (Larsen, Cheng, and Galask), 14
Biorhythms, effects of, on blood flow distribution in pregnant uterus *(Macaca mulatta)* (Harbert, Croft, and Spisso), 828
Biparietal diameters for normal twin fetuses, table of, and comparison with singletons: Sonar cephalometry in twins (Leveno et al.), 727
Birth weight, gestational age and, tendency to repeat, in successive births (Bakketeig, Hoffman, and Harley), 1086
Bisexually active true hermaphrodite, pregnancy without benefit of reconstructive surgery in (Tegenkamp et al.), 427 (Comm. in brief)
Bladder, urinary, fistula formation into, associated rupture and, tuboovarian abscess with: Report of two cases (London and Burkman), 1113 (Comm. in brief)
Blood cell(s) excretion, white, acid excretion, acid-base status, and urinary concentration in normal pregnancy: Alterations in pregnancy-associated hypertension (Gallery and György), 27

Blood cell(s)—Cont'd
normal red, prophylactic transfusions of, during pregnancies complicated by sickle cell hemoglobinopathies (Cunningham and Pritchard), 994
fetal, and tissue pH with moderate bradycardia (Young et al.), 45
flow changes, regional cerebral, during severe fetal asphyxia produced by slow partial umbilical cord compression (Johnson et al.), 48
distribution, effects of biorhythms on, in pregnant uterus *(Macaca mulatta)* (Harbert, Croft, and Spisso), 828
to fetal organs as function of arterial oxygen content (Peeters et al.), 637
responses, myoendothelial and placental, to ritodrine infusion in guinea pig (Mårtensson et al.), 318
glucose control, "rigid," during pregnancy in overtly diabetic woman, appraisal of (Leveno et al.), 853
loss, menstrual, influence of acetylsalicyclic acid and paracetamol on, in women with and without intrauterine contraceptive device (Hahn and Petruson), 393
maternal and cord, corticosteroid-binding globulin and estrogens in (Wilson et al.), 215
lipid peroxidation in, and protective mechanism against activated-oxygen toxicity in blood (Yoshioka et al.), 372
Body movements, gross, fetal breathing and, immediate effect of amniocentesis on (Hill, Platt, and Manning), 689 (Current investigation)
Books received, 434, 706, 1124
Bradycardia, moderate, fetal blood and tissue pH with (Young et al.), 45
Brain, fetal, effects of hydrocortisone on development of amine systems in (van Geijn et al.), 743
stem–evoked response in neonates (Goldstein et al.), 622
Breast disease, correlation of cyclic nucleotides with, response of fibrocystic disease to caffeine withdrawal and (Minton et al.), 157 (Comm. in brief)
Breathing and gross body movements, fetal, immediate effect of amniocentesis on (Hill, Platt, and Manning), 689 (Current investigation)
movements before death in primate fetus *(Macaca mulatta)* (Manning et al.), 71
fetal, and nonstress test in high-risk pregnancies (Manning et al.), 511
Breech delivery: Evaluation of method of delivery on perinatal results and maternal morbidity (Bowes et al.), 965
Bromocriptine infusion, long-term, effect of, on plasma prolactin and ovine chorionic somatomammotropin in pregnant ewe and fetal sheep (Lowe et al.), 773

C

Cadmium uptake by rat embryo as function of gestational age (Ahokas and Dilts), 219
Caffeine withdrawal, response of fibrocystic disease to, and correlation of cyclic nucleotides with breast disease (Minton et al.), 157 (Comm. in brief)
Cancer cell line (SCRC-1), new endometrial, establishment and characterization of (Gorodecki et al.), 671
ovarian, at University of Texas Systems Cancer Center, M. D. Anderson Hospital and Tumor Institute, review of (Smith and Day), 984
patients, gynecologic, receiving immunotherapy, value of immune monitoring in (DiSaia and Rich), 907
Carbohydrate tolerance in gonadal dysgenesis (Van Campenhout and Rasio), 863
Carcinoma, Stages IB and IIA invasive, of cervix, surgical treatment of, by radical abdominal hysterectomy (Sall et al.), 442
endometrial, precursors of (Sherman and Brown), 947
persistent or recurrent endometrial, comparison of medroxyprogesterone serum concentrations by oral or intramuscular route in patients with (Sall et al.), 647
postirradiation squamous cell, in situ of vagina: Treatment by topical 20 percent 5-fluorouracil cream (Piver et al.), 377
sigmoid, endometritis-parametritis simulating (Hershey and Protas), 150 (Comm. in brief)
(Stage IA), microinvasive, of uterine cervix, results of treatment of, by means of simple and extended hysterectomy (Yajima and Noda), 685
Cardiac output and oxygen delivery, redistribution of, in hypoxemic fetal lamb (Sheldon et al.), 1071
Cardiovascular monitoring, continuous, technique for, in obstetrics—Preliminary report: R–pulse wave timing (Koh et al.), 352
Catecholamines, effect of acute maternal hemorrhage on release of, in pregnant ewe and fetus (Artal et al.), 818
Cell(s) adenocarcinoma, clear, of vagina and cervix, epidemiologic aspects and factors related to survival in 384 Registry cases of (Herbst et al.), 876
excretion, white blood, acid excretion, acid-base status, and urinary concentration in normal pregnancy: Alterations in pregnancy-associated hypertension (Gallery and György), 27
line (SCRC-1), new endometrial cancer, establishment and characterization of (Gorodecki et al.), 671
normal red blood, prophylactic transfusions of, during pregnancies complicated by sickle cell hemoglobinopathies (Cunningham and Pritchard), 994
Centrifugation, role of, in measurement of surfactant in amniotic fluid (Oulton), 337
Cephalometry, real-time ultrasonic, amniotic fluid phosphatidylglycerol and (Strassner et al.), 804
sonar, in twins: Table of biparietal diameters for normal twin fetuses and comparison with singletons (Leveno et al.), 727
Cerebral blood flow changes, regional, during severe fetal asphyxia produced by slow partial umbilical cord compression (Johnson et al.), 48
Cervical priming, preinduction, with oral prostaglandin E_2 (Lauersen, MacKenzie, and Embrey), 1057
prior to first-trimester suction abortion with single 15-methyl-prostaglandin $F_{2\alpha}$ vaginal suppository (Lauersen, Seidman, and Wilson), 1116 (Comm. in brief)
Cervix, human uterine, changes in glycosaminoglycans distribution pattern in, during pregnancy and labor (von Maillot et al.), 503
Stages IB and IIA invasive carcinoma of, surgical treatment of, by radical abdominal hysterectomy (Sall et al.), 442
uterine, results of treatment of microinvasive carcinoma (Stage IA) of, by means of simple and extended hysterectomy (Yajima and Noda), 685
vagina and, clear cell adenocarcinoma of, epidemiologic aspects and factors related to survival in 384 Registry cases of (Herbst et al.), 876
Cesarean section, elective and emergency, at term, simultaneous determination of seven unconjugated steroids in maternal venous and umbilical arterial and venous serum in (Sippell et al.), 530
low-segment, intra-abdominal version technique for delivery of transverse lie by (Pelosi et al.), 1009 (Clinical opinion)
management of pregnancy after (Saldana, Schulman, and Reuss), 555
modern indications for (Mann and Gallant), 437 (Clinical opinion)
rate for fetal distress, influence of scalp sampling on (Zalar and Quilligan), 239
Chemotherapy, successful, for advanced gestational trophoblastic tumors, historical background of (Li), 266 (Classic pages)
Chorionic gonadotropin secretion, human, in vitro effect of dopamine and pimozide on (Macaron et al.), 503
Cigarette smoking as etiologic factor in cleft lip and palate (Ericson, Källén, and Westerholm), 348
Circadian rhythms in maternal plasma cortisol, estrone, estradiol, and estriol at 34 to 35 weeks' gestation (Patrick et al.), 791
Classic pages, 266-272
Cleft lip and palate, cigarette smoking as etiologic factor in (Ericson, Källén, and Westerholm), 348
Clinical opinion, 171-184, 437-441, 553-561, 1009-1011
Clip, spring-loaded, tubal ring, and electrocoagulation, incidence of pain among women undergoing laparoscopic sterilization by (Chi and Cole), 397
Coagulation studies of patients taking low-dose heparin during and after major gynecologic surgery (Chung, Phillips, and Levine), 1025
Colloid osmotic pressure in pregnancy-induced hypertension, studies of (Benedetti and Carlson), 308
Colonization, pelvic, with Actinomyces in women using intrauterine contraceptive devices (Hager et al.), 680
Communications in brief, 149-159, 427-432, 543-547, 1113-1120
Computer analysis of etiology and pregnancy rate in 636 cases of primary infertility (Katayama et al.), 207
-based obstetric data retrieval system (Seitchik et al.), 562
Computerized tomography applied to gynecologic oncology (Photopulos et al.), 381
Condyloma acuminatum, extensive, of vulva treated by modified simple vulvectomy (Tsoutsoplides), 1118 (Comm. in brief)
Conjugated, un-, steroids, seven, simultaneous determination of, in maternal venous and umbilical arterial and venous serum in elective and emergency cesarean section at term (Sippell et al.), 530
Contraceptive(s) device(s), intrauterine, and acute salpingitis (Flesh et al.), 402

Contraceptive(s) device(s), intrauterine—Cont'd
influence of acetylsalicylic acid and paracetamol on menstrual blood loss in women with and without (Hahn and Petruson), 393
vessel density in endometrium of women with and without: Morphometric evaluation (Shaw, Macaulay, and Hohman), 202
oral, effect of, on vitamin B_{12} metabolism (Shojania and Wylie), 129
serum vitamin A and retinol-binding protein in malnourished women treated with: Effects of estrogen dose and duration of treatment (Ram and Bamji), 470
smoking and, effect of, on urinary excretion of epinephrine and norepinephrine (Zuspan), 1012
system, new long-acting injectable microcapsule (Beck et al.), 419
Contraction stress test, positive, role of trial of labor with (Bissonnette, Johnson, and Toomey), 292
Cord blood, maternal and, corticosteroid-binding globulin and estrogens in (Wilson et al.), 215
lipid peroxidation in, and protective mechanism against activated-oxygen toxicity in blood (Yoshioka et al.), 372
compression, umbilical, slow partial, regional cerebral blood flow changes during severe fetal asphyxia produced by (Johnson et al.), 48
Corpus luteum surgery (Hibbard), 666
Correspondence, 160-168, 273-286, 548-552, 1121-1123
Corticosteroid-binding globulin and estrogens in maternal and cord blood (Wilson et al.), 215
Cortisol, estrone, estradiol, and estriol, maternal plasma, circadian rhythms in, at 34 to 35 weeks' gestation (Patrick et al.), 791
progesterone, estradiol, and estrone, maternal peripheral concentrations of, during late pregnancy in rhesus monkeys *(Macaca mulatta)* and after experimental fetal anencephaly and fetal death (Walsh, Kittinger, and Novy), 37
unbound, in umbilical cord plasma and maternal plasma: Reinvestigation (Predine et al.), 1104
Counseling services in infertility clinic: Treating emotional aspects of infertility (Rosenfeld and Mitchell), 177 (Clinical opinion)
Cultural, cross-, study of 202 societies: Activity and work during pregnancy and postpartum period (Jimenez and Newton), 171 (Clinical opinion)
Curettage abortions, suction, which is safer for performing: Local versus general anesthesia (Grimes et al.), 1020
vacuum, evaluation of balloon dilator before second-trimester abortion by (Stubblefield et al.), 199
Current developments, 135-148, 691-697
investigation, 689-690, 1109-1112
Cystic teratoma, benign, of uterus (Martin et al.), 429 (Comm. in brief)

D

Death, breathing movements before, in primate fetus *(Macaca mulatta)* (Manning et al.), 71
fetal, experimental fetal anencephaly and, maternal peripheral concentrations of estradiol, estrone, cortisol, and progesterone during late pregnancy in rhesus monkeys *(Macaca mulatta)* and after (Walsh, Kittinger, and Novy), 37
Decelerations, variable, in association with other heart rate patterns during monitored labor, study of (Gaziano), 360
Delivery, breech: Evaluation of method of delivery on perinatal results and maternal morbidity (Bowes et al.), 965
with Shute parallel forceps, fetal risk in (Seidenschnur and Koepcke), 312
of transverse lie by low-segment cesarean section, intra-abdominal version technique for (Pelosi et al.), 1009 (Clinical opinion)
Device(s), intrauterine contraceptive, and acute salpingitis (Flesh et al.), 402
influence of acetylsalicylic acid and paracetamol on menstrual blood loss in women with and without (Hahn and Petruson), 393
vessel density in endom-trium of women with and without: Morphometric evaluation (Shaw, Macaulay, and Hohman), 202
Diabetes mellitus, effect of, on amniotic fluid lecithin/spingomyelin ratio and respiratory distress syndrome (Curet et al.), 10
glycosylated hemoglobins and, in pregnancy (O'Shaughnessy, Russ, and Zuspan), 783
Diabetic pregnancy (pregnancies), changes in amniotic fluid glucose, β-hydroxy-butyrate, glycerol, and lactate concentration in (Seeds et al.), 887
experience with unconjugated plasma estriol assays and antepartum fetal heart rate testing in, VI. Estriol in pregnancy (Whittle et al.), 764
pregnant women, new approach to treatment of (Roversi et al.), 567
Diabetic—Cont'd
woman, overtly, appraisal of "rigid" blood glucose control during pregnancy in (Leveno et al.), 853
Diet supplementation and addition of zinc in vitro, effect of, on growth-supporting property of amniotic fluid in African women (Appelbaum et al.), 82
Dihydroxyvitamin D, 24,25-, 25-hydroxyvitamin D and, changes in, during pregnancy (Reiter et al.), 227
Dilator, balloon, before second-trimester abortion by vacuum curettage, evaluation of (Stubblefield et al.), 199
Distress, fetal, influence of scalp sampling on cesarean section rate for (Zalar and Quilligan), 239
intrapartum fetal, predictors of: Role of electronic fetal monitoring (Zuspan et al.), 287 (Editorial)
syndrome, respiratory, amniotic fluid lecithin/sphingomyelin ratio and, effect of diabetes mellitus on (Curet et al.), 10
antepartum aminophylline treatment for prevention of, in premature infants (Hadjigeorgiou et al.), 257
Dopamine and pimozide, in vitro effect of, on human chorionic gonadotropin secretion (Macaron et al.), 503
Drug exposure histories, obtaining, during pregnancy (Bodendorfer, Briggs, and Gunning), 490
Dysfunctional labor, normal and, outcome of, in different racial groups (Thom, Chan, and Studd), 495
Dysgenesis, gonadal, carbohydrate tolerance in (Van Campenhout and Rasio), 863
Dysmenorrhea, Anaprox in: Reduction of pain and intrauterine pressure (Henzl et al.), 455
relief of, with prostaglandin synthetase inhibitor ibuprofen: Effect on prostaglandin levels in menstrual fluid (Chan, Dawood, and Fuchs), 102

E

Ectopic pregnancy, chronic, lactic dehydrogenase measurement in (Ohel and Katz), 149 (Comm. in brief)
Editorial, 1-2, 287-291
Effluent, neonatal lung, study of: Acceleration of pulmonary surfactant maturation in stressed pregnancies (Obladen, Merritt, and Gluck), 1079
Electrocoagulation of pelvic endometriotic lesions with laparoscopic control (Hasson), 115
spring-loaded clip, and tubal ring, incidence of pain among women undergoing laparoscopic sterilization by (Chi and Cole), 397
Electronic fetal monitoring, role of: Predictors of intrapartum fetal distress (Zuspan et al.), 287 (Editorial)
Embolization, selective, to control massive hemorrhage following pelvic surgery (Oliver and Lance), 431 (Comm. in brief)
Embryo, rat, cadmium uptake by, as function of gestational age (Ahokas and Dilts), 219
Emotional aspects of infertility, treating: Counseling services in infertility clinic (Rosenfeld and Mitchell), 177 (Clinical opinion)
Encephalitis, herpes, in pregnancy (Román-Campos et al.), 158 (Comm. in brief)
simplex, in pregnancy (King), 1114 (Comm. in brief)
Endocrinologic assessment, ultrasonic and, of human follicular development, correlation of (Hackelöer et al.), 122
Endometrial cancer cell line (SCRC-1), new, establishment and characterization of (Gorodecki et al.), 671
carcinoma, persistent or recurrent, comparison of medoxyprogesterone serum concentrations by oral or intramuscular route in patients with (Sall et al.), 647
precursors of (Sherman and Brown), 947
Endometriotic lesions, pelvic, electrocoagulation of, with laparoscopic control (Hasson), 115
Endometritis-parametritis simulating sigmoid carcinoma (Hershey and Protas), 150 (Comm. in brief)
Endometrium, human, prolactin production by, during normal menstrual cycle (Maslar and Riddick), 751
postmenopausal, ultrastructural effects of estrogen replacement on (Aycock and Jollie), 461
of women with and without intrauterine contraceptive devices, vessel density in: Morphometric evaluation (Shaw, Macaulay, and Hohman), 202
Endomyometritis, postpartum, role of anaerobic bacteria in (Platt, Yonekura, and Ledger), 814
Endothermal sinus tumor of ovary, therapy of (Gallion et al.), 447
Enzyme, angiotensin-converting: Serum levels during normal pregnancy (Parente et al.), 586
Epidemiologic aspects and factors related to survival in 384 Registry cases of clear cell adenocarcinoma of vagina and cervix (Herbst et al.), 876

Epinephrine and norepinephrine, urinary excretion of, effect of smoking and oral contraceptives on (Zuspan), 1012
Estradiol, estriol, cortisol, and estrone, maternal plasma, circadian rhythms in, at 34 to 35 weeks' gestation (Patrick et al.), 791
estrone, cortisol, and progesterone, maternal peripheral concentrations of, during late pregnancy in rhesus monkeys *(Macaca mulatta)* and after experimental fetal anencephaly and fetal death (Walsh, Kittinger, and Novy), 37
Estriol, cortisol, estrone, and estradiol, maternal plasma, circadian rhythms in, at 34 to 35 weeks' gestation (Patrick et al.), 791
excretion, urinary, fetal growth and placental function assessed by, before onset of pre-eclampsia (Long, Abell, and Beischer), 344
levels, free, simultaneously studied serum human placental lactogen and, oxytocin challenge test results compared with, in high-risk pregnant women (Spellacy et al.), 917
in pregnancy. VI. Experience with unconjugated plasma estriol assays and antepartum fetal heart rate testing in diabetic pregnancies (Whittle et al.), 764
Estrogen(s)/androgen balance in health and disease (Motohashi et al.), 89
-binding proteins in human postmenopausal uterus (Gibbons et al.), 799
corticosteriod-binding globulin and, in maternal and cord blood (Wilson et al.), 215
dose and duration of treatment, effects of: Serum vitamin A and retinol-binding protein in malnourished women treated with oral contraceptives (Ram and Bamji), 470
replacement, ultrastructural effects of, on postmenopausal endometrium (Aycock and Jollie), 461
Estrone, cortisol, progesterone, and estradiol, maternal peripheral concentrations of, during late pregnancy in rhesus monkeys *(Macaca mulatta)* and after experimental fetal anencephaly and fetal death (Walsh, Kittinger, and Novy), 37
estradiol, estriol, and cortisol, maternal plasma, circadian rhythms in, at 34 to 35 weeks' gestation (Patrick et al.), 791
Ethical issues: Prenatal diagnosis of hemoglobinopathies (Fletcher), 53

F

Fallopian tube, prolapse of, after abdominal hysterectomy (Novendstern), 1120 (Comm. in brief)
Fascia lata urethrovesical suspension for recurrent stress urinary incontinence (Parker, Addison, and Wilson), 843
Fertilization by haploid sperm, androgenesis following: Human lymphocyte antigen expression in hydatidiform mole (Yamashita et al.), 597
human in vitro, how does one assess risk of abnormalities from (Schlesselman), 135 (Current developments)
Fetal anencephaly, experimental, and fetal death, maternal peripheral concentrations of estradiol, estrone, cortisol, and progesterone during late pregnancy in rhesus monkeys *(Macaca mulatta)* and after (Walsh, Kittinger, and Novy), 37
asphyxia, severe, produced by slow partial umbilical cord compression, regional cerebral blood flow changes during (Johnson et al.), 48
assessment, antepartum, oxytocin challenge test for (Huddleston et al.), 609
baseline heart rate variability estimation. I. Comparison of clinical and stochastic quantification techniques (Escarcena, McKinney, and Depp), 615
blood and tissue pH with moderate bradycardia (Young et al.), 45
brain, effects of hydrocortisone on development of amine systems in (van Geijn et al.), 743
breathing and gross body movements, immediate effect of amniocentesis on (Hill, Platt, and Manning), 689 (Current investigation)
movements and nonstress test in high-risk pregnancies (Manning et al.), 511
distress, influence of scalp sampling on cesarean section rate for (Zalar and Quilligan), 239
intrapartum, predictors of: Role of electronic fetal monitoring (Zuspan et al.), 287 (Editorial)
growth and placental function assessed by urinary estriol excretion before onset of pre-eclampsia (Long, Abell, and Beischer), 344
retarded, relative significance of human placental lactogen in diagnosis of (Daikoku et al.), 516
heart rate testing, antepartum, experience with unconjugated plasma estriol assays and, in diabetic pregnancies, VI. Estriol in pregnancy (Whittle et al.), 764
lamb, hypoxemic, redistribution of cardiac output and oxygen delivery in (Sheldon et al.), 1071
lung, hydramnios and: Selective review (Bates), 154 (Comm. in brief)
Fetal—Cont'd
maturity, modified lecithin/sphingomyelin ratio test for (Kuhnert et al.), 331
movement, continuous ultrasound and (Hertz et al.), 152 (Comm. in brief)
and neonatal goat, evaluation of continuous tissue pH monitor in (Kellner et al.), 507
organs, blood flow to, as function of arterial oxygen content (Peeters et al.), 637
outcome, maternal and: Long-term propranolol therapy in pregnancy (Pruyn, Phelan, and Buchanan), 485
oxygenation, human, following paracervical block (Baxi, Petrie, and James), 1109 (Current investigation)
patent ductus arteriosus, pulmonary-aortic pressure gradients as index of caliber of (Hoskins, Kirkpatrick, and Friedman), 543 (Comm. in brief)
pulmonary maturity, rapid assessment of (Copeland), 1048
risk in delivery with Shute parallel forceps (Seidenschnur and Koepcke), 312
sheep, pregnant ewe and, effect of long-term bromocriptine infusion on plasma prolactin and ovine chorionic somatomammotropin in (Lowe et al.), 773
Fetoprotein, alpha-, concentrations, low maternal serum, pregnancies associated with (Bennett et al.), 545 (Comm. in brief)
screening, maternal serum: Promise not yet fulfilled (Nadler and Simpson), 1 (Editorial)
Fetus(es) *(Macaca mulatta)*, primate, breathing movements before death in (Manning et al.), 71
normal twin, table of biparietal diameters for, and comparison with singletons: Sonar cephalometry in twins (Leveno et al.), 727
pregnant ewe and, effect of acute maternal hemorrhage on release of catecholamines in (Artal et al.), 818
Fibrocystic disease, response of, to caffeine withdrawal and correlation of cyclic nucleotides with breast disease (Minton et al.), 157 (Comm. in brief)
Finger, elevations in skin temperature of, as objective index of postmenopausal hot flashes: Standardization of technique (Meldrum et al.), 713
Fistula formation into urinary bladder, associated rupture and, tuboovarian abscess with: Report of two cases (London and Burkman), 1113 (Comm. in brief)
Fluorouracil, 5-, cream, topical 20 percent, treatment by: Postirradiation squamous cell carcinoma in situ of vagina (Piver et al.), 377
Follicular development, human, correlation of ultrasonic and endocrinologic assessment of (Hackl̈oer et al.), 122
Forceps, Shute parallel, fetal risk in delivery with (Seidenschnur and Koepcke), 312

G

Galactorrhea, comparison of serum prolactin, plain radiography, and hypocycloidal tomography of sella turcica in patients with (Marrs et al.), 467
Galvanic vaginal muscle stimulation, clinical study of effects of, in urinary stress incontinence and sexual dysfunction (Scott and Hsueh), 663
Genital bacteriology: Comparative study of premenopausal women with postmenopausal women (Osborne, Wright, and Grubin), 195
mycoplasmas and inhibitory substances in amniotic fluid: Negative result (Gump, Horton, and Baker), 429 (Comm. in brief)
Gestation, 34 to 35 weeks', circadian rhythms in maternal plasma cortisol, estrone, estradiol, and estriol at (Patrick et al.), 791
uterine uptake of amino acids throughout, in unstressed ewe (Morriss et al.), 601
Gestational age and birth weight, tendency to repeat, in successive births (Bakketeig, Hoffman, and Harley), 1086
cadmium uptake by rat embryo as function of gestational age (Ahokas and Dilts), 219
use of minor hemoglobin ratio for determination of (Peterson et al.), 85
trophoblastic disease within elective abortion population (Cohen et al.), 452
tumors, advanced, historical background of successful chemotherapy for (Li), 266 (Classic pages)
Globulin, corticosteroid-binding, and estrogens in maternal and cord blood (Wilson et al.), 215
Glucose, β-hydroxy-butyrate, glycerol, and lactate concentration, amniotic fluid, changes in, in diabetic pregnancy (Seeds et al.), 887
control, "rigid" blood, during pregnancy in overtly diabetic woman, appraisal of (Leveno et al.), 853

Glycerol, lactate, glucose, and β-hydroxy-butyrate concentration, amniotic fluid, changes in, in diabetic pregnancy (Seeds et al.), 887
Glycosaminoglycans distribution pattern, changes in, in human uterine cervix during pregnancy and labor (von Maillot et al.), 503
Glycosylated hemoglobins and diabetes mellitus in pregnancy (O'Shaughnessy, Russ, and Zuspan), 783
Gonadal dysgenesis, carbohydrate tolerance in (Van Campenhout and Rasio), 863
steroids, uterine metabolism of, during menstrual cycle (Little et al.), 957
Gonadotropic function, pituitary, activation of, by agonist of luteinizing hormone–releasing factor in puerperium (Sheehan and Yen), 755
Gonadotropin, human chorionic, disappearance of, and resumption of ovulation following abortion (Marrs et al.), 731
–like substance, presence of, in human sperm (Asch et al.), 1041
utility of rapid assay for, in management of trophoblastic disease (Soules, Tyrey, and Hammond), 384
and ovarian function, effects of superactive luteinizing hormone–releasing factor agonist on, during menstrual cycle (Sheehan, Casper, and Yen), 759
Growth, fetal, and placental function assessed by urinary estriol excretion before onset of pre-eclampsia (Long, Abell, and Beischer), 344
inhibition, bacterial, by amniotic fluid. VIII. Evaluation of radiometric bioassay for rapid, in vitro demonstration of phosphate-sensitive bacterial growth inhibitor in amniotic fluid (Larsen, Cheng, and Galask), 14
retarded fetal, relative significance of human placental lactogen in diagnosis of (Daikoku et al.), 516
-supporting property of amniotic fluid, effect of diet supplementation and addition of zinc in vitro on, in African women (Appelbaum et al.), 82
Gynecologic cancer patients receiving immunotherapy, value of immune monitoring in (DiSaia and Rich), 907
oncology, computerized tomography applied to (Photopulos et al.), 381
surgery, major, coagulation studies of patients taking low-dose heparin during and after (Chung, Phillips, and Levine), 1025)
Gynecology, obstetrics and, departments of, 1977 national survey of support in space and dollars for, from their medical schools (Spellacy, Birk, and Buhi), 230

H

Haploid sperm, androgenesis following fertilization by: Human lymphocyte antigen expression in hydatidiform mole (Yamashita et al.), 597
Heart rate patterns, other, during monitored labor, study of variable decelerations in association with (Gaziano), 360
testing, antepartum fetal, experience with unconjugated plasma estriol assays and, in diabetic pregnancies, VI. Estriol in pregnancy (Whittle et al.), 764
variability estimation, fetal baseline. I. Comparison of clinical and stochastic quantification techniques (Escarcena, McKinney, and Depp), 615
Hemodynamic changes during pregnancy in rabbit (Nuwayhid), 590
Hemoglobin(s), glycosylated, and diabetes mellitus in pregnancy (O'Shaughnessy, Russ, and Zuspan), 783
ratio, minor, use of, for determination of gestational age (Peterson et al.), 85
Hemoglobinopathies, prenatal diagnosis of: Ethical issues (Fletcher), 53
sickle cell, prophylactic transfusions of normal red blood cells during pregnancies complicated by (Cunningham and Pritchard), 994
Hemorrhage, acute maternal, effect of, on release of catecholamines in pregnant ewe and fetus (Artal et al.), 818
massive, following pelvic surgery, selective embolization to control (Oliver and Lance), 431 (Comm. in brief)
Heparin, low-dose, coagulation studies of patients taking, during and after major gynecologic surgery (Chung, Phillips, and Levine), 1025
Hermaphrodite, bisexually active true, pregnancy without benefit of reconstructive surgery in (Tegenkamp et al.), 427 (Comm. in brief)
Herpes encephalitis in pregnancy (Román-Campos et al.), 158 (Comm. in brief)
genitalis: Our most important venereal disease (Gardner), 553 (Clinical opinion)
simplex encephalitis in pregnancy (King), 1114 (Comm. in brief)
Herpes simplex—Cont'd
genitalis infections, subclinical, in perinatal period (Tejani, Klein, and Kaplan), 547 (Comm. in brief)
Histories, drug exposure, obtaining, during pregnancy (Bodendorfer, Briggs, and Gunning), 490
Hormone, luteinizing, –releasing factor, activation of pituitary gonadotropic function by agonist of, in puerperium (Sheehan and Yen), 755
–agonist, superactive, effects of, on gonadotropin and ovarian function during menstrual cycle (Sheehan, Casper, and Yen), 759
hormone and human menstrual cycle (Aksel), 96
ovulation induction with, in amenorrheic, infertile women (Hammond et al.), 924
testing, observations based on analysis of: Amenorrhea (Soules et al.), 651
production during pregnancy in primigravid patient. I. Plasma levels of progesterone and 5α-pregnane-3,20-dione throughout pregnancy of normal women and women who developed pregnancy-induced hypertension (Parker et al.), 778
thyrotropin-releasing, prolactin, thyrotropin, and thyroxine concentrations, plasma, following intravenous or oral administration of thyrotropin-releasing hormone (Andreassen, Huth, and Tyson), 737
Hot flashes, postmenopausal, elevations in skin temperature of finger as objective index of: Standardization of technique (Meldrum et al.), 713
Hydatidiform mole, human lymphocyte antigen expression in: Androgenesis following fertilization by haploid sperm (Yamashita et al.), 597
Hydramnios and fetal lung: Selective review (Bates), 154 (Comm. in brief)
Hydrocortisone, effects of, on development of amine systems in fetal brain (van Geijn et al.), 743
Hydronephrosis of pregnancy: Ultrasonographic study and classification of asymptomatic women (Fried), 1066
Hydroxy, β-, -butyrate, glycerol, lactate, and glucose concentration, amniotic fluid, changes in, in diabetic pregnancy (Seeds et al.), 887
Hydroxyvitamin D, 25-, and 24,25-dihydroxyvitamin D, changes in, during pregnancy (Reiter et al.), 227
Hypertension, pregnancy-associated, alterations in: Urinary concentration, white blood cell excretion, acid excretion, and acid-base status in normal pregnancy (Gallery and Györy), 27
-induced, plasma levels of progesterone and 5α-pregnane-3,20-dione throughout pregnancy of normal women and women who developed, I. Hormone production during pregnancy in primigravid patient (Parker et al.), 778
studies of colloid osmotic pressure in (Benedetti and Carlson), 308
Hypocycloidal tomography of sella turcica, serum prolactin, and plain radiography, comparison of, in patients with galactorrhea (Marrs et al.), 467
Hypoxemic fetal lamb, redistribution of cardiac output and oxygen delivery in (Sheldon et al.), 1071
Hysterectomy, abdominal, prolapse of fallopian tube after (Novendstern), 1120 (Comm. in brief)
radical abdominal, surgical treatment of Stages IB and IIA invasive carcinoma of cervix by (Sall et al.), 442
simple and extended, results of treatment of microinvasive carcinoma (Stage IA) of uterine cervix by means of (Yajima and Noda), 685

I

Ibuprofen, prostaglandin synthetase inhibitor, relief of dysmenorrhea with: Effect on prostaglandin levels in menstrual fluid (Chan, Dawood, and Fuchs), 102
Immune monitoring, value of, in gynecologic cancer patients receiving immunotherapy (DiSaia and Rich), 907
Immunotherapy, value of immune monitoring in gynecologic cancer patients receiving (DiSaia and Rich), 907
Incontinence, recurrent stress urinary, fascia lata urethrovesical suspension for (Parker, Addison, and Wilson), 843
urinary stress, and sexual dysfunction, clinical study of effects of galvanic vaginal muscle stimulation in (Scott and Hsueh), 663
Infant(s), premature, antepartum aminophylline treatment for prevention of respiratory distress syndrome in (Hadjigeorgiou et al.), 257
supplementation, maternal nutritional status and, during lactation, effect of, on postpartum amenorrhea (Delgado et al.), 303

Infections, subclinical herpes simplex genitalis, in perinatal period (Tejani, Klein and Kaplan), 547 (Comm. in brief)
Infertile women, amenorrheic, ovulation induction with luteinizing hormone–releasing hormone in (Hammond et al.), 924
Infertility, primary, computer analysis of etiology and pregnancy rate in 636 cases of (Katayama et al.), 207
treating emotional aspects of: Counseling services in infertility clinic (Rosenfeld and Mitchell), 177 (Clinical opinion)
Injectable microcapsule contraceptive system, new long-acting (Beck et al.), 419
Injury, major vessel, during laparoscopy: Anatomy of two cases (Katz, Beck, and Tancer), 544 (Comm. in brief)
Innervation, adrenergic, of human uterus (Thorbert et al.), 223
Insulin and placenta: Degradation and stabilization, binding to microvillous membrane receptors, and amino acid uptake (Steel, Mosley, and Smith), 522
Intrapartum fetal distress, predictors of: Role of electronic fetal monitoring (Zuspan et al.), 287 (Editorial)
high-risk screening, prenatal and. II. Risk factors reassessed (Hobel, Youkeles, and Forsythe), 1051
Intrauterine contraceptive device(s) and acute salpingitis (Flesh et al.), 402
influence of acetylsalicylic acid and paracetamol on menstrual blood loss in women with and without (Hahn and Petruson), 393
pelvic colonization with Actinomyces in women using (Hager et al.), 680
vessel density in endometrium of women with and without: Morphometric evaluation (Shaw, Macaulay, and Hohman), 202
pressure, pain and, reduction of: Anaprox in dysmenorrhea (Henzl et al.), 455
transfusion utilizing linear-array, real-time B scan: Preliminary report (Platt et al.), 1115 (Comm. in brief)
Irradiation, post-, squamous cell carcinoma in situ of vagina: Treatment by topical 20 percent 5-fluorouracil cream (Piver et al.), 377
Items, 169-170, 433, 704-707, 1004

K

Ketosteroid, Δ^4-3-, 5α-oxidoreductase in human uterine leiomyoma (Reddy and Rose), 415

L

Labor decreases lung water content of newborn rabbits (Bland, Bressack, and McMillan), 364
monitored, study of variable decelerations in association with other heart rate patterns during (Gaziano), 360
normal and dysfunctional, outcome of, in different racial groups (Thom, Chan, and Studd), 495
pregnancy and, changes in glycosaminoglycans distribution pattern in human uterine cervix during (von Maillot et al.), 503
premature onset of, neonatal patent ductus arteriosus, and prostaglandin synthetase antagonists—Rat model of human problem (Altshuler et al.), 261
role of trial of, with positive contraction stress test (Bissonnette, Johnson, and Toomey), 292
Lactate, glucose, β-hydroxy-butyrate, and glycerol concentration, amniotic fluid, changes in, in diabetic pregnancy (Seeds et al.), 887
Lactation, maternal nutritional status and infant supplementation during, effect of, on postpartum amenorrhea (Delgado et al.), 303
Lactic dehydrogenase measurement in chronic ectopic pregnancy (Ohel and Katz), 149 (Comm. in brief)
Lactogen, human placental, absence of, in otherwise uneventful pregnancy (Nielsen, Pedersen, and Kampmann), 322
relative significance of, in diagnosis of retarded fetal growth (Daikoku et al.), 516
serum human placental, and free estriol levels, simultaneously studied, oxytocin challenge test results compared with, in high-risk pregnant women (Spellacy et al.), 917
Laminaria and megadose oxytocin, saline-instillation abortion with (Hachamovitch, Bracken, and Simons), 327
Laparoscopic control, electrocoagulation of pelvic endometriotic lesions with (Hasson), 115
sterilization by electrocoagulation, spring-loaded clip, and tubal ring, incidence of pain among women undergoing (Chi and Cole), 397
with spring clip: Instrumentation development and current clinical experience (Hulka et al.), 1016
Laparoscopy, major vessel injury during: Anatomy of two cases (Katz, Beck, and Tancer), 544 (Comm. in brief)
Lead and zinc, dietary, effects of, on pregnancy (Dilts and Ahokas), 940
Lecithin/sphingomyelin ratio, amniotic fluid, and respiratory distress syndrome, effect of diabetes mellitus on (Curet et al.), 10
test, modified, for fetal maturity (Kuhnert et al.), 331
Leiomyoma, human uterine, Δ^4-3-ketosteroid 5α-oxidoreductase in (Reddy and Rose), 415
Lip and palate, cleft, cigarette smoking as etiologic factor in (Ericson, Källén, and Westerholm), 348
Lipid peroxidation in maternal and cord blood and protective mechanism against activated-oxygen toxicity in blood (Yoshioka et al.), 372
and superoxide dismutase activity, changes of, in human placenta (Sekiba and Yoshioka), 368
Lung effluent, neonatal, study of: Acceleration of pulmonary surfactant maturation in stressed pregnancies (Obladen, Merritt, and Gluck), 1079
fetal, hydramnios and: Selective review (Bates), 154 (Comm. in brief)
profile. I. Normal pregnancy (Kulovich, Hallman, and Gluck), 57
II. Complicated pregnancy (Kulovich and Gluck), 64
water content of newborn rabbits, labor decreases (Bland, Bressack, and McMillan), 364
Lupus erythematosus, systemic, in pregnancy (Devoe and Taylor), 473
Luteinizing hormone–releasing factor, activation of pituitary gonadotropic function by agonist of, in puerperium (Sheehan and Yen), 755
agonist, superactive, effects of, on gonadotropin and ovarian function during menstrual cycle (Sheehan, Casper, and Yen), 759
hormone and human menstrual cycle (Aksel), 96
ovulation induction with, in amenorrheic, infertile women (Hammond et al.), 924
testing, observations based on analysis of: Amenorrhea (Soules et al.), 651
Lymphocyte antigen expression, human, in hydatidiform mole: Androgenesis following fertilization by haploid sperm (Yamashita et al.), 597

M

M. D. Anderson Hospital and Tumor Institute, University of Texas Systems Cancer Center, review of ovarian cancer at (Smith and Day), 984
Maternal and cord blood, corticosteroid-binding globulin and estrogens in (Wilson et al.), 215
lipid peroxidation in, and protective mechanism against activated-oxygen toxicity in blood (Yoshioka et al.), 372
fetal outcome: Long-term propranolol therapy in pregnancy (Pruyn, Phelan, and Buchanan), 485
hemorrhage, acute, effect of, on release of catecholamines in pregnant ewe and fetus (Artal et al.), 818
morbidity, perinatal results and, evaluation of method of delivery on: Breech delivery (Bowes et al.), 965
nutritional status and infant supplementation during lactation, effect of, on postpartum amenorrhea (Delgado et al.), 303
peripheral concentrations of estradiol, estrone, cortisol, and progesterone during late pregnancy in rhesus monkeys *(Macaca mulatta)* and after experimental fetal anencephaly and fetal death (Walsh, Kittinger, and Novy), 37
plasma cortisol, estrone, estradiol, and estriol, circadian rhythms in, at 34 to 35 weeks' gestation (Patrick et al.), 791
umbilical cord plasma and, unbound cortisol in: Reinvestigation (Predine et al.), 1104
serum alpha-fetoprotein concentrations, low, pregnancies associated with (Bennett et al.), 545 (Comm. in brief)
screening: Promise not yet fulfilled (Nadler and Simpson), 1 (Editorial)
venous and umbilical arterial and venous serum, simultaneous determination of seven unconjugated steroids in, in elective and emergency cesarean section at term (Sippell et al.), 530
Maturation, pulmonary surfactant, acceleration of, in stressed pregnancies: Study of neonatal lung effluent (Obladen, Merritt, and Gluck), 1079
Maturity, fetal, modified lecithin/sphingomyelin ratio test for (Kuhnert et al.), 331
pulmonary, rapid assessment of (Copeland), 1048
Medroxyprogesterone serum concentrations by oral or intramuscular route, comparison of, in patients with persistent or recurrent endometrial carcinoma (Sall et al.), 647
Membrane receptors, microvillous, binding to, amino acid uptake, and degradation and stabilization: Insulin and placenta (Steel, Mosley, and Smith), 522
Menopausal, post-, uterus, human, estrogen-binding proteins in (Gibbons et al.), 799

Menopause, probability of, with increasing duration of amenorrhea in middle-aged women (Wallace et al.), 1021
Menstrual blood loss, influence of acetylsalicylic acid and paracetamol on, in women with and without intrauterine contraceptive device (Hahn and Petruson), 393
cycle, effects of superactive luteinizing hormone–releasing factor agonist on gonadotropin and ovarian function during (Sheehan, Casper, and Yen), 759
human, luteinizing hormone–releasing hormone (Aksel), 96
normal, prolactin production by human endometrium during (Maslar and Riddick), 751
uterine metabolism of gonadal steroids during (Little et al.), 957
fluid, effect on prostaglandin levels in: Relief of dysmenorrhea with prostaglandin synthetase inhibitor ibuprofen (Chan, Dawood, and Fuchs), 102
Metabolism, peripheral androgen, differentiation and regulation of, in rats and rhesus monkeys (Heinrichs et al.), 974
of progesterone by placentas from several mammalian species in vitro (Diaz-Zagoya, Wiest, and Arias), 809
uterine, of gonadal steroids during menstrual cycle (Little et al.), 957
vitamin B_{12}, effect of oral contraceptives on (Shojania and Wylie), 129
Microcapsule contraceptive system, new long-acting injectable (Beck et al.), 419
Microinvasive carcinoma (Stage IA) of uterine cervix, results of treatment of, by means of simple and extended hysterectomy (Yajima and Noda), 685
Midtrimester abortion techniques, impact of, on patients and staff (Kaltreider, Goldsmith, and Margolis), 235
Modern indications for cesarean section (Mann and Gallant), 437 (Clinical opinion)
Molar pregnancy, acute pulmonary complications of (Twiggs, Morrow, and Schlaerth), 189
Mole, hydatidiform, human lymphocyte antigen expression in: Androgenesis following fertilization by haploid sperm (Yamashita et al.), 597
Monitor, continuous tissue pH, evaluation of, in fetal and neonatal goat (Kellner et al.), 507
Monitored labor, study of variable decelerations in association with other heart rate patterns during (Gaziano), 360
Monitoring, continuous cardiovascular, technique for, in obstetrics—Preliminary report: R–pulse wave timing (Koh et al.), 352
electronic fetal, role of: Predictors of intrapartum fetal distress (Zuspan et al.), 287 (Editorial)
Montanoa tomentosa, clinical effects of orally administered extracts of, in early human pregnancy (Landgren et al.), 480
Movement(s), fetal breathing, and nonstress test in high-risk pregnancies (Manning et al.), 511
continuous ultrasound and (Hertz et al.), 152 (Comm. in brief)
gross body, fetal breathing and, immediate effect of amniocentesis on (Hill, Platt, and Manning), 689 (Current investigation)
Muscle, human placental smooth, relationship between actin-myosin interaction and myosin light chain phosphorylation in (Huszar and Bailey), 718
stimulation, galvanic vaginal, clinical study of effects of, in urinary stress incontinence and sexual dysfunction (Scott and Hsueh), 663
tumors, uterine smooth, morphologic features of prognostic significance in: Review of eighty-four cases (Burns, Curry, and Bell), 109
Myasthenia gravis in pregnancy: Update (Plauché), 691 (Current developments)
Mycoplasmas, genital, and inhibitory substances in amniotic fluid: Negative result (Gump, Horton, and Baker), 429 (Comm. in brief)
Myoendothelial and placental blood flow responses to ritodrine infusion in guinea pig (Mårtensson et al.), 318
Myosin, actin-, interaction and myosin light chain phosphorylation, relationship between, in human placental smooth muscle (Huszar and Bailey), 718
isolation and characterization of, in human term placenta (Huszar and Bailey), 707

N

Neonatal goat, fetal and, evaluation of continuous tissue pH monitor in (Kellner et al.), 507
lung effluent, study of: Acceleration of pulmonary surfactant maturation in stressed pregnancies (Obladen, Merritt, and Gluck), 1079
patent ductus arteriosus, prostaglandin synthetase antagonists, and premature onset of labor—Rat model of human problem (Altshuler et al.), 261
Neonates, brain stem–evoked response in (Goldstein et al.), 622
Neoplasia, vulvar, in young (Hilliard, Massey, and O'Toole), 185
Newborn rabbits, labor decreases lung water content of (Bland, Bressack, and McMillan), 364
Norepinephrine, epinephrine and, urinary excretion of, effect of smoking and oral contraceptives on (Zuspan), 1012
Nourished, mal-, women treated with oral contraceptives, serum vitamin A and retinol-binding protein in: Effects of estrogen dose and duration of treatment (Ram and Bamji), 470
Nucleotides, cyclic, correlation of, with breast disease, response of fibrocystic disease to caffeine withdrawal and (Minton et al.), 157 (Comm. in brief)
Nutritional status, maternal, and infant supplementation during lactation, effect of, on postpartum amenorrhea (Delgado et al.), 303

O

Obstetric(s) data retrieval system, computer-based (Seitchik et al.), 562
and gynecology, departments of, 1977 national survey of support in space and dollars for, from their medical schools (Spellacy, Birk, and Buhi), 230
technique for continuous cardiovascular monitoring in—Preliminary report: R–pulse wave timing (Koh et al.), 352
Oncology, gynecologic, computerized tomography applied to (Photopulos et al.), 381
Oral contraceptives, effect of, on vitamin B_{12} metabolism (Shojania and Wylie), 129
serum vitamin A and retinol-binding protein in malnourished women treated with: Effects of estrogen dose and duration of treatment (Ram and Bamji), 470
Organs, fetal, blood flow to, as function of arterial oxygen content (Peeters et al.), 637
Osmotic pressure, colloid, in pregnancy-induced hypertension, studies of (Benedetti and Carlson), 308
Ovarian cancer at University of Texas Systems Cancer Center, M. D. Anderson Hospital and Tumor Institute, review of (Smith and Day), 984
function, gonadotropin and, effects of superactive luteinizing hormone–releasing factor agonist on, during menstrual cycle (Sheehan, Casper, and Yen), 759
Ovary, endothermal sinus tumor of, therapy of (Gallion et al.), 447
Ovulation induction with luteinizing hormone–releasing hormone in amenorrheic, infertile women (Hammond et al.), 924
resumption of, disappearance of human chorionic gonadotropin and, following abortion (Marrs et al.), 731
Oxidoreductase, 5α-, Δ^4-3-ketosteroid, in human uterine leiomyoma (Reddy and Rose), 415
Oxygen, activated-, in blood, protective mechanism against, lipid peroxidation in maternal and cord blood and (Yoshioka et al.), 372
content, arterial, blood flow to fetal organs as function of (Peeters et al.), 637
delivery, cardiac output and, redistribution of, in hypoxemic fetal lamb (Sheldon et al.), 1071
Oxygenation, human fetal, following paracervical block (Baxi, Petrie, and James), 1109 (Current investigation)
Oxytocin challenge test for antepartum fetal assessment (Huddleston et al.), 609
results compared with simultaneously studied serum human placental lactogen and free estriol levels in high-risk pregnant women (Spellacy et al.), 917
megadose, laminaria and, saline-instillation abortion with (Hachamovitch, Bracken, and Simons), 327

P

Pain, incidence of, among women undergoing laparoscopic sterilization by electrocoagulation, spring-loaded clip, and tubal ring (Chi and Cole), 397
and intrauterine pressure, reduction of: Anaprox in dysmenorrhea (Henzl et al.), 455
Palate, cleft lip and, cigarette smoking as etiologic factor in (Ericson, Källén, and Westerholm), 348
Papers of the Society for Gynecologic Investigation, 707-822
Paracervical block, human fetal oxygenation following (Baxi, Petrie, and James), 1109 (Current investigation)
Paracetamol, acetylsalicylic acid and, influence of, on menstrual blood loss in women with and without intrauterine contraceptive device (Hahn and Petruson), 393
Parametritis, endometritis-, simulating sigmoid carcinoma (Hershey and Protas), 150 (Comm. in brief)
Patent ductus arteriosus, fetal, pulmonary-aortic pressure gradients as index of caliber of (Hoskins, Kirkpatrick, and Friedman), 543 (Comm. in brief)
neonatal, prostaglandin synthetase antagonists, and premature onset of labor—Rat model of human problem (Altshuler et al.), 261

Pelvic colonization with Actinomyces in women using intrauterine contraceptive devices (Hager et al.), 680
endometriotic lesions, electrocoagulation of, with laparoscopic control (Hasson), 115
surgery, selective embolization to control massive hemorrhage following (Oliver and Lance), 431 (Comm. in brief)
Penicillin, failure of, to eradicate group B streptococcal colonization in pregnant woman (Gardner et al.), 1062
Perforation, uterine, anatomic and clinical correlates of (Berek and Stubblefield), 181
Perinatal period, subclinical herpes simplex genitalis infections in (Tejani, Klein, and Kaplan), 547 (Comm. in brief)
results and maternal morbidity, evaluation of method of delivery on: Breech delivery (Bowes et al.), 965
Peroxidation, lipid, in maternal and cord blood and protective mechanism against activated-oxygen toxicity in blood (Yoshioka et al.), 372
and superoxide dismutase activity, changes of, in human placenta (Sekiba and Yoshioka), 368
pH monitor, continuous tissue, evaluation of, in fetal and neonatal goat (Kellner et al.), 507
fetal blood and, with moderate bradycardia (Young et al.), 45
Pharmacokinetics of norethindrone acetate in women (Singh et al.), 409
Phosphatases, alkaline, in amniotic fluid, origin of (Mulivor, Mennuti, and Harris), 77
Phosphate-sensitive bacterial growth inhibitor in amniotic fluid, evaluation of radiometric bioassay for rapid, in vitro demonstration of, VIII. Bacterial growth inhibition by amniotic fluid (Larsen, Cheng, and Galask), 14
Phosphatidylglycerol, amniotic fluid, and real-time ultrasonic cephalometry (Strassner et al.), 804
Phosphorylation, myosin light chain, relationship between actin-myosin interaction and, in human placental smooth muscle (Huszar and Bailey), 718
Pimozide, dopamine and, in vitro effect of, on human chorionic gonadotropin secretion (Macaron et al.), 503
Pituitary gonadotropic function, activation of, by agonist of luteinizing hormone–releasing factor in puerperium (Sheehan and Yen), 755
Placenta(s), human, changes of lipid peroxidation and superoxide dismutase activity in (Sekiba and Yoshioka), 368
term, isolation and characterization of myosin in (Huszar and Bailey), 707
insulin and: Degradation and stabilization, binding to microvillous membrane receptors, and amino acid uptake (Steel, Mosley, and Smith), 522
from several mammalian species in vitro, metabolism of progesterone by (Diaz-Zagoya, Wiest, and Arias), 809
Placental blood flow responses, myoendothelial and, to ritodrine infusion in guinea pig (Mårtensson et al.), 318
function, fetal growth and, assessed by urinary estriol excretion before onset of pre-eclampsia (Long, Abell, and Beischer), 344
lactogen, human, absence of, in otherwise uneventful pregnancy (Nielsen, Pedersen, and Kampmann), 322
relative significance of, in diagnosis of retarded fetal growth (Daikoku et al.), 516
smooth muscle, human, relationship between actin-myosin interaction and myosin light chain phosphorylation in (Huszar and Bailey), 718
Plasma cortisol, estrone, estradiol, and estriol, maternal, circadian rhythms in, at 34 to 35 weeks' gestation (Patrick et al.), 791
estriol assays, unconjugated, and antepartum fetal heart rate testing, experience with, in diabetic pregnancies, VI. Estriol in pregnancy (Whittle et al.), 764
levels of progesterone and 5α-pregnane-3,20-dione throughout pregnancy of normal women and women who developed pregnancy-induced hypertension, I. Hormone production during pregnancy in primigravid patient (Parker et al.), 778
prolactin and ovine chorionic somatomammotropin, effect of long-term bromocriptine infusion in, in pregnant ewe and fetal sheep (Lowe et al.), 773
thyrotropin-releasing hormone, prolactin, thyrotropin, and thyroxine concentrations following intravenous or oral administration of thyrotropin-releasing hormone (Andreassen, Huth, and Tyson), 737
umbilical cord, and maternal plasma, unbound cortisol in: Reinvestigation (Predine et al.), 1104
Plasmapheresis, intensive, during pregnancy and spurious amniotic fluid bilirubin (Sussmann, Barias, and Colli), 156 (Comm. in brief)
Polypeptides, vasoactive, regional sensitivity to, in human umbilicoplacental vasculature (Tulenko), 629
Polytomography, abnormal, or elevated prolactin levels, practical approach for evaluation of women with (Speroff et al.), 896
Postmenopausal endometrium, ultrastructural effects of estrogen replacement of (Aycock and Jollie), 461
hot flashes, elevations in skin temperature of finger as objective index of: Standardization of technique (Meldrum et al.), 713
women, comparative study of premenopausal women with: Genital bacteriology (Osborne, Wright, and Grubin), 195
Postpartum amenorrhea, effect of maternal nutritional status and infant supplementation during lactation on (Delgado et al.), 303
endomyometritis, role of anaerobic bacteria in (Platt, Yonekura, and Ledger), 814
period, pregnancy and, activity and work during: Cross-cultural study of 202 societies (Jimenez and Newton), 171 (Clinical opinion)
Pre-eclampsia, fetal growth and placental function assessed by urinary estriol excretion before onset of (Long, Abell, and Beischer), 344
Pregnancy (pregnancies), appraisal of "rigid" blood glucose control, in overtly diabetic woman (Leveno et al.), 853
associated with low maternal serum alpha-fetoprotein concentrations (Bennett et al.), 545 (Comm. in brief)
changes in 25-hydroxyvitamin D and 24,25-dihydroxyvitamin D during (Reiter et al.), 227
chronic ectopic, lactic dehydrogenase measurement in (Ohel and Katz), 149 (Comm. in brief)
complicated, II. Lung profile (Kulovich and Gluck), 64
by sickle cell hemoglobinopathies, prophylactic transfusions of normal red blood cells during (Cunningham and Pritchard), 994
diabetic, changes in amniotic fluid glucose, β-hydroxy-butyrate, glycerol, and lactate concentration in (Seeds et al.), 887
early human, clinical effects of orally administered extracts of *Montanoa tomentosa* in (Landgren et al.), 480
effects of dietary lead and zinc on (Dilts and Ahokas), 940
estriol in. VI. Experience with unconjugated plasma estriol assays and antepartum fetal heart rate testing in diabetic pregnancies (Whittle et al.), 764
glycosylated hemoglobins and diabetes mellitus in (O'Shaughnessy, Russ, and Zuspan), 783
hemodynamic changes during, in rabbit (Nuwayhid), 590
herpes encephalitis in (Román-Campos et al.), 158 (Comm. in brief)
simplex encephalitis in (King), 1114 (Comm. in brief)
high-risk, fetal breathing movements and nonstress test in (Manning et al.), 511
hydronephrosis of: Ultrasonographic study and classification of asymptomatic women (Fried), 1066
hormone production during, in primigravid patient. I. Plasma levels of progesterone and 5α-pregnane-3,20-dione throughout pregnancy of normal women and women who developed pregnancy-induced hypertension (Parker et al.), 778
-induced hypertension, studies of colloid osmotic pressure in (Benedetti and Carlson), 308
intensive plasmapheresis during, and spurious amniotic fluid bilirubin (Sussmann, Barias, and Colli), 156 (Comm. in brief)
and labor, changes in glycosaminoglycans distribution pattern in human uterine cervix during (von Maillot et al.), 503
late, maternal peripheral concentrations of estradiol, estrone, cortisol, and progesterone during, in rhesus monkeys (*Macaca mulatta*) and after experimental fetal anencephaly and fetal death (Walsh, Kittinger, and Novy), 37
long-term propranolol therapy in: Maternal and fetal outcome (Pruyn, Phelan, and Buchanan), 485
management of, after cesarean section (Saldana, Schulman, and Reuss), 555
molar, acute pulmonary complications of (Twiggs, Morrow, and Schlaerth), 189
myasthenia gravis in: Update (Plauché), 691 (Current developments)
normal, I. Lung profile (Kulovich, Hallman, and Gluck), 57
serum levels during: Angiotensin-converting enzyme (Parente et al.), 586
urinary concentration, white blood cell excretion, acid excretion, and acid-base status in: Alterations in pregnancy-associated hypertension (Gallery and György), 27
obtaining drug exposure histories during (Bodendorfer, Briggs, and Gunning), 490
otherwise uneventful, absence of human placental lactogen in (Nielsen, Pedersen, and Kampmann), 322

Pregnancy (pregnancies)—Cont'd
outcome, their influence on, dimensions of prenatal anxiety and (Standley, Soule, and Copans), 22
of, weight gain and (Naeye), 3
and postpartum period, activity and work during: Cross-cultural study of 202 societies (Jimenez and Newton), 171 (Clinical opinion)
rate, computer analysis of etiology and, in 636 cases of primary infertility (Katayama et al.), 207
stressed, acceleration of pulmonary surfactant maturation in: Study of neonatal lung effluent (Obladen, Merritt, and Gluck), 1079
systemic lupus erythematosus in (Devoe and Taylor), 473
toxemia, effect of prostaglandin A_1 on renal hemodynamics in (Toppozada et al.), 581
in underweight woman (Edwards et al.), 297
without benefit of reconstructive surgery in bisexually active true hermaphrodite (Tegenkamp et al.), 427 (Comm. in brief)
Pregnane, 5α-, -3,20-dione, progesterone and, plasma levels of, throughout pregnancy of normal women and women who developed pregnancy-induced hypertension, I. Hormone production during pregnancy in primigravid patient (Parker et al.), 778
Pregnant ewe and fetal sheep, effect of long-term bromocriptine infusion on plasma prolactin and ovine chorionic somatomammotropin in (Lowe et al.), 773
and fetus, effect of acute maternal hemorrhage on release of catecholamines in (Artal et al.), 818
uterus *(Macaca mulatta)*, effects of biorhythms on blood flow distribution in (Harbert, Croft, and Spisso), 828
woman (women), diabetic, new approach to treatment of (Roversi et al.), 567
failure of penicillin to eradicate group B streptococcal colonization in (Gardner et al.), 1062
high-risk, oxytocin challenge test results compared with simultaneously studied serum human placental lactogen and free estriol levels in (Spellacy et al.), 917
Premature infants, antepartum aminophylline treatment for prevention of respiratory distress syndrome in (Hadjigeorgiou et al.), 257
onset of labor, neonatal patent ductus arteriosus, and prostaglandin synthetase antagonists—Rat model of human problem (Altshuler et al.), 261
Premenopausal women, comparative study of, with postmenopausal women: Genital bacteriology (Osborne, Wright, and Grubin), 195
Prenatal anxiety, dimensions of, and their influence on pregnancy outcome (Standley, Soule, and Copans), 22
diagnosis of hemoglobinopathies: Ethical issues (Fletcher), 53
and intrapartum high-risk screening. II. Risk factors reassessed (Hobel, Youkeles, and Forsythe), 1051
Pressure, colloid osmotic, in pregnancy-induced hypertension, studies of (Benedetti and Carlson), 308
Primigravid patient, hormone production during pregnancy in. I. Plasma levels of progesterone and 5α-pregnane-3,20-dione throughout pregnancy of normal women and women who developed pregnancy-induced hypertension (Parker et al.), 778
Progesterone, estradiol, estrone, and cortisol, maternal peripheral concentrations of, during late pregnancy in rhesus monkeys *(Macaca mulatta)* and after experimental fetal anencephaly and fetal death (Walsh, Kittinger, and Novy), 37
metabolism of, by placentas from several mammalian species in vitro (Diaz-Zagoya, Wiest, and Arias), 809
and 5α-pregnane-3,20-dione, plasma levels of, throughout pregnancy of normal women and women who developed pregnancy-induced hypertension, I. Hormone production during pregnancy in primigravid patient (Parker et al.), 778
Prolactin levels, elevated, abnormal polytomography or, practical approach for evaluation of women with (Speroff et al.), 896
plasma, and ovine chorionic somatomammotropin, effect of long-term bromocriptine infusion on, in pregnant ewe and fetal sheep (Lowe et al.), 773
production by human endometrium during normal menstrual cycle (Maslar and Riddick), 751
serum, plain radiography, and hypocycloidal tomography of sella turcica, comparison of, in patients with galactorrhea (Marrs et al.), 467
thyrotropin, thyroxine, and thyrotropin-releasing hormone concentrations, plasma, following intravenous or oral administration of thyrotropin-releasing hormone (Andreassen, Huth, and Tyson), 737
Propranolol therapy, long-term, in pregnancy: Maternal and fetal outcome (Pruyn, Phelan, and Buchanan), 485
Prospectus (Evans), 823
Prostaglandin(s) A_1, effect of, on renal hemodynamics in pregnancy toxemia (Toppozada et al.), 581
E_2, oral, preinduction cervical priming with (Lauersen, MacKenzie, and Embrey), 1057
$F_{2\alpha}$, 15-methyl-, vaginal suppository, single, cervical priming prior to first-trimester suction abortion with (Lauersen, Seidman, and Wilson), 1116 (Comm. in brief)
in pathogenesis of generalized Shwartzman reaction (Latour and Leger-Gauthier), 577
synthetase antagonists, neonatal patent ductus arteriosus, and premature onset of labor—Rat model of human problem (Altshuler et al.), 261
inhibitor ibuprofen, relief of dysmenorrhea with: Effect on prostaglandin levels in menstrual fluid (Chan, Dawood, and Fuchs), 102
Protein(s), estrogen-binding, in human postmenopausal uterus (Gibbons et al.), 799
retinol-binding, serum vitamin A and, in malnourished women treated with oral contraceptives: Effects of estrogen dose and duration of treatment (Ram and Bamji), 470
Puerperium, activation of pituitary gonadotropic function by agonist of luteinizing hormone–releasing factor in (Sheehan and Yen), 755
Pulmonary-aortic pressure gradients as index of caliber of fetal patent ductus arteriosus (Hoskins, Kirkpatrick, and Friedman), 543 (Comm. in brief)
complications, acute, of molar pregnancy (Twiggs, Morrow, and Schlaerth), 189
maturity, fetal, rapid assessment of (Copeland), 1048
surfactant maturation, acceleration of, in stressed pregnancies: Study of neonatal lung effluent (Obladen, Merritt, and Gluck), 1079
Pulse wave, R–, timing: Technique for continuous cardiovascular monitoring in obstetrics—Preliminary report (Koh et al.), 352

R

Racial groups, different, outcome of normal and dysfunctional labor in (Thom, Chan, and Studd), 495
Radioangiographic measurement of internal diameters of uteroplacental arteries in rhesus monkeys (Ramsey, Chez, and Doppman), 247
Radiography, plain, hypocycloidal tomography of sella turcica, and serum prolactin, comparison of, in patients with galactorrhea (Marrs et al.), 467
Renal hemodynamics, effect of prostaglandin A_1 on, in pregnancy toxemia (Toppozada et al.), 581
Respiratory distress syndrome, amniotic fluid lecithin/sphingomyelin ratio and, effect of diabetes mellitus on (Curet et al.), 10
antepartum aminophylline treatment for prevention of, in premature infants (Hadjigeorgiou et al.), 257
Retarded fetal growth, relative significance of human placental lactogen in diagnosis of (Daikoku et al.), 516
Retinol-binding protein, serum vitamin A and, in malnourished women treated with oral contraceptives: Effects of estrogen dose and duration of treatment (Ram and Bamji), 470
Ring, tubal, electrocoagulation, and spring-loaded clip, incidence of pain among women undergoing laparoscopic sterilization by (Chi and Cole), 397
Ritodrine infusion, myoendothelial and placental blood flow responses to, in guinea pig (Mårtensson et al.), 318
Rupture and fistula formation into urinary bladder, associated, tuboovarian abscess with: Report of two cases (London and Burkman), 1113 (Comm. in brief)

S

Saline-instillation abortion with laminaria and megadose oxytocin (Hachamovitch, Bracken, and Simons), 327
Salpingitis, acute, intrauterine contraceptive device and (Flesh et al.), 402
Scalp sampling, influence of, on cesarean section rate for fetal distress (Zalar and Quilligan), 239
Scan, linear-array, real-time B, intrauterine transfusion utilizing: Preliminary report (Platt et al.), 1115 (Comm. in brief)
Schools, their medical, 1977 national survey of support in space and dollars for departments of obstetrics and gynecology from (Spellacy, Birk, and Buhi), 230
SCRC-1, (new endometrial cancer cell line), establishment and characterization of (Gorodecki et al.), 671

Sella turcica, hypocycloidal tomography of, serum prolactin, and plain radiography, comparison of, in patients with galactorrhea (Marrs et al.), 467
Serum alpha-fetoprotein concentrations, low maternal, pregnancies associated with (Bennett et al.), 545 (Comm. in brief)
screening, maternal: Promise not yet fulfilled (Nadler and Simpson), 1 (Editorial)
concentrations, medroxyprogesterone, by oral or intramuscular route, comparison of, in patients with persistent or recurrent endometrial carcinoma (Sall et al.), 647
human placental lactogen and free estriol levels, simultaneously studied, oxytocin challenge test results compared with, in high-risk pregnant women (Spellacy et al.), 917
levels during normal pregnancy: Angiotensin-converting enzyme (Parente et al.), 586
maternal venous and umbilical arterial and venous, simultaneous determination of seven unconjugated steroids in, in elective and emergency cesarean section at term (Sippell et al.), 530
prolactin, plain radiography, and hypocycloidal tomography of sella turcica, comparison of, in patients with galactorrhea (Marrs et al.), 467
vitamin A and retinol-binding protein in malnourished women treated with oral contraceptives: Effects of estrogen dose and duration of treatment (Ram and Bamji), 470
Sexual dysfunction, urinary stress incontinence and, clinical study of effects of galvanic vaginal muscle stimulation in (Scott and Hsueh), 663
Shute parallel forceps, fetal risk in delivery with (Seidenschnur and Koepcke), 312
Shwartzman reaction, generalized, prostaglandins in pathogenesis of (Latour and Leger-Gauthier), 577
Sickle cell hemoglobinopathies, prophylactic transfusions of normal red blood cells during pregnancies complicated by (Cunningham and Pritchard), 994
Sigmoid carcinoma, endometritis-parametritis simulating (Hershey and Protas), 150 (Comm. in brief)
Sinus tumor, endothermal, of ovary, therapy of (Gallion et al.), 447
Skin temperature of finger, elevations in, as objective index of postmenopausal hot flashes: Standardization of technique (Meldrum et al.), 713
Smoking, cigarette, as etiologic factor in cleft lip and palate (Ericson, Källén, and Westerholm), 348
and oral contraceptives, effect of, on urinary excretion of epinephrine and norepinephrine (Zuspan), 1012
Society for Gynecologic Investigation, papers of, 707-822
Somatomammotropin, ovine chorionic, plasma prolactin and, effect of long-term bromocriptine infusion on, in pregnant ewe and fetal sheep (Lowe et al.), 773
Sonar cephalometry in twins: Table of biparietal diameters for normal twin fetuses and comparison with singletons (Leveno et al.), 727
Sperm, haploid, androgenesis following fertilization by: Human lymphocyte antigen expression in hydatidiform mole (Yamashita et al.), 597
human, presence of human chorionic gonadotropin–like substance in (Asch et al.), 1041
Sphingomyelin, lecithin/, ratio, amniotic fluid, and respiratory distress syndrome, effect of diabetes mellitus on (Curet et al.), 10
test, modified, for fetal maturity (Kuhnert et al.), 331
Spring clip, laparoscopic sterilization with: Instrumentation development and current clinical experience (Hulka et al.), 1016
Squamous cell carcinoma, postirradiation, in situ of vagina: Treatment by topical 20 percent 5-fluorouracil cream (Piver et al.), 377
Sterilization, laparoscopic, by electrocoagulation, spring-loaded clip, and tubal ring, incidence of pain among women undergoing (Chi and Cole), 397
with spring clip: instrumentation development and current clinical experience (Hulka et al.), 1016
Steroids, gonadal, uterine metabolism of, during menstrual cycle (Little et al.), 957
seven unconjugated, simultaneous determination of, in maternal venous and umbilical arterial and venous serum in elective and emergency cesarean section at term (Sippell et al.), 530
Streptococcal colonization, group B, failure of penicillin to eradicate, in pregnant woman (Gardner et al.), 1062
Stress, non-, test, fetal breathing movements and, in high-risk pregnancies (Manning et al.), 511
test, postive contraction, role of trial of labor with (Bissonnette, Johnson, and Toomey), 292
Suction abortion, first-trimester, cervical priming prior to, with single 15-methyl-prostaglandin $F_{2\alpha}$ vaginal suppository (Lauersen, Seidman, and Wilson), 1116 (Comm. in brief)
Suction—Cont'd
curettage abortions, which is safer for performing: Local versus general anesthesia (Grimes et al.), 1020
Superoxide dismutase activity, lipid peroxidation and, changes of, in human placenta (Sekiba and Yoshioka), 368
Suppository, single 15-methyl-prostaglandin $F_{2\alpha}$ vaginal, cervical priming prior to first-trimester suction abortion with (Lauersen, Seidman, and Wilson), 1116 (Comm. in brief)
Surfactant in amniotic fluid, role of centrifugation in measurement of (Oulton), 337
maturation, pulmonary, acceleration of, in stressed pregnancies: Study of neonatal lung effluent (Obladen, Merritt, and Gluck), 1079
Surgery, corpus luteum (Hibbard), 666
major gynecologic, coagulation studies of patients taking low-dose heparin during and after (Chung, Phillips, and Levine), 1025
pelvic, selective embolization to control massive hemorrhage following (Oliver and Lance), 431 (Comm. in brief)
reconstructive, pregnancy without benefit of, in bisexually active true hermaphrodite (Tegenkamp et al.), 427 (Comm. in brief)
Surgical treatment of Stages IB and IIA invasive carcinoma of cervix by radical abdominal hysterectomy (Sall et al.), 442
Syndrome, respiratory distress, amniotic fluid lecithin/sphingomyelin ratio and, effect of diabetes mellitus on (Curet et al.), 10
antepartum aminophylline treatment for prevention of, in premature infants (Hadjigeorgiou et al.), 257
Systemic lupus erythematosus in pregnancy (Devoe and Taylor), 473

T

Temperature, skin, of finger, elevations in, as objective index of postmenopausal hot flashes: Standardization of technique (Meldrum et al.), 713
Teratoma, benign cystic, of uterus (Martin et al.), 429 (Comm. in brief)
Test, lecithin/sphingomyelin ratio, modified, for fetal maturity (Kuhnert et al.), 331
nonstress, fetal breathing movements and, in high-risk pregnancies (Manning et al.), 511
oxytocin challenge, for antepartum fetal assessment (Huddleston et al.), 609
positive contraction stress, role of trial of labor with (Bissonnette, Johnson, and Toomey), 292
results, oxytocin challenge, compared with simultaneously studied serum human placental lactogen and free estriol levels in high-risk pregnant women (Spellacy et al.), 917
Testing, antepartum fetal heart rate, experience with unconjugated plasma estriol assays and, in diabetic pregnancies, VI. Estriol in pregnancy (Whittle et al.), 764
Thyrotropin-releasing hormone, prolactin, thyrotropin, and thyroxine concentrations, plasma, following intravenous or oral administration of thyrotropin-releasing hormone (Andreassen, Huth, and Tyson), 737
Thyroxine, thyrotropin-releasing hormone, prolactin, and thyrotropin concentrations, plasma, following intravenous or oral administration of thyrotropin-releasing hormone (Andreassen, Huth, and Tyson), 737
Tissue pH, fetal blood and, with moderate bradycardia (Young et al.), 45
monitor, continuous, evaluation of, in fetal and neonatal goat (Kellner et al.), 507
Tomography, computerized, applied to gynecologic oncology (Photopulos et al.), 381
hypocycloidal, of sella turcica, serum prolactin, and plain radiography, comparison of, in patients with galactorrhea (Marrs et al.), 467
Toxemia, pregnancy, effect of prostaglandin A_1 on renal hemodynamics in (Toppozada et al.), 581
Transactions, one hundred and second annual meeting, American Gynecological Society, 823-1003
Transfusion(s), intrauterine, utilizing linear-array, real-time B scan: Preliminary report (Platt et al.), 1115 (Comm. in brief)
prophylactic, of normal red blood cells during pregnancies complicated by sickle cell hemoglobinopathies (Cunningham and Pritchard), 994
Transverse lie, intra-abdominal version technique for delivery of, by low-segment cesarean section (Pelosi et al.), 1009 (Clinical opinion)
Trimester, second-, abortion by vacuum curettage, evaluation of balloon dilator before (Stubblefield et al.), 199
Trophoblastic disease, gestational, within elective abortion population (Cohen et al.), 452

Trophoblastic disease—Cont'd
utility of rapid assay for human chorionic gonadotropin in management of (Soules, Tyrey, and Hammond), 384
tumors, advanced gestational, historical background of successful chemotherapy for (Li), 266 (Classic pages)
Tubal ring, electrocoagulation, and spring-loaded clip, incidence of pain among women undergoing laparoscopic sterilization by (Chi and Cole), 397
Tuboovarian abscess with associated rupture and fistula formation into urinary bladder: Report of two cases (London and Burkman), 1113 (Comm. in brief)
Tumor(s), advanced gestational trophoblastic, historical background of successful chemotherapy for (Li), 266 (Classic pages)
endothermal sinus, of ovary, therapy of (Gallion et al.), 447
uterine smooth muscle, morphologic features of prognostic significance in: Review of eighty-four cases (Burns, Curry, and Bell), 109
Twins, sonar cephalometry in: Table of biparietal diameters for normal twin fetuses and comparison with singletons (Leveno et al.), 727

U

Ultrasonic cephalometry, real-time, amniotic fluid phosphatidylglycerol and (Strassner et al.), 804
and endocrinologic assessment of human follicular development, correlation of (Hackelöer et al.), 122
Ultrasonographic study and classification of asymptomatic women: Hydronephrosis of pregnancy (Fried), 1066
Ultrasound, continuous, and fetal movement (Hertz et al.), 152 (Comm. in brief)
Umbilical arterial and venous serum, maternal venous and, simultaneous determination of seven unconjugated steroids in, in elective and emergency cesarean section at term (Sippell et al.), 530
cord compression, slow partial, regional cerebral blood flow changes during severe fetal asphyxia produced by (Johnson et al.), 48
plasma and maternal plasma, unbound cortisol in: Reinvestigation (Predine et al.), 1104
Umbilicoplacental vasculature, human, regional sensitivity to vasoactive polypeptides in (Tulenko), 629
Underweight woman, pregnancy in (Edwards et al.), 297
University of Texas Systems Cancer Center, M. D. Anderson Hospital and Tumor Institute, review of ovarian cancer at (Smith and Day), 984
Urethrovesical suspension, fascia lata, for recurrent stress urinary incontinence (Parker, Addison, and Wilson), 843
Urinary bladder, fistula formation into, associated rupture and, tuboovarian abscess with: Report of two cases (London and Burkman), 1113 (Comm. in brief)
concentration, white blood cell excretion, acid excretion, and acid-base status in normal pregnancy: Alterations in pregnancy-associated hypertension (Gallery and Györy), 27
estriol excretion, fetal growth and placental function assessed by, before onset of pre-eclampsia (Long, Abell and Beischer), 344
excretion of epinephrine and norepinephrine, effect of smoking and oral contraceptives on (Zuspan), 1012
stress incontinence and sexual dysfunction, clinical study of effects of galvanic vaginal muscle stimulation in (Scott and Hsueh), 663
Uterine activity, evaluation of: Comparative analysis (Huey and Miller), 252
cervix, human, changes in glycosaminoglycans distribution pattern in, during pregnancy and labor (von Maillot et al.), 503
results of treatment of microinvasive carcinoma (Stage IA) of, by means of simple and extended hysterectomy (Yajima and Noda), 685
leiomyoma, human, Δ^4-3-ketosteroid 5α-oxidoreductase in (Reddy and Rose), 415
metabolism of gonadal steroids during menstrual cycle (Little et al.), 957
perforation, anatomic and clinical correlates of (Berek and Stubblefield), 181
smooth muscle tumors, morphologic features of prognostic significance in: Review of eighty-four cases (Burns, Curry, and Bell), 109
uptake of amino acids throughout gestation in unstressed ewe (Morriss et al.), 601
Uteroplacental arteries, radioangiographic measurement of internal diameters of, in rhesus monkeys (Ramsey, Chez, and Doppman), 247
Uterus, benign cystic teratoma of (Martin et al.), 429 (Comm. in brief)
human, adrenergic innervation of (Thorbert et al.), 223
postmenopausal, estrogen-binding proteins in (Gibbons et al.), 799
(Macaca mulatta), pregnant, effects of biorhythms on blood flow distribution in (Harbert, Croft, and Spisso), 828

V

Vacuum curettage, evaluation of balloon dilator before second-trimester abortion by (Stubblefield et al.), 199
Vagina and cervix, clear cell adenocarcinoma of, epidemiologic aspects and factors related to survival in 384 Registry cases of (Herbst et al.), 876
postirradiation squamous cell carcinoma in situ of: Treatment by topical 20 percent 5-fluorouracil cream (Piver et al.), 377
Vaginal muscle stimulation, galvanic, clinical study of effects of, in urinary stress incontinence and sexual dysfunction (Scott and Hsueh), 663
suppository, single 15-methyl-prostaglandin $F_{2\alpha}$, cervical priming prior to first-trimester suction abortion with (Lauersen, Seidman, and Wilson), 1116 (Comm. in brief)
Variability estimation, fetal baseline heart rate. I. Comparison of clinical and stochastic quantification techniques (Escarcena, McKinney, and Depp), 615
Vasoactive polypeptides, regional sensitivity to, in human umbilicoplacental vasculature (Tulenko), 629
Venereal disease, our most important: Herpes genitalis (Gardner), 553 (Clinical opinion)
Venous, maternal, and umbilical arterial and venous serum, simultaneous determination of seven unconjugated steroids in, in elective and emergency cesarean section at term (Sippell et al.), 530
Version technique, intra-abdominal, for delivery of transverse lie by low-segment cesarean section (Pelosi et al), 1009 (Clinical opinion)
Vessel density in endometrium of women with and without intrauterine contraceptive devices: Morphometric evaluation (Shaw, Macaulay, and Hohman), 202
injury, major, during laparoscopy: Anatomy of two cases (Katz, Beck, and Tancer), 544 (Comm. in brief)
Villous, micro-, membrane receptors, binding to, amino acid uptake, and degradation and stabilization: Insulin and placenta (Steel, Mosley, and Smith), 522
Vitamin A and retinol-binding protein, serum, in malnourished women treated with oral contraceptives: Effects of estrogen dose and duration of treatment (Ram and Bamji), 470
B_{12} metabolism, effect of oral contraceptives on (Shojania and Wylie), 129
25-hydroxy-, D, and 24,25-dihydroxyvitamin D, changes in, during pregnancy (Reiter et al.), 227
Vulva, extensive condyloma acuminatum of, treated by modified simple vulvectomy (Tsoutsoplides), 1118 (Comm. in brief)
Vulvar Clinic: Eight-year appraisal (Friedrich, Burch, and Bahr), 1036
neoplasia in young (Hilliard, Massey, and O'Toole), 185
Vulvectomy, modified simple, extensive condyloma acuminatum of vulva treated by (Tsoutsoplides), 1118 (Comm. in brief)

W

Water content, lung, of newborn rabbits, labor decreases (Bland, Bressack, and McMillan), 364
Wave, R-pulse, timing: Technique for continuous cardiovascular monitoring in obstetrics—Preliminary report (Koh et al.), 352
Weight, birth, gestational age and, tendency to repeat, in successive births (Bakketeig, Hoffman, and Harley), 1086
gain and outcome of pregnancy (Naeye), 3
White blood cell excretion, acid excretion, acid-base status, and urinary concentration in normal pregnancy: Alterations in pregnancy-associated hypertension (Gallery and Györy), 27

Y

Young, vulvar neoplasia in (Hilliard, Massey, and O'Toole), 185

Z

Zinc, addition of, in vitro, diet supplementation and, effect of, on growth-supporting property of amniotic fluid in African women (Appelbaum et al.), 82
dietary lead and, effects of, on pregnancy (Dilts and Ahokas), 940